File   Machine   Snapshot   Help

Take   Delete   Restore   Properties   Settings   Discard   Start

kali
Powered Off

Metasploitable2 (User Create)
Powered Off

Snapshots

Name	Taken
User Create	04-01-2026 21:41 (1 day ago)
Current State (changed)	

Attributes   Information

Name: Enter a name for the new snapshot...

Description:

Take   Reset

Metasploitable2 - Settings

Search settings 🔍

- General
- System
- Display
- Storage
- Audio
- **Network**
- USB
- Shared Folders

Network

Adapter 1

☑ Enable Network Adapter

Attached to NAT ⌄

Name ⌄

USB

☑ Enable USB Controller

◯ USB 1.1 (OHCI) Controller

◉ USB 2.0 (OHCI + EHCI) Controller

◯ USB 3.0 (xHCI) Controller

Shared Folders

Name	Path	Access	Auto Mount	At
	Global Folders			

OK   Cancel   Help

File   Machine   View   Input   Devices

```
 * Starting deferred execution scheduler atd                    [ OK ]
 * Starting periodic command scheduler crond                    [ OK ]
 * Starting Tomcat servlet engine tomcat5.5                     [ OK ]
 * Starting web server apache2                                  [ OK ]
 * Running local boot scripts (/etc/rc.local)
nohup: appending output to `nohup.out'
nohup: appending output to `nohup.out'
                                                                [ OK ]
```

```
                    _     _ _        _     _      _____
 _ __ ___   ___| |_ __ _ ___ _ __ | | ___ (_) | |_ __ _| |__ | | ___|___ /
| '_ ` _ \ / _ \ __/ _` / __| '_ \| |/ _ \| | __/ _` | '_ \| |/ _ \ |_ \
| | | | | |  __/ || (_| \__ \ |_) | | (_) | | || (_| | |_) | |  __/___) |
|_| |_| |_|\___|\__\__,_|___/ .__/|_|\___/|_|\__\__,_|_.__/|_|\___|____/
                            |_|
```

Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

metasploitable login: _

Right Ctrl

File   Machine   View   Input   Devices

```
msfadmin@metasploitable:~$ sudo useradd -m A.K.Singh
useradd: user A.K.Singh exists
msfadmin@metasploitable:~$ id A.K.Singh
uid=1003(A.K.Singh) gid=1003(A.K.Singh) groups=1003(A.K.Singh)
msfadmin@metasploitable:~$ _
```

Right Ctrl

File   Machine   View   Input   Devices

```
msfadmin@metasploitable:~$ sudo chmod -R 777 /var/www/mutillidae
msfadmin@metasploitable:~$ mysql -u root
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 12
Server version: 5.0.51a-3ubuntu5 (Ubuntu)

Type 'help;' or '\h' for help. Type '\c' to clear the buffer.

mysql> CREATE DATABASE mutillidae;
Query OK, 1 row affected (0.00 sec)

mysql> exit;
Bye
msfadmin@metasploitable:~$ _
```

Right Ctrl

Mutillidae: Born to be Hacked

Version: 2.1.19   **Security Level: 0 (Hosed)**   **Hints: Disabled (0 - I try harder)**   **Not Logged In**

Home   Login/Register   Toggle Hints   Toggle Security   Reset DB   View Log   View Captured Data

Core Controls ▶

OWASP Top 10 ▶

Others ▶

Documentation ▶

Resources ▶

Mutillidae: Deliberately Vulnerable PHP Scripts Of OWASP Top 10

Latest Version / Installation

- **Latest Version**
- **Installation Instructions**
- **Usage Instructions**
- **Get rid of those pesky PHP errors**
- **Change Log**
- **Notes**

Samurai WTF and Backtrack contains all the tools needed or you may build your own collection

back|track

Samurai Web Testing Framework

Site hacked...err...quality-tested with Samurai WTF, Backtrack, Firefox, Burp-Suite, Netcat, and these Mozilla Add-ons

@webpwnized

BUILT ON eclipse

Toad

MySQL

HACKERS FOR CHARITY
www.hackersforcharity.org