

Pre-Flight

Know what you sign — before you sign it.

Android · Solana Mobile Stack · Mobile Wallet Adapter
Built for CLOCK IN — the Solana Mobile Hackathon

On Solana, the attack surface is not your portfolio. It is the **Confirm button**.

- Drainers do not need your keys. They need **one signature**.
- The primitives are boring and repeatable: unlimited `Approve`, full-balance transfer, `SetAuthority`, `CloseAccount`, Token-2022 transfer hooks.
- Blockaid's Backpack data: **5.6% of active users** hit by a drain attempt; **75% of attacks are "transfer farming"**.

This is not a novel crime. It is an industrialised one.

The warning exists. It is just **owned by somebody else.**

TODAY	CONSEQUENCE
Warnings live inside one wallet	Switch wallets, lose your protection
Desktop-first tooling	The signatures that matter happen on a phone
"This looks risky"	No mechanism explained, so no learning
Per-token lookup sites	You must already suspect the token

Nobody offers a **wallet-agnostic, mobile-first, pre-signature explanation layer.**

Three surfaces. One recurring interception point.

Pre-Flight

Verdict for any transaction: by signature, pasted raw bytes, or an intercepted Mobile Wallet Adapter sign request.

Authority Check


Live mint/freeze authority, mutable metadata and Token-2022 extensions on the assets you hold.

Address Guard

Lookalike and first-time recipients, checked against your own history.

Not a lookup site you visit when suspicious. It sits at the moment of decision, every time.

Not mockups — captures from the release APK.



STOP · risk 90 · unlimited approval

Evidence · u64::MAX + delegate named

Real mainnet · pump.fun swap, decoded on device

MWA · 7/7 stages, signature verified

Every verdict above came from the on-device engine. The mainnet swap was fetched by signature; the wallet hand-off is a real Mobile Wallet Adapter session.

How it works — **all on-device.**



- Zero Android dependencies in the engine → auditable and unit-tested under plain JVM.
- The verdict never leaves the phone. No black box, no vendor API deciding for you.

We explain the transaction, **not just the token.**

Everyone else

"Is this token a scam?" — a per-token reputation score, usually computed server-side.

Pre-Flight

"What will *this specific transaction* do to me?" — mechanism-level, with the instruction, the amount and the authority named.

```
approve amount = u64::MAX
```

→ *"This lets them move your tokens forever, without asking you again."*

One glance. One sentence. **Then the evidence.**

STOP

This transaction moves **1,204.55 USDC** — **all of it** — out of your wallet to an address created 4 minutes ago, then approves an **unlimited delegate** over the same account.

- Risk score out of 100 on a full-width banner you cannot miss.
- Findings expand to raw evidence, so power users verify and beginners learn.
- Built for a phone in one hand, not a dashboard on a monitor.

SKR is the **unit of account for safety checks.**

- **Deposit, not payment.** Deep forensics (bundle detection, insider tracing) costs real compute, so it is metered in SKR and refunded when the scan completes.
- **On-chain attestation.** Every completed pre-flight leaves a verifiable record that this wallet checked before signing.
- **First-transaction reward.** A small SKR reward for guarding a brand-new wallet's first transfer — paid to the moment of highest risk.

SKRbvo6Gf7GondiT3BbTfuRDPqLWei4j2Qy2NPGZhW3 · verified live on mainnet

Where this goes after the hackathon

- **Publish to the Solana dApp Store** — already scoped, required for the prize.
- **Intercept, don't just inspect.** Register as an MWA handler so any wallet can route sign requests through Pre-Flight.
- **Threat-intelligence loop.** Anonymised verdict outcomes become new detection rules — the path RugCheck took to becoming the ecosystem default.
- **Grants and bounties.** Solana Mobile runs a security VDP (up to \$75k in SKR) and security grants. This engine is reusable infrastructure for that work.

Built during the hackathon. **Verified, not asserted.**

CLAIM	EVIDENCE
Runs on real mainnet data	Live pump.fun swap fetched, decoded, verdicted on an emulator
Real Mobile Wallet Adapter session	Authorize + <code>sign_transactions</code> , Ed25519 signature verified
Engine is testable infrastructure	Pure Kotlin, no Android imports, unit-tested
Risk intelligence is real	RugCheck + GoPlus merged live, per-finding attribution

The three seconds before Confirm are the most valuable and least protected seconds on Solana.
Pre-Flight owns them.