

```
C:\Users\BMSCCE\Desktop\1BM22CS028>java javascanner
```

```
enter a integer number : 5
```

```
5 is an odd number
```

```
C:\Users\BMSCCE\Desktop\1BM22CS028>java javascanner
```

```
enter a integer number : 5
```

```
5 is an odd number
```

```
C:\Users\BMSCE\Desktop\1BM22CS028>java rightangle
```

```
*  
*  *  
*  *  *  
*  *  *  *  
*  *  *  *  *  
*  *  *  *  *  *  
*  *  *  *  *  *  *  
*  *  *  *  *  *  *  *
```

```
C:\Users\BMSCE\Desktop\1BM22CS028>
```

```
C:\Users\BMSCE\Desktop\1BM22CS028>java swap
```

```
--before swap--
```

```
first number = 1.2
```

```
second number = 2.45
```

```
--after swap--
```

```
first number = 2.45
```

```
second number = 1.2
```

```
C:\Users\BMSCE\Desktop\1BM22CS028>java multiply
```

```
enter first number:
```

```
4
```

```
enter second number:
```

```
5
```

```
Output:20
```

```
C:\Users\BMSCCE\Desktop\1BM22CS028>java qr
```

```
quotient is:7
```

```
Remainder is:1
```