



SMART DIGITAL DOOR LOCK

OOB SMARTHOME



**MAKE YOUR HOME
SMART & SAFE**

**TOUCH THE
FUTURE
TODAY**

Transform Your Home into a Smart Home For
Safety, Convenience and Cost-Efficiency

OOBDLS1



Secure your home with a touch—embrace the future with a digital door lock.

Authentication Method



Fingerprint



RFID Card



Pin Number/Password



Mechanical Key



Mobile App(optional)
(Wi-Fi chip extra)



PRODUCT PARAMETER

Power Supply : **4.5V-6V**
(4 pcs AA Cell power)

Unlock Methods : **Fingerprint /**
RFID card / Passcode / Mechanical Key

Quiescent Current : **<50-65uA**

Passcode Length : **6-8 Bits**

Card Volume : **100 pcs**

Password Volume : **100 pcs**

Finger Volume : **50 pcs**

Administrator : **9**

Lower Voltage Alarm : **4.5+0.2V**

Operating Temperature : **-10 C~60 C**

Emergency Supply: **Type-C**

Lock Cylinder Level: **C Level**

Door Thickness : **38-120mm**

Material : **Aluminium Alloy**

Size : **358*70MM**



OOBDLS2

Unlock your world with
a digital door lock.



Authentication Method



Fingerprint



RFID Card




Pin Number/Password



Mechanical Key



Mobile App(optional)
(Wi-Fi chip extra)



PRODUCT PARAMETER

Power Supply : **4.5V-6V**
(4 pcs AA Cell power)

Unlock Methods : **Fingerprint /**
RFID card / Passcode / Mechanical Key

Quiescent Current : <**50-65uA**

Passcode Length : **6-8 Bits**

Card Volume : **100 pcs**

Password Volume : **100 pcs**

Finger Volume : **50 pcs**

Administrator : **9**

Lower Voltage Alarm : **4.5+0.2V**

Operating Temperature : **-10 C~60 C**

Emergency Supply: **Type-C**

Lock Cylinder Level: **C Level**

Door Thickness : **38-120mm**

Material : **Aluminium Alloy**

Size : **358*70MM**



OOBDLS3

Secure your space with a smart, keyless digital door lock.



Smart Security Function



Mobile App
(SmartLife Mobile App)



Fingerprint



RFID Card



Pin Number /Password



Mechanical Key



Doorbell



Micro USB
Charging Port



PRODUCT PARAMETER

Power Supply : **4200 mA, 8.4 V**

Lithium Battery

Unlock Methods : **Fingerprint / RFID card**
Passcode / Mechanical key / OOB APP

Passcode Length : **6-12 Bits**

Fingerprint Volume : **100pcs**

Passcode Volume : **100pcs**

RFID Card Volume : **100pcs**

Operating Temperature : **-20 C/+60 C**

Operating Humadity : **20%-93% RH**

Emergency Supply: **Type-C**

Lock Cylinder Level: **C Level**

Door Thickness : **38-120mm**

Material : **Aluminum Alloy**

Size : **440*75MM**



OOBDLS4

Secure your space with the touch of a finger using our digital door lock.



8 Advance Function

- | | |
|---|------------------------------------|
| | |
| Mobile App
(SmartLife Mobile App) | 3D Face
Recognition |
| | |
| Fingerprint | RFID Card |
| | |
| Pin Number
/Password | Mechanical Key |
| | |
| Doorbell | Micro USB
Charging Port |





Doorbell Unlock Request




Check Visitor photos



Remote Unlock

One-Time Temporary password




OOBDLS5

Secure your space with the touch of a finger using our digital door lock.



9 Advance Function



PRODUCT PARAMETER

Power Supply : **4200 mA, 7.4 V**

Lithium Battery

Unlock Methods : **Fingerprint / RFID card
Passcode / Mechanical key / OOB APP**

Passcode Length : **6-8 Bits**

Fingerprint Volume : **295pcs**

Passcode Volume : **295pcs**

RFID Card Volume : **295pcs**

Administrator : **1~5**

Face Volume : **100pcs**

Operating Temperature : **-20 C/+60 C**

Operating Humadity : **20%-90% RH**

Operating Humadity : **20%-90% RH**

Emergency Supply: **Type-C**

Lock Cylinder Level: **C Level**

Door Thickness : **38-120mm**

Material : **Zinc Alloy**

Size : **420*75MM**



OOBGDLG1

Secure your home with
a smart digital door lock.



Authentication Method



Mobile App
(SmartLife Mobile App)



Fingerprint



RFID Card



Pin Number
/Password




Mechanical Key



Doorbell



Micro USB
Charging Port



PRODUCT PARAMETER

Power Supply : **4200 mA**

Unlock Mode: **Fingerprint/
Password/Card Swiping/
Bluetooth / Mechanical Key/
Remote**

Fingerprint Type: **Semiconductor**

Temperature: **-20~+60°C**

Door Gap: **4-8mm**

Door Thickness: **10-12mm**

Fingerprint Volume : **100pcs**

Passcode Volume : **100pcs**

RFID Card Volume : **100pcs**

Battery: **4PCS AA Battery**

Product Color: **Black**

Door Opening Mode: **Push Pull
Or Move left/Right Open**

Material : **ABS + Aluminum Alloy**

Card Type: **M1 IC NFC**

Emergency Supply: **Type-C**

Static Power Consumption : **<200uA**

Size:

Front Dimension: 185*35*70mm

Side Dimension: 25*40mm





www.oobsmarhome.com

OOB SMARTHOME INDIA PVT. LTD.

B-407,408,409, Shantiniketan Business Center,
Nr. Domino's Pizza, Gangotri Circle, Nikol
Ahmedabad - 382350, Gujarat, INDIA.

M :+91 90 81 87 87 89 | E : reach@oobsmarhome.com

Available On



Follow Us



Recognized & Trusted By

