PATRIoT
Lab

Lecture 1 – Introduction and Number systems

Dr. Aftab M. Hussain,

Assistant Professor, PATRIoT Lab, CVEST

Chapter 1 (first half)

Bahot ho gaya *Induction*…. Ab *Acads* hoga!

Introductions

- B. Tech in IIT Roorkee (2009):
- After B. Tech.:
  - Design Engineer, Analog Devices India (2011)
- Joined KAUST as M.S. in 2011
- Continued as Ph.D. from Jan 2013
- Postdoc in Harvard University up to Jan 2018
- Assistant Prof., IIITH, 2018 - 2023
- Associate Prof., IIIT H, 2023 - present

- Total of 110+ research papers and 14 patents in the last 10 years

Courses

- Digital Systems and Microcontrollers (DSM) [UG1 core]
  - Digital logic
  - Basic digital circuits
  - Basics of microcontrollers

- Communications and Controls in IoT [ECE UG2 elective]

- Flexible Electronics [Open Elective]
  - Materials for flexible electronics
  - Processes and applications

Introduction to
Flexible Electronics

Aftab M. Hussain

CRC Press
Taylor & Francis Group

About the course

- Name: Digital Systems and Microcontrollers (DSM)
- Textbook:
  - M. Morris Mano and Michael D. Ciletti, "Digital Design"
- Logistics:
  - Three 1-hour lectures per week
  - One 3-hour lab per week
  - One 1-hour tut per week

- Faculty: Dr. Aftab M. Hussain (lectures section A)
              Dr. Ubaidulla P (lectures section B)
              Dr. Harikumar Kandath (labs)

About the course

Quizzes (x2)	10
Midsem	20
Lab reports (x9)	15
Lab exam	20
End semester	35
Total	**100**

About the course

Here… We… Go…

# Counting

- Lets learn counting...

0   1   2   3   4   5   6   7   8   9   **10**

Counting

- Lets learn counting…

0   1   2   3   4   5   6   7   8   9   **10**

- The place-value system:
  - Put symbols in specific places/positions to denote their "power"
  - The *base* or the *radix* of the decimal number system is 10

$$1\ 0\ 6\ 6$$

$10^3 \quad 10^2 \quad 10^1 \quad 10^0$

1000 100   10   1

1x1000+0x100+6x10+6x1 = 1066

$$1\ 9\ 4\ 0$$

$10^3 \quad 10^2 \quad 10^1 \quad 10^0$

1000 100   10   0

1x1000+9x100+4x10+0x1 = 1940

The "power" of the radix

- Many everyday things are because of the radices of the ancient past:
  - 24 hours in a day
  - 60 minutes in an hour
  - 60 seconds in a minute
  - 360° in a circle

- Things not dependent on the radix:
  - Days in a year
  - The value of pi (or other constants)

Various number systems

- Octal number system
  - The base or radix is 8
  - The symbols are: 0, 1, 2, 3, 4, 5, 6, 7

- Hexadecimal number system
  - The base or radix is 16
  - The symbols are: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, F

- Binary number system
  - The base or radix is 2
  - The symbols are: 0, 1

- We denote the base of the number using a suffix subscript: $(10395)_{10}$
- In general a number $(a_4 a_3 a_2 a_1 a_0)_r = a_4 r^4 + a_3 r^3 + a_2 r^2 + a_1 r^1 + a_0 r^0$

Conversions to decimal

- Octal number system
    - $(110)_8 = 1*8^2 + 1*8^1 + 0*8^0 = (72)_{10}$
    - $(777)_8 =$

- Hexadecimal number system
    - $(110)_{16} = 1*16^2 + 1*16^1 + 0*16^0 = (272)_{10}$
    - $(BAD)_{16} =$

- Binary number system
    - $(110)_2 = 1*2^2 + 1*2^1 + 0*2^0 = (6)_{10}$
    - $(101010)_2 =$

Conversions from decimal

- Algorithm:
  - Divide by radix
  - Save the remainder
  - Repeat
  - Arrange remainders in reverse order

- Octal number system
  - 912
  - 75

- Hexadecimal number system
  - 1729
  - 133

- Binary number system
  - 21
  - 10

Conversions from Oct/Hex to Binary

- From Oct/Hex to binary, we can take a short cut because the bases are $(2)^3$ and $(2)^4$ respectively

- For octal: take each digit and convert it individually into *three* bits

- For hex: take each digit and convert it individually into *four* bits

- Octal number system
  - $(433)_8$
  - $(70)_8$

- Hexadecimal number system
  - $(DEAD)_{16}$
  - $(FEED)_{16}$

Conversions from Binary to Oct/Hex

- The reverse course can be taken for converting binary to oct or hex
- For octal: take *three* bits and convert it individually into a symbol
- For hex: take *four* bits and convert it individually into a symbol

- Octal number system
    - $(110101011)_2$
    - $(1010111101)_2$
- Hexadecimal number system
    - $(11101011)_2$
    - $(110000110)_2$
    - $(101011111)_2$