OS Book I

I Linux Cmds

1. man → manual cmd for displaying linux cmds & other sys. components

   Eg:- man ls
   (ls → lists directory contents)
   man man
   (manual of using the manual)

2. ls → to list files & directories

   Eg:- ls
   (list files & directories of current working directory)
   ls / path / to / directory
   (list files of a specific directory)

3. cd → change directory

   Eg:- cd / home / user

4. pwd → print working directory

5. mkdir → make directory / creates new directory

   Eg:- mkdir Test Directory

6. rmdir → remove empty directories

   Eg:- rmdir Test Directory

7. cat → concatenate command

   Eg:- cat files1.txt files2.txt
   cat > newfile.txt
   cat >> existing file.txt

8. less → views text files with lesser info

9. head → Displays first few lines [Top approach]
   10 lines by default

   Eg:- head file1.txt
   head -n 3 filename.txt

10. tail → Displays last few lines [Bottom approach]
    10 lines by default

    Eg:- tail file1.txt
    tail -n 3 file1.txt

Scanned with OKEN Scanner

11. cp → copy files & directories

Eg:- cp server.c file1.txt

12. mv → move or rename files & directories

Eg:- mv file1.txt server.txt

mv file1.txt

13. rm → remove | delete files permanently

Eg:- rm file1.txt

14. touch → used to create files

Eg:- touch file1.txt.

15. echo → Displays text & can handle escape sequences in string

Eg:- echo "Hello World!"

16. ping → checks the connecting

Eg:- ping www.google.com

17. chmod → used to change permissions of a file

Eg:- chmod 755 server.c

18. chown → change the use or grp ownership of a file.

Eg:- sudo chown [user] server.c

19. exit → close the current or another file.

20. grep → powerful utility used to search text patterns

Eg:- grep "error" *.log

syslog

21. diff → difference betwn two files

Eg:- diff file1.txt file2.txt

22. ps → process status

23. top → real time view of system processes & resource usage

Scanned with OKEN Scanner

24. kill → sends signals to processes

Eg:- kill -9 <PID>

25. Sudo → Superuser do

only authorized users to execute cmds.

26. Shutdown → sudo shutdown now

power off

27. vim → Normal mode Basic cmds

Insert mode vim filename

(i) → enters insert mode

(esc) → returns to Normal mode

(:w) → Saves the file

(:q) → quit editor

28. history → Display only the last list commands.

29. whoami → current effective username is displayed

30. whatis → describes what the command does

Eg:- whatis ls

31. wc → Word count, count the no: of lines, words, characters & bytes

32. more → views txt files one screen at a time, espicially useful for large files.

33. cal → Simple yet versatile tool for displaying calendars in the terminal.

34. logout → logging out a session

35. I/O redirection cmds → >, >> , <

over writing appending

Scanned with OKEN Scanner