

local UPD

FAVORITES

No Results

ALL RESULTS

System Update Sets

Local Update Sets

Update Set Educational Organisation

Name: Educational Organisation

State: In progress

Parent:

Release date:

Install date:

Installed from:

Description:

Application: Global

Created: 2025-06-06 01:24:30

Created by: admin

Merged to:

Update

Related Links

[Merge With Another Update Set](#)

[Scan Update Set](#)

Customer Updates (167)

Update Set Logs

Child Update Sets

Created	Type	View	Target name	Updated by	Remote update set	Action
2025-06-17 23:03:44	PAR Dashboard		Shared admin dashboard	admin	(empty)	INSERT_OR_UPDATE
2025-06-08 16:00:02	Password Reset Process		Service-Desk Password Reset for Local ServiceNow	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 01:38:06	Application Menu		Akhil Sales	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:35:49	Module		Student Progress Tables	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:01:32	Module		Admissions	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 01:38:08	Module		Akhil Sales	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 01:38:06	Module		(empty)	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:07:34	Choice list		Admission.Admin Status	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:19:09	Choice list		Admission.Pincode	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:21:27	Choice list		Admission.Purpose of join	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:24:26	Choice list		Admission.School	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 04:26:05	Choice list		Admission.School Area	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 02:12:31	Choice list		Akhil Sales.Grade	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 01:38:09	Table		Akhil Sales	admin	(empty)	INSERT_OR_UPDATE
2025-06-06 01:38:08	Table		(empty)	admin	(empty)	INSERT_OR_UPDATE

▼

In

▼

L

P

▼



A

A

▼



Ex

▼

T

T.

D

Ta

D

▼



D

▼



C

Akhil Sales

u_akhil_sales

Global

Colu

Con

App

for t

for text

Search

Dicti

Q	Column label	Type	Reference	Max length	Default value	Display
✕	Admin Date	Date	(empty)	40	40	false
✕	Mother Name	String	(empty)	40	40	false
✕	Number	String	(empty)	40	javascript:global.getNextObjNumberPadded();	false
	Updated	Date/Time	(empty)	40		false
✕	Father Name	String	(empty)	40	40	false
✕	Admin Number	String	(empty)	40	40	false
	Created by	String	(empty)	40		false
✕	Student Name	String	(empty)	40	40	false
	Class	System Class Name	(empty)	40	40	true
✕	Grade	Choice	(empty)	40	40	false
	Sys ID	Sys ID (GUID)	(empty)	32		false
	Created	Date/Time	(empty)	40		false
✕	Father Cell	String	(empty)	40	40	false
	Updates	Integer	(empty)	40		false
	Updated by	String	(empty)	40		false
✕	Mother Cell	String	(empty)	40	40	false
+	Insert a new row...					

- TABLES
- Student Progress Tables
- Reports
- Import Tables
- Protected Tables
 - Log Protection
 - Protected Table Log
- System Archiving
 - Archive Tables
 - Archive Audit Result
 - Archive Knowledge Use
- System Clone
 - Clone Definition
 - Exclude Tables
- System Definition
 - Tables
 - Tables & Columns
 - Decision Tables
 - Remote Tables
 - Tables
 - Definitions
- System Diagnostics
 - Session Debug
 - Debug SQL (Large Tables)
- System Import Sets
 - Import Set Tables
 - Cleanup

Table Admission View: Tables

Update Delete Delete All Records

* Label Admission

* Name u_admission

Extends table Akhil Sales

Application Global

Remote Table ☐

Columns Controls Application Access

Table Columns for text Search

1 to 20 of 31 New

Dictionary Entries

	Column label	Type	Reference	Max length	Default value	Display
✕	Area	String	(empty)	40	40	false
	Sys ID	Sys ID (GUID)	(empty)	32		false
✕	School	Choice	(empty)	40	40	false
✕	School Area	Choice	(empty)	40	40	false
✕	Mandal	String	(empty)	40	40	false
✕	Akhil Sales	Choice	(empty)	40	40	false
✕	Purpose of join	Choice	(empty)	40	40	false
✕	Admin Date	String	(empty)	40	80	false
✕	House No	String	(empty)	40	40	false
✕	Pincode	Choice	(empty)	40	40	false
✕	City	String	(empty)	40	40	false
✕	Sys ID	String	(empty)	40	32	false
✕	Comments	String (Full UTF-8)	(empty)	255	255	false
✕	Fee	Price	(empty)	20	20	false
✕	District	String	(empty)	40	40	false
✕	Admin Date	Date	(empty)	40	40	false
✕	Mother Name	String	(empty)	40	40	false

TABLES

Student Progress Tables

Reports

Import Tables

Protected Tables

Log Protection

Protected Table Log

System Archiving

Archive Tables

Archive Audit Result

Archive Knowledge Use

System Clone

Clone Definition

Exclude Tables

System Definition

Tables

Tables & Columns

Decision Tables

Remote Tables

Tables

Definitions

System Diagnostics

Session Debug

Debug SQL (Large Tables)

System Import Sets

Import Set Tables

Cleanup

Table Student Progress Table View: Tables

Update Delete Delete All Records

* Label Student Progress Table

Application Global

* Name u_student_progress_table

Remote Table

Extends table Akhil Sales

Columns Controls Application Access

Table Columns for text Search

1 to 20 of 26 New

Dictionary Entries

	Column label	Type	Reference	Max length	Default value	Display
✕	Admin Date	Date	(empty)	40	40	false
✕	Mother Name	String	(empty)	40	40	false
✕	Number	String	(empty)	40	javascript:global.getNextObjNumberPadded();	false
	Updated	Date/Time	(empty)	40		false
✕	Father Name	String	(empty)	40	40	false
✕	Admin Number	String	(empty)	40	40	false
	Created by	String	(empty)	40		false
✕	Student Name	String	(empty)	40	40	false
	Class	System Class Name	(empty)	40	40	true
✕	Grade	Choice	(empty)	40	40	false
	Sys ID	Sys ID (GUID)	(empty)	32		false
	Created	Date/Time	(empty)	40		false
✕	Father Cell	String	(empty)	40	40	false
	Updates	Integer	(empty)	40		false
	Updated by	String	(empty)	40		false
✕	Mother Cell	String	(empty)	40	40	false
✕	Result	String	(empty)	40	40	false

TABLES

Student Progress Tables

Reports

Import Tables

Protected Tables

Log Protection

Protected Table Log

System Archiving

Archive Tables

Archive Audit Result

Archive Knowledge Use

System Clone

Clone Definition

Exclude Tables

System Definition

Tables

Tables & Columns

Decision Tables

Remote Tables

Tables

Definitions

System Diagnostics

Session Debug

Debug SQL (Large Tables)

< Configuring Table form

Cancel

Save

Available

Class
Created
Created by
Number
Updated
Updated by
Updates
|- begin_split -|
|- split -|
|- end_split -|
* Annotation
* Chart
Process Flow
Activities (filtered)
Contextual Search Results
Ratings
Attachments



Cancel

Selected

Grade
Student Name
|- split -|
Father Name
Mother Name
Father Cell
Mother Cell
Hindi
Admin Date
English
Maths
Percentage
Result
Science
Social
Total
Telugu



Save

Form view and section

View name

Tables

Section

New Section
Admission Number
New...



Create new field

Name

Type

String

Field length

Small (40)

Add

Related Links

[Show versions](#)

Fields

Field Types

Filter

Fields

Class

Created

Created by

Updated

Updated by

Updates

Formatters

Activities (filtered)

Contextual Search Results

Process Flow

Ratings

Akhil Sales [u_akhil_sales]

2 Column ▾

⊕

<div>⋮ Admin Number</div> <div>⚙️ ×</div>	<div>⋮ Father Name</div> <div>⚙️ ×</div>
<div>⋮ Admin Date</div> <div>⚙️ ×</div>	<div>⋮ Mother Name</div> <div>⚙️ ×</div>
<div>⋮ Grade</div> <div>⚙️ ×</div>	<div>⋮ Father Cell</div> <div>⚙️ ×</div>
<div>⋮ Student Name</div> <div>⚙️ ×</div>	<div>⋮ Mother Cell</div> <div>⚙️ ×</div>
	<div>⋮ Number</div> <div>⚙️ ×</div>

Admission [u_admission]

Default view

Form Design

Fields

Field Types

Filter

Fields

Akhil Sales

Class

Comments

Created by

Number

Sys ID

Updated

Updated by

Formatters

Activities (filtered)

Contextual Search Results

Process Flow

Process Flow

Ratings

Admission [u_admission]

1 Column

Process Flow (Formatter)

2 Column

Admission Number

Admin Date

Purpose of join

Grade

Student Name

Fee

Father Name

Father Cell

Mother Name

Mother Cell

Admin Status

1 Column

Comments

School Details

2 Column

School Area

School

Address

2 Column

Pincode

Area

Mandal

City

House No

District

Student Progress Table [u_

Default view

Form Design

Fields

Field Types

Filter

Fields

Admin Date

Class

Created

Created by

Number

Updated

Updated by

Updates

Formatters

Activities (filtered)

Contextual Search Results

Process Flow

Ratings

New Section

1 Column

Admission Number

Grade

Student Name

Father Name

Mother Name

Father Cell

Mother Cell

Student Progress

2 Column

Telugu

Hindi

English

Maths

Science

Social

Total

Percentage

Result

number



FAVORITES

No Results

ALL RESULTS

System Definition

Number MaintenanceNumber
AKH

Update

Delete



* Table Akhil Sales



Prefix AKH

* Number

1,000

Application Global



Number of digits

7

Update

Delete

Related Links

[Show Counter](#)

tables

Protected Tables

Log Protection

Protected Table Log

System Archiving

Archive Tables

Archive Audit Result

Archive Knowledge Use

System Clone

Clone Definition

Exclude Tables

System Definition

Tables

Tables & Columns

Decision Tables

Remote Tables

Tables

Definitions

System Diagnostics

Session Debug

Debug SQL (Large Tables)

System Import Sets

Import Set Tables

Cleanup

< Customer Update
Admission[u_admission]

Update

Delete

Name Admission[u_admission]

Updated 2025-06-20 07:53:36

Created 2025-06-06 04:01:33

Updated by admin

Created by admin

Updates 1

Type Table

Target name Admission

View

Payload



1 <?xml version="1.0" encoding="UTF-8"?><record_update table="sys_db_object"><sys_db_objec

Comments

Remote update set


Update set Educational Organisation

Update

Delete

Related Links

[Compare to Current](#)



Sign up to GitHub

Email*

nirmalakesarla@gmail.com



Password*

.....



Password should be at least 15 characters OR at least 8 characters including a number and a lowercase letter.

Username*

Akhil-20-22

Username may only contain alphanumeric characters or single hyphens, and cannot begin or end with a hyphen.

Your Country/Region*

India



For compliance reasons, we're required to collect country information to send you occasional updates and announcements.

Email preferences

client

ALL RESULTS

- Now Experience Framework
 - Client Data
 - Pre-packaged
- Service Catalog
 - Catalog Administration
 - Catalog Client Scripts
- Automated Test Framework (...)
 - Run
 - Client Test Runner
 - Scheduled Client Test Run...
 - Allowed Client Errors
 - Reported Client Errors
- Email Client
 - Email Client Configuration
 - Email Client Recipient Qualifier
 - Email Client From Address
 - Email Client Templates
- System Definition
 - Client Scripts
- System Extension Points
 - Client Extension Points
- System Logs
 - Client Interactions
 - Client Transactions
- System Web Services

Client Script
Auto populate   ... [Update](#) [Delete](#)  

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name	<input type="text" value="Auto populate"/>
Table	<input type="text" value="Admission [u_admission]"/>
UI Type	<input type="text" value="Mobile / Service Portal"/>
Type	<input type="text" value="onChange"/>
Field name	<input type="text" value="Admission Number"/>

Application	<input type="text" value="Global"/>	
Active	<input checked="" type="checkbox"/>	
Inherited	<input type="checkbox"/>	
Global	<input checked="" type="checkbox"/>	

Description	<input type="text"/>
-------------	----------------------

Messages	<input type="text"/>
----------	----------------------

Script

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
2     if (isLoading || newValue === '') {  
3         return;  
4     }  
5  
6     //Type appropriate comment here, and begin script below  
7  
8 }  
9  
10 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
11     if (isLoading || newValue === '') {  
12         return;  
13     }  
14     //Type appropriate comment here, and begin script below  
15     var a = g_form.getReference('u_admission_number');  
16     g_form.setValue('u_admin_date',a.u_admin_date);  
17     g_form.setValue('u_grade',a.u_grade);  
18     g_form.setValue('u_student_name',a.u_student_name);  
19     g_form.setValue('u_father_name',a.u_father_name);  
20     g_form.setValue('u_mother_name',a.u_mother_name);  
21     g_form.setValue('u_father_cell',a.u_father_cell);  
22     g_form.setValue('u_mother_cell',a.u_mother_cell);  
23     g_form.setDisabled('u_admin_date',a.u_admin_date);  
24     g_form.setDisabled('u_grade',a.u_grade);
```


client

- Client Data
 - Pre-packaged
- Service Catalog
 - Catalog Administration
 - Catalog **Client** Scripts
- Automated Test Framework (...)
- Run
 - Client** Test Runner
 - Scheduled **Client** Test Run...
 - Allowed **Client** Errors
 - Reported **Client** Errors
- Email Client
 - Email **Client** Configuration
 - Email **Client** Recipient Qualifier
 - Email **Client** From Address
 - Email **Client** Templates
- System Definition
 - Client** Scripts
- System Extension Points
 - Client** Extension Points
- System Logs
 - Client** Interactions
 - Client** Transactions
- System Web Services
 - REST
 - Example **Client** Apps

Client Script
Pincode Update    Update Delete

Name **Pincode Update**

Table Admission [u_admission]

UI Type Desktop

Type onChange

Field name Pincode

Application Global

Active ☒Inherited ☐Global ☒

Description

Messages

Script

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
2     if (isLoading || newValue === '') {  
3         return;  
4     }  
5  
6     //Type appropriate comment here, and begin script below  
7  
8 }  
9 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
10     if (isLoading || newValue === '') {  
11         return;  
12     }  
13     var a = g_form.getValue('u_pincode');  
14     if(a == '509358')  
15     {  
16         g_form.setValue('u_mandal', 'kadthal');  
17         g_form.setValue('u_city', 'kadthal');  
18         g_form.setValue('u_district', 'RangaReddy');  
19     }  
20     else if(a == '500081')  
21     {  
22         g_form.setValue('u_mandal', 'karmanghat');  
23         g_form.setValue('u city', 'karmanghat');
```

Isolate script ☒

- client
 - Client Data
 - Pre-packaged
 - Service Catalog
 - Catalog Administration
 - Catalog **Client** Scripts
 - Automated Test Framework (...)
 - Run
 - Client** Test Runner
 - Scheduled **Client** Test Run...
 - Allowed **Client** Errors
 - Reported **Client** Errors
 - Email Client
 - Email **Client** Configuration
 - Email **Client** Recipient Qualifier
 - Email **Client** From Address
 - Email **Client** Templates
 - System Definition
 - Client** Scripts
 - System Extension Points
 - Client** Extension Points
 - System Logs
 - Client** Interactions
 - Client** Transactions
 - System Web Services
 - REST
 - Example **Client** Apps

Client Script
Disable Fields

Name

Table

UI Type

Type

Application

Active ☒

Inherited ☐

Global ☒

Description

Messages

Script

```

1 function onLoad() {
2     //Type appropriate comment here, and begin script below
3
4 }
5 function onLoad() {
6     //Type appropriate comment here, and begin script below
7     g_form.setDisabled('u_total',true);
8     g_form.setDisabled('u_percentage',true);
9     g_form.setDisabled('u_result',true);
10 }
```

Isolate script ☒

Update Delete

Related Links

[Run Point Scan](#)

Versions Recorded at Search

Actions on selected rows... New

Update Versions

☐ Name Recorded at State Source Reverted from

client

- Client Data
 - Pre-packaged
- Service Catalog
 - Catalog Administration
 - Catalog **Client** Scripts
- Automated Test Framework (...)
- Run
 - Client** Test Runner
 - Scheduled **Client** Test Runn...
 - Allowed **Client** Errors
 - Reported **Client** Errors
- Email Client
 - Email **Client** Configuration
 - Email **Client** Recipient Qualifier
 - Email **Client** From Address
 - Email **Client** Templates
- System Definition
 - Client** Scripts
- System Extension Points
 - Client** Extension Points
- System Logs
 - Client** Interactions
 - Client** Transactions
- System Web Services
 - REST
 - Example **Client** Apps

Client Script
Total Update   ... [Update](#) [Delete](#)  

Name Total Update

Application Global

Table Student Progress Table [u_student_...

Active ☒

UI Type All

Inherited ☐

Type onChange

Global ☒

Field name Social

Description

Messages

Script

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
2     if (isLoading || newValue === '') {  
3         return;  
4     }  
5  
6     //Type appropriate comment here, and begin script below  
7  
8 }  
9 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
10     if (isLoading || newValue === '') {  
11         return;  
12     }  
13     //Type appropriate comment here, and begin script below  
14     if (newValue){  
15         var a = parseInt(g_form.getValue('u_telugu'));  
16         var b = parseInt(g_form.getValue('u_hindi'));  
17         var c = parseInt(g_form.getValue('u_english'));  
18         var d = parseInt(g_form.getValue('u_maths'));  
19         var e = parseInt(g_form.getValue('u_science'));  
20         var f = parseInt(g_form.getValue('u_social'));  
21         var Total = parseInt(a+b+c+d+e+f);  
22         g_form.setValue('u_total', Total);  
23     }
```

Isolate script ☒

- client
 - Client Data
 - Pre-packaged
 - Service Catalog
 - Catalog Administration
 - Catalog **Client** Scripts
 - Automated Test Framework (...)
 - Run
 - Client** Test Runner
 - Scheduled **Client** Test Run...
 - Allowed **Client** Errors
 - Reported **Client** Errors
 - Email Client
 - Email **Client** Configuration
 - Email **Client** Recipient Qualifier
 - Email **Client** From Address
 - Email **Client** Templates
 - System Definition
 - Client** Scripts
 - System Extension Points
 - Client** Extension Points
 - System Logs
 - Client** Interactions
 - Client** Transactions
 - System Web Services
 - REST
 - Example **Client** Apps

Client Script Result

Name

Table

UI Type

Type

Field name

Application

Active ☒

Inherited ☐

Global ☒

Description

Messages

Script

```

1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5
6     //Type appropriate comment here, and begin script below
7
8 }
9 if(newValue) {
10     var a = parseInt(g_form.getValue('u_percentage')); // Convert the value to an integer for
11
12     if(a >= 0 && a <= 59){
13         g_form.setValue('u_result','Fail');
14     } else if(a >= 60 && a <= 100) {
15         g_form.setValue('u_result','Pass');
16     } else {
17         // Handle the case if a is out of range (optional)
18         g_form.addErrorMessage('Percentage should be between 0 and 100.');
```

Isolate script ☒

- client
 - Client Data
 - Pre-packaged
 - Service Catalog
 - Catalog Administration
 - Catalog **Client** Scripts
 - Automated Test Framework (...)
 - Run
 - Client** Test Runner
 - Scheduled **Client** Test Run...
 - Allowed **Client** Errors
 - Reported **Client** Errors
 - Email Client
 - Email **Client** Configuration
 - Email **Client** Recipient Qualifier
 - Email **Client** From Address
 - Email **Client** Templates
 - System Definition
 - Client** Scripts
 - System Extension Points
 - Client** Extension Points
 - System Logs
 - Client** Interactions
 - Client** Transactions
 - System Web Services
 - REST
 - Example **Client** Apps

Client Script Percentage

Name Percentage

Table Student Progress Table [u_student_...

UI Type All

Type onChange

Field name Total

Application Global

Active ☒

Inherited ☐

Global ☒

Description

Messages

Script

```

1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5
6     //Type appropriate comment here, and begin script below
7
8 }
9 var Total = g_form.getValue('u_total');
10 var Percentage = (Total/600)*100;
11 g_form.setValue('u_percentage',Percentage+'%');
12 }
    
```

Isolate script ☒

Update Delete

Related Links

[Run Point Scan](#)

Versions Recorded at Search

Actions on selected rows... New

Update Versions