BACHELOR OF TECHNOLOGY

In

COMPUTER SCIENCE AND ENGINEERING

(II Year - II Semester)

A mini project report on

EAMCET COUNSELLING SYSTEM

For the award of the degree

Of

ADVANCED JAVA PROGRAMMING LAB

Submitted by

Mr. Akhil Panchadi & Mr A.N.V Rohit

19B91A0507   19B91A0509

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

SRKR ENGINEERING COLLEGE(A)

Chinna Amiram, Bhimavaram, West Godavari Dt.,

[2021-2022]

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

S.R.K.R. ENGINEERING COLLEGE

BHIMAVARAM

CERTIFICATE

This is to certify that this is a bonafide work on "**EAMCET Counselling System**" and has been submitted by Mr.Akhil Panchadi(19B91A0507),Mr.A.N.V Rohit(19B91A0509) in partial fulfillment of the requirements for the award of the degree of Bachelor of Technology in Computer Science and Engineering, during the academic year 2021-2022. The candidate worked right under my Supervision and guidance.

Lecturers In-Charge	**Lab Coordinator**
Sri D Ravi Babu	**Sri V Priyadarshini**
Assistant Professor,	Assistant Professor,
Department of CSE,	Department of CSE,
S.R.K.R.Engg.College,	S.R.K.R.Engg.College,
Bhimavaram.	Bhimavaram.

TABLE OF CONTENTS

S.no	Description
1.	MODULES
2.	SOFTWARE REQUIREMENT SPECIFICATIONS
3.	DATABASE CONNECTIVITY
4.	OUTPUT SCREENS
5.	CODE

ABSTRACT

The project titled "EAMCET MOCK COUNSELLING" is a web-based application Software developed in JAVA LANGUAGE. It improves the counselling services to the students and parents maintaining the list of all Engineering colleges in Andhra Pradesh adding all the newly registered colleges and also updating the information for the same. It also stores the details of various courses of the colleges.

The primary features of this project are to provide the info about the engineering colleges in Andhra Pradesh. As in Andhra Pradesh students tend to join diff courses of studies this project will be found helpful to all those students.

1.MODULES

1.1 HOME MODULE:

In this module you can find List of Help Line Centers (HCL), List of Courses, List of Colleges, Processing fee Payment Procedure, Notification and Schedules.

1.2 ABOUT WEB COUSELLING MODULE:

In this module we can find preamble, future aspects, what is web counselling, stages of web counselling, stages of web counselling etc.

1.3 CANDIDATE REGISTER MODULE:

- Authentication

    1. Email and password from registered data

    2. If true goes to another page if wrong shows error.

    3. Verifies the credentials with database and logs in if true

- Registration

    1. All fields are required for registration

    2. Registration success

    3. Update details of user into data base

1.4 CANDIDATE LOGIN MODULE:

- Authentication.

    1. Hall ticket number and password is given.

    2. If correct goes to another page if wrong shows error.

    3. Verifies the details with database and logs in if true.

1.5 PAYMENT STATUS MODULE:

By logging in in this module it gives the information of payment details.

1.6 CONTACT US MODULE:

In this module it contains the address, email and phone no of the management and the message we need to submit.

1.7 VIEW OPTIONS MODULE:

In this module the student can view and insert and perform changes in the exercised options.

On clicking save options saves and stores it in the database. Update option updates the options.

submit.

1.8 CONTACT US MODULE:

This module contains the address, email and phone no of the management and the message we need to submit.

2. SOFTWARE REQUIREMENT SPECIFICATIONS

2.1 PURPOSE

In this project, the admin and the user can easily check the available seats in the college. The main theme of this project is to save time. By this we can reduce the manual work. The admin will maintain all the details of the college and the students and keep them updated.

2.2 SCOPE

The scope of this project is to solve the problem of time complexity to the user and also to the admin.

2.3 OBJECTIVE

The main objective of this project is to make the transactions easy, reduce the time and to maintain the data.

2.4 EXISTING SYSTEM

In the existing EAMCET counselling system, it is difficult for both the admin and user that should check the vacancy of the seats rapidly an maintain in the book. It leads to wastage of lot of time and man power in this system the admin can easily create, change, delete the information

Drawbacks:

- Wastage of lots of time.
- Requires lots of manual work.

2.5 PROPOSED SYSTEM

In the proposed system of this project the user can create an account and insert, update and delete the options. The student can put the college and courses of their wish and we make sure that all the information is secured.

Advantages

Reduces the time.

This also provides security for the student information.

2.6 REQUIREMENT ANALYSIS

Analysis focuses on producing a model of the system called the analysis model, which is correct, complete, consistent and verifiable. Analysis model is composed mainly of three individual models.

- Functional model
- Analysis object model
- Analysis dynamic model

The functional model represents the use of case diagrams, the object model with class diagram and the dynamic model with state chart and sequence diagrams.

2.7 FUNCTIONAL REQUIREMENTS

2.7.1 STUDENT:

Student can register and the details will be stored.

The student can update his details.

The student can exercise the college and course they wish to join.

2.7.2 COLLEGE:

College can register and the details will be stored.

The College can update his details

2.8 NON-FUNCTIONAL REQUIREMENTS

Non-functional requirements are the limitations or constraints under which the system should provide its services to users. Following are the nonfunctional requirements for library management system.

2.8.1 RELIABLITY

This system is more reliable and effective because of the quality of service to the user.

2.8.2 COST

The cost of product development and maintenance is minimum.

2.8.3 PERFORMANCE

This system is developed in the high-level languages front end using html and jsp back end using MySQL. It will give response to the end with in the least time.

2.8.4 SUPPORTABILITY

Java Data Base Connection supports the system.

2.8.5 SECURITY

This system provides high secured data. Only admin can view, alter the user data. This avoids the non-authorized users access the system.

2.9 PSEUDO REQUIREMENTS:

2.9.1. SOFTWRAE REQUIREMENTS

1. Web server   -   XAMPP server

2. Operating System   -   Supports WINDOWS, UNIX/LINUX

2.9.2 HARDWARE REQUIREMENTS

1. Processor   -   Intel(R) Core(TM) i3-6006U CPU @2.00GHz 1.99GHz

2. RAM   -   2GB or above

3. Hard Disk   -   250GB or above

3. DATABASE CONNECTIVITY

TABLE 3.1: REGISTER DATA

NAME	TYPE
Regno	Bigint(15)
Dob	date
Htno	Bigint(15)
Rank	Mediumint(15)
password	Varchar(20)
cpassword	Varchar(20)

TABLE 3.2: LOGIN DATA

NAME	TYPE
htno	bigint(15)
password	Varchar(20)

TABLE 3.3: PROCESSING FEE LOGIN DATA

NAME	TYPE
htno	bigint(15)
rank	Int(5)

TABLE 3.4: PAY ONLINE DATA

NAME	TYPE
cname	varchar(50)
cnum	bigint(20)
expmonth	varchar(15)
expyear	int(10)
cvv	int(10)

TABLE 3.5: VIEW TABLE DATA

NAME	TYPE
sno	**int(5)**
inscode	**varchar(10)**
insname	**varchar(50)**
brcode	**varchar(10)**
brname	**Varchar(20)**

4. OUTPUT SCREENS

Fig 4.1: index page

Fig 4.2: home page

Fig 4.3: list of help line centres page

Fig 4.4: llist of courses

Fig 4.5: Processing Fee Payment Procedure

Fig 4.6: Notifications and Schedules

Fig 4.7: About web counselling

Fig 4.8: Processing fee login

Fig 4.9: online payment jsp

Fig 4.10: payment of processing fee

Fig 4.11: payment jsp

Fig 4.12: Candidate Register

Fig 4.13: Register jsp

Fig 4.14: Candidate login

Fig 4.15: Login jsp

Fig 4.16: View Options Page

Fig 4.17: View options jsp

Fig 4.18: Contact Us Page

Fig 4.19: Logout Page

5. CODE

Home page html

```
<!DOCTYPE html>

<html lang="en" dir="ltr">

  <head>

    <meta charset="utf-8">

    <title>home page</title>

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

    <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>
```

```html
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

  </head>
  <body>

    <style>

      ul {

  list-style-type: none;

  margin: 0;

  padding: 0;

  overflow: hidden;

  background-color: #333;

}


li {

  float: left;

}

.header {

    background-color:rgb(5, 5, 170);

  padding: 0px;


}

.p1 {

  font-family:Arial, Helvetica, sans-serif;

}

.p2 {
```

```css
  font-family:"sans-serif";

}

.p3{

  font-family: Georgia, 'Times New Roman', Times, serif;

  text-align: center;

}

li a {

  display: block;

  color: white;

  text-align: center;

  padding: 14px 16px;

  text-decoration: none;

}


li a:hover:not(.active) {

  background-color: #111;

}


.active {

  background-color: #04AA6D;

}

.margin {

  margin-top:1000px;

}

.scroll-left {

height: 50px;

overflow: hidden;

position: relative;
```

```
background: none;

color:red;

}

.scroll-left p {

position: absolute;

width: 100%;

height: 100%;

margin: 0;

line-height: 50px;

text-align: center;

transform:translateX(100%);

animation: scroll-left 15s linear infinite;

}

@keyframes scroll-left {

0%  {

transform: translateX(100%);

}

100% {

transform: translateX(-100%);

}

}

.vertical-menu {

  width: 600px;

}

.vertical-menu a {

  background-color:light;

  color: black;

  display: block;
```

```css
  padding: 12px;
  font-weight:bolder;
  text-decoration: none;
}
.right {
  position: absolute;
  right: 0px;
  width: 300px;
  border: 3px solid #2159ad;
  padding: 4px;
}
.center {
  position:absolute;
  padding: 100px ;
  border: 3px solid rgb(0, 66, 128);
right: 400px;
left: 300px;
background:white;
      border-radius: 15px ;
      opacity: 0.8;
       font-size: 20px;
}
body {
  background: url("img2.jpg");
background-repeat: no-repeat;
background-size: 1430px 1000px;
}
.ex1 {
```

```
  margin-top: 150px;

}

</style>

<div class="header">

   <img src="image1.jpg" alt="HTML5 Icon" style="width:1520px;height:128px;">


</div>

<ul>

 <li>

   <a href="home.html" class="p1">Home</a>

 </li>

 <li>

   <a href="options.html" class="p1">About Web Counselling</a>

 </li>

 <li>

   <a href="fee.html" class="p1">Processing Fee</a>

 </li>

 <li>

   <a href="register.html" class="p1">Candidate Register</a>

 </li>

 <li>

   <a href="login.html" class="p1">Candidate Login</a>

 </li>

 <li>

   <a href="view.html" class="p1">View Options</a>

 </li>

 <li >

   <a href="contact.html" class="p1">Contact Us</a>
```

```html
      </li>

  <li >

    <a href="logout.html" class="p1">Logout</a>

  </li>


</ul>

<div class="scroll-left">

<marquee class="p1">>>>Welcome to the web portal you can now proceed with online payment
and options selection.... </marquee>

</div>

<div class="right">

  <p>colleges displayed for option entry are subject to approval of AICTE,Govt and Affiliating
body</p>

  <img src="image2.jpg" alt="HTML5 Icon" style="width:290px;height:490px;">

</div>

<div class="p3">

  <h4 style="color:rgb(8, 8, 124);font-size:26px;">

    ADMISSIONS INTO ENGINEERING & PHARMACY(MPC STREAM)

  </h4>

</div>

<div class="vertical-menu" >

  <div class="center">

  <a href="helpcentre.html" >>>List of Help Line Centers(HLC)</a>

  <a href="courses.html" >>>List of Courses</a>

  <a href="colleges.html">>>List of Colleges</a>

  <a href="procedure.html">>>Processing Fee Payment Procedure</a>

  <a href="schedules.html" >>>Notifications and Schedules</a>

</div>

</div>
```

</body>

</html>

About

<!DOCTYPE html>

<html lang="en" dir="ltr">

 <head>

   <meta charset="utf-8">

   <title>COUNSELING</title>

   <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

     <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

     <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

 </head>

 <body>

   <style>

    ul {

 list-style-type: none;

 margin: 0;

 padding: 0;

 overflow: hidden;

```css
  background-color: #333;

}


li {

  float: left;

}
.header {

    background-color:rgb(5, 5, 170);

  padding: 0px;


}
li a {

  display: block;

  color: white;

  text-align: center;

  padding: 14px 16px;

  text-decoration: none;

}


li a:hover:not(.active) {

  background-color: #111;

}


.active {

  background-color: #04AA6D;

}
.margin {

  margin-top:1000px;
```

```css
}
.scroll-left {
height: 50px;
overflow: hidden;
position: relative;
color: red;
background: none;
}
.scroll-left p {
position: absolute;
width: 100%;
height: 100%;
margin: 0;
line-height: 50px;
text-align: center;
/* Starting position */
transform:translateX(100%);
/* Apply animation to this element */
animation: scroll-left 15s linear infinite;
}
/* Move it (define the animation) */
@keyframes scroll-left {
0%  {
transform: translateX(100%);
}
100% {
transform: translateX(-100%);
}
}
```

```
    }

.vertical-menu {
  width: 600px;
}
.vertical-menu a {
  background-color:light;
  color: black;
  display: block;
  padding: 12px;
  font-weight:bolder;
  text-decoration: none;
}
body {
  background: url("img13.jpg");
background-repeat: no-repeat;
background-size: 1600px 1600px;
}
.ex1 {
  margin-top: 20px;
}
</style>
<div class="header">
  <img src="image1.jpg" alt="HTML5 Icon" style="width:1538px;height:128px;">

</div>
<ul>
  <li>
```

```html
    <a href="home.html" class="p1">Home</a>
  </li>
  <li>
    <a href="options.html" class="p1">About Web Counselling</a>
  </li>
  <li>
    <a href="fee.html" class="p1">Processing Fee</a>
  </li>
  <li>
    <a href="register.html" class="p1">Candidate Register</a>
  </li>
  <li>
    <a href="login.html" class="p1">Candidate Login</a>
  </li>
  <li>
    <a href="view.html" class="p1">View Options</a>
  </li>
  <li >
    <a href="contact.html" class="p1">Contact Us</a>
  </li>
  <li >
    <a href="logout.html" class="p1">Logout</a>
  </li>
</ul>
<div class="scroll-left">
<marquee class="p2">>>>Welcome to the web portal you can now proceed with payment and options selection.....</marquee>
</div>
<html>
```

```
<body>

        <p style="font-family: Arial, Helvetica, sans-serif; font-size: medium;"><b>ABOUT WEB
COUNSELING :: APEAMCET - 2020</b></p>

        <p style="font-family: Arial, Helvetica, sans-serif;font-size: medium;">ADMISSIONS
INTO ENGINEERING & PHARMACY (MPC STREAM)</p>

        <h3 style="font-size: medium; font-weight: 100px;">1. Preamble</h3>

        <p>&nbsp &nbsp &nbsp The Department Of Technical Education is conducting
admissions to the candidates into various Engineering and Pharmacy Courses who passed
Intermediate or its equivalent and qualified in EAMCET (Engineering Agriculture and Medicine
Common Entrance Test).</p>

        <h3 style="font-size: medium; font-weight: 100px;">2. Future Prospects</h3>

        <p>&nbsp &nbsp &nbsp Candidates after acquiring degree have opportunity to join in
various industries and can also acquire higher qualifications by joining various Post-graduate
courses in Engineering and Technology directly.</p>

        <h3 style="font-size: medium; font-weight: 100px;">3. What Is Web Counselling</h3>

        <p>&nbsp &nbsp &nbsp For the convenience of the Candidates from the academic year
2009-10, Government has decided to adopt a total web based counseling procedure where a
candidate can exercise options i.e. candidate can select a college and course intend to study
through internet centre or internet facility available at his/her residence and where access to such
facility is not available, from any one of the help line centers established by the
Government.</p>

        <h3 style="font-size: medium; font-weight: 100px;">4. Stages Of Web Counselling</h3>

        <p style="color: rgb(5, 5, 116);font-weight: lighter;">&nbsp &nbsp &nbsp1. ISSUE OF
NOTIFICATION:</p>

          <p style="font-size: 14px;">&nbsp &nbsp &nbsp The Department Of Technical
Education will issue a notification in leading news papers indicating the Dates and Ranks of the
candidates to be attended for Registration, Verification of Certificates and Schedule for
Exercising options and also notify the list of Help-line Centers.</p>


        <p style="color: rgb(5, 5, 116);font-weight: lighter;"> &nbsp &nbsp &nbsp2.
CERTIFICATE VERIFICATION:</p>

          <p style="font-size: 14px;">&nbsp &nbsp &nbspCandidates whose certificates are
verified online and eligible can exercise options as per the schedule given in the notification.
Candidates whose certificates are not verified online and not eligible should go to the nearest
Help-line centre for certificate verification.
```

Candidates should produce the following certificates when attending certificate verification at Help Line Center,

           - EAMCET Hall Ticket

           - EAMCET Rank Card

           - SSC or Equivalent marks memo

           - Intermediate or Equivalent marks memo

           - Study / Bonafide Certificate from VI to Intermediate (10+2)

           - Caste Certificate of SC/ST/BC/Minorities (if applicable)

           - Income Certificate issued by MRO on or after 01.01.2016 (or) White Ration card

(in case the candidate - desires to claim fee exemption).

           - PH/NCC/CAP/Sports and Games Certificates (if applicable)

           - Economically Weaker Section(EWS) Certificate (if applicable)

           - Local status certificate (If Applicable, i.e., a candidate who migrates to any part of the state of Andhra Pradesh from the State of Telangana from 02-June-2014 to on/before 01-June-2021)

           - Transfer Certificate.

           - Candidates will be issued a receipt of Certificates at Help-line Centers after Verification.

<p style="color: rgb(5, 5, 116);font-weight: lighter;">   3. EXERCISING OPTIONS:</p>

<p style="font-size: 14px;">   After Certificate Verification, a Blank Option Form (specimen), List of Colleges, Courses and their Codes will be made available in https://apeamcet.nic.in. Based on the Course Codes and College Codes, candidates may list out colleges in order of preference, the courses which they intend to give options for. For the reference of the candidates, the last rank up to which candidates were admitted in different colleges/courses in the previous academic year would be made available on the web site. The candidate should first prepare a list of colleges/courses in the blank option form with a priority

number before he/she attempts to enter the options on the web. Candidates can exercise any number of options. After finalizing the options, they are advised to take print out of the final option form for his/her record.</p>

<p style="color: rgb(5, 5, 116);font-weight: lighter;"> &nbsp &nbsp &nbsp4. MODIFICATION OF OPTIONS AND FREEZING:</p>

<p style="font-size: 14px;">&nbsp &nbsp &nbspCandidate can change his/her options any number of times during the allotted time. After allotted time for option entry, If the Candidate is not satisfied with the Options exercised, he/she can modify the options on the dates notified by the authority and this is final opportunity for exercising options.</p>

<p style="color: rgb(5, 5, 116);font-weight: lighter;"> &nbsp &nbsp &nbsp5. FINAL ALLOTMENTS OF SEATS:</p>

<p style="font-size: 14px;">&nbsp &nbsp &nbspBased on the options exercised, seat allotment will be made as per merit rank and category (SC/ST/BC/EWS/PH/NCC/CAP/Sports and games quota etc) of the candidate. The final allotments will be placed on the Web on the scheduled date announced, the Candidates will have to down load the allotment order from the web site. The details of allotments will be also sent to the registered mobile number of the candidate.</p>

<p style="color: rgb(5, 5, 116);font-weight: lighter;"> &nbsp &nbsp &nbsp6. REPORTING :</p>

<p style="font-size: 14px;">&nbsp &nbsp &nbspCandidates with downloaded allotment order have to report through Self-reporting system and report at the allotted college also. These two stages are mandatory and mere reporting through self-reporting or reporting at the College is alone not sufficient to retain a seat.

If Candidate fails to report through self-reporting and reporting at the allotted college by the dates stipulated, the allotment stands cancelled and candidate will have no claim for further allotment of seats.</p>

  </body>

  </html>

Fee page html

<!DOCTYPE html>

<html lang="en" dir="ltr">

 <head>

  <meta charset="utf-8">

  <title>PROCESS FEE</title>

```html
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

    <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

  </head>
  <style>
ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #333;
}

li {
  float: left;
}
.header {
    background-color:rgb(5, 5, 170);
  padding: 0px;
```

```css
}
li a {
  display: block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

li a:hover:not(.active) {
  background-color: #111;
}

.active {
  background-color: #0468aa;
}
.margin {
  margin-top:1000px;
}
.login{
    width: 382px;
    overflow: hidden;
    margin: auto;
    margin: 20 0 0 450px;
    padding: 80px;
    background:white;
    border-radius: 15px ;
```

```css
      opacity: 0.5;


}
h2{

    text-align: center;

    color: black;

    padding: 20px;

}
label{

    color: rgb(0, 34, 128);

    font-size: 17px;

}
#Hallno{

    width: 300px;

    height: 30px;

    border: none;

    border-radius: 3px;

    padding-left: 8px;

}
#Rank{

    width: 300px;

    height: 30px;

    border: none;

    border-radius: 3px;

    padding-left: 8px;


}
```

```css
/*#log{
    width: 300px;
    height: 30px;
    border: none;
    border-radius: 17px;
    padding-left: 7px;
    color: blue;  */
    .button {
             border: none;
             color: white;
             padding:center;
             /padding: 10px 15px;/
             text-align: center;
             text-decoration: none;
            display: inline-block;
            font-size: 16px;
            margin: 4px 2px;
             transition-duration: 0.4s;
             cursor: pointer;
        }
        .button1 {
          background-color: white;
          color: black;
          border: 2px solid #4c66af;
          }

        .button1:hover {
            background-color:#4c66af;
```

```css
        color: white;

        }



/}/
span{
   color: black;

   font-size: 17px;

}


.scroll-left {
height: 50px;
overflow: hidden;
position: relative;
background: none;
color:red;
}
.scroll-left p {
position: absolute;
width: 100%;
height: 100%;
margin: 0;
line-height: 50px;
text-align: center;
/* Starting position */
transform:translateX(100%);
/* Apply animation to this element */
animation: scroll-left 15s linear infinite;
```

```css
}
/* Move it (define the animation) */
@keyframes scroll-left {
0%  {
transform: translateX(100%);
}
100% {
transform: translateX(-100%);
}
}
.hero-image {
  background-image: url("new.jfif");
  background-color: #cccccc;
  height: 500px;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
  position: relative;
}
.vertical-menu {
  width: 600px;
}
.vertical-menu a {
  background-color:light;
  color: black;
  display: block;
  padding: 12px;
  font-weight:bolder;
```

```css
    text-decoration: none;

  }
body {

  background: url("img12.jpg");

background-repeat: no-repeat;

background-size: 1600px 900px;

  }
.ex1 {

  margin-top: 150px;

  }
.p1{

  font-family: Georgia, 'Times New Roman', Times, serif;

  text-align: center;

  color:black;

  }
.p2 {

  font-family:Arial, Helvetica, sans-serif;

  }

</style>
```
```html
<div class="header">

  <img src="image1.jpg" alt="HTML5 Icon" style="width:1535px;height:128px;">


</div>

    <ul>

    <li>

      <a href="home.html" class="p2">Home</a>

    </li>
```

```html
      <li>
        <a href="options.html" class="p2">About Web Counselling</a>
      </li>
      <li>
        <a href="fee.html" class="p2">Processing Fee</a>
      </li>
      <li>
        <a href="register.html" class="p2">Candidate Register</a>
      </li>
      <li>
        <a href="login.html" class="p2">Candidate Login</a>
      </li>
      <li>
        <a href="view.html" class="p2">View Options</a>
      </li>
      <li >
        <a href="contact.html" class="p2">Contact Us</a>
      </li>
      <li >
        <a href="logout.html" class="p2">Logout</a>
      </li>


    </ul>
<div class="scroll-left">

<marquee>>>Welcome to the web portal you can now proceed with payment and options
selection. ...</marquee>

</div>

<html>

<body>
```

```html
<h2 style="font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;color: rgb(235, 230, 226);">APEAMCET-2021</h2>

<p style="font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif; font-weight: lighter; color: rgb(45, 2, 163);text-align: center;">

Online Payment of Registration Fee for Web Counselling</p>


<div class="login">
<form id="login" method="get" action="fee.jsp">

<label><b>Hall Ticket No.

</b>

</label>

<input type="text" name="Hallno" id="Hallno" placeholder="Hall Ticket No.">

<br><br>

<label><b>Rank

</b>    <br>

</label>

<input type="Password" name="Rank" id="Rank" placeholder="Rank">

<br><br>


<button class="button button1" href="onlinepay.html">Pay Fee Online</button>


<br><br>


</form>
</div>
</body>
</html>
```

Fee jsp

```jsp
<%@ page import="java.io.*" %>
<%@ page import="java.sql.*" %>
<html>
<body style="background-color:#03989e; margin-top:20%; margin-left:40%;">
<%
try
{
    String htno = request.getParameter("Hallno");
    String rank= request.getParameter("Rank");
Class.forName("com.mysql.jdbc.Driver"); //loading 4th driver
Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/srkr","root","");
PreparedStatement ps=con.prepareStatement("insert into fee values(?,?)");
ps.setString(1,htno);
ps.setString(2,rank);
int r=ps.executeUpdate();
if(r==0)
{
%>
<h2>login Failure</h2>
<%
}
else{
%>
<h2>login Successful</h2>
<%
}
con.close();
```

```
}
catch(Exception e)
{
%>
<h2 >after payment only you can proceed</h2>
<%
}
%>
<a href="onlinepay.html">Go back to payment page</a>
</body>
</html>
```

Online pay html

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<style>
body {
  font-family: Arial;
  font-size: 17px;
  padding: 8px;
}


* {
  box-sizing: border-box;
}
```

```css
.row {
  display: -ms-flexbox; /* IE10 */
  display: flex;
  -ms-flex-wrap: wrap; /* IE10 */
  flex-wrap: wrap;
  margin: 0 -16px;
}

.col-25 {
  -ms-flex: 25%; /* IE10 */
  flex: 25%;
}

.col-50 {
  -ms-flex: 50%; /* IE10 */
  flex: 50%;
}

.col-75 {
  -ms-flex: 75%; /* IE10 */
  flex: 75%;
}

.col-25,
.col-50,
.col-75 {
  padding: 0 16px;
}
```

```css
.container {
  background-color: #f2f2f2;
  padding: 5px 20px 15px 20px;
  border: 1px solid lightgrey;
  border-radius: 3px;
}

input[type=text] {
  width: 100%;
  margin-bottom: 20px;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 3px;
}

label {
  margin-bottom: 10px;
  display: block;
}

.icon-container {
  margin-bottom: 20px;
  padding: 7px 0;
  font-size: 24px;
}

.btn {
```

```css
  background-color: #04AA6D;

  color: white;

  padding: 12px;

  margin: 10px 0;

  border: none;

  width: 100%;

  border-radius: 3px;

  cursor: pointer;

  font-size: 17px;

}


.btn:hover {

  background-color: #45a049;

}


a {

  color: #2196F3;

}


hr {

  border: 1px solid lightgrey;

}


span.price  {

  float:  right;

  color:  grey;

}
```

```html
@media (max-width: 800px) {
  .row {
    flex-direction: column-reverse;
  }
  .col-25 {
    margin-bottom: 20px;
  }
}
</style>
</head>
<body>


<div class="row">
  <div class="col-75">
    <div class="container">
      <form action="onlinepay.jsp">


        <div class="row">



          <div class="col-50">
            <h3>Payment</h3>
            <label for="fname">Accepted Cards</label>
            <div class="icon-container">
              <i class="fa fa-cc-visa" style="color:navy;"></i>
              <i class="fa fa-cc-amex" style="color:blue;"></i>
```

```html
        <i class="fa fa-cc-mastercard" style="color:red;"></i>
        <i class="fa fa-cc-discover" style="color:orange;"></i>
      </div>
      <label for="cname">Name on Card</label>
      <input type="text" id="cname" name="cardname" placeholder="Card Holder Name">
      <label for="ccnum">Credit card number</label>
      <input type="text" id="ccnum" name="cardnumber" placeholder="1111-2222-3333-4444">
      <label for="expmonth">Exp Month</label>
      <input type="text" id="expmonth" name="expmonth" placeholder="September">
      <div class="row">
        <div class="col-50">
          <label for="expyear">Exp Year</label>
          <input type="text" id="expyear" name="expyear" placeholder="2018">
        </div>
        <div class="col-50">
          <label for="cvv">CVV</label>
          <input type="text" id="cvv" name="cvv" placeholder="352">
        </div>
      </div>
    </div>

  </div>

    <input type="submit" value="Make Payment" class="btn">
  </form>
 </div>
</div>
```

</div>

</body>

</html>

Online pay jsp

```jsp
<%@ page import="java.io.*" %>
<%@ page import="java.sql.*" %>
<html>
<body style="background-color:#03989e; margin-top:20%; margin-left:20%;">
<%
try
{
    String cname = request.getParameter("cname");
    String cnum = request.getParameter("ccnum");
    String expmonth = request.getParameter("expmonth");
    String expyear = request.getParameter("expyear");
    String cvv = request.getParameter("cvv");
Class.forName("com.mysql.jdbc.Driver"); //loading 4th driver
Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/srkr","root","");
PreparedStatement ps=con.prepareStatement("insert into register payonline values(?,?,?,?,?,?,)");
ps.setString(1,cname);
ps.setString(2,cnum);
ps.setString(3,expmonth);
ps.setString(4,expyear);
ps.setString(5,cvv);
int r=ps.executeUpdate();
if(r==0)
{
```

```
%>

<h2>Failure</h2>

<%

}

else{

%>

<h2> Successful</h2>

<%

}

con.close();

}

catch(Exception e)

{

%>

<h2 >You Will be redirected to third party payment getaway for payment of Processing
Fee.</h2>

<%

}

%>

<a href="register.html">Go back to register page</a>

</body>

</html>
```

Register html

```
<!DOCTYPE html>

<html lang="en" dir="ltr">

  <head>

    <meta charset="utf-8">

    <title>REGISTER</title>
```

```html
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

    <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

  </head>
  <body>
   <style>
     ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #333;
}
.header {
   background-color:rgb(5, 5, 170);
  padding: 0px;
}
.p1 {
  font-family:Arial, Helvetica, sans-serif;
```

```css
}
.p2 {
  font-family:"sans-serif";
}
.p3{
  font-family: Georgia, 'Times New Roman', Times, serif;
  text-align: center;
  color:white;
}
li {
  float: left;
}
.register{
    width: 700px;
    overflow: hidden;
    margin: auto;


    padding: 16px;
    background-image: url('image3.jpg');
    border-radius: 15px ;

}
.p4{
  font-family:"lucida";
  color:rgb(233, 13, 13);
  font-size:18px;
}
li a {
```

```css
  display: block;

  color: white;

  text-align: center;

  padding: 14px 16px;

  text-decoration: none;

}


li a:hover:not(.active) {

  background-color: #111;

}


.active {

  background-color: #04AA6D;

}
.margin {

  margin-top:1000px;

}
.scroll-left {
height: 50px;
overflow: hidden;
position: relative;
color: rgb(253, 15, 15);
background: none;
}
.scroll-left p {
position: absolute;
width: 100%;
height: 100%;
```

```css
  margin: 0;

  line-height: 50px;

  text-align: center;

  /* Starting position */

  transform:translateX(100%);

  /* Apply animation to this element */

  animation: scroll-left 15s linear infinite;

}

/* Move it (define the animation) */

@keyframes scroll-left {

0%  {

transform: translateX(100%);

}

100% {

transform: translateX(-100%);

}

}


.vertical-menu {

  width: 600px;

}

.vertical-menu a {

  background-color:light;

  color: black;

  display: block;

  padding: 12px;

  font-weight:bolder;

  text-decoration: none;
```

```
  }
body {
  background: url("img13.jpg");
background-repeat: no-repeat;
background-size: 1600px 1000px;
  }
.ex1 {
  margin-top: 20px;
  }

</style>
<div class="header">
  <img src="image1.jpg" alt="HTML5 Icon" style="width:1538px;height:128px;">

</div>
<ul>
 <li>
   <a href="home.html" class="p1">Home</a>
 </li>
 <li>
   <a href="options.html" class="p1">About Web Counselling</a>
 </li>
 <li>
   <a href="fee.html" class="p1">Processing Fee</a>
 </li>
 <li>
   <a href="register.html" class="p1">Candidate Register</a>
 </li>
```

```html
   <li>
     <a href="login.html" class="p1">Candidate Login</a>
    </li>
    <li>
     <a href="view.html" class="p1">View Options</a>
    </li>
    <li >
     <a href="contact.html" class="p1">Contact Us</a>
    </li>
    <li >
     <a href="logout.html" class="p1">Logout</a>
    </li>
</ul>
<div class="scroll-left">
<marquee class="p2">>>>Welcome to the web portal you can now proceed with payment and options selection.....</marquee>
</div>
<html>
<body>
  <div class="register">
<form id="register" method="POST" action="register.jsp">
   <center>
     <h2 class="p3"> Candidate Registration</h2>
      <table class="ex1" >
       <tr>
<td class="p3">**Registration No.</td>
<td><input type="text" name="Regno" ></td>
</tr>
<tr>
```

```
<td class="p3"> Date Of Birth</td>

<td><input type="text" name="Dob"></td>

</tr>

<tr>

<td class="p3"> Hall Ticket No.</td>

<td><input type="text" name="Htno"></td>

</tr>

<tr>

<td class="p3">Rank</td>

<td><input type="text" name="Rank"></td>

</tr>

<tr>

<td class="p3"> Password</td>

<td><input type="password" name="password"></td>

</tr>

<td class="p3">Confirm Password </td>

<td><input type="password" name="cpassword"></td>

<br>

</center>

</table>

<br>

<tr><input type="submit" value="Register"></tr>

</form>

</div>

<h4 class="p2">NOTE:</h4>

<p class="p4"> <b>          **Use Registration Number received on your registered Mobile
Number (OR) </b></p>

<p class="p4">     <b> **Use Registration Number Printed on your "Receipt of Certificate"
given to you after Certificate Verification. </b></p>
```

</body>

</html>

Register jsp

```html
<!DOCTYPE html>

<html lang="en" dir="ltr">

  <head>

    <meta charset="utf-8">

    <title>REGISTER</title>

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

      <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

      <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" …
```

[22:41, 8/6/2021] Vijitha @cse E: register html

[22:42, 8/6/2021] Vijitha @cse E: <%@ page import="java.io.*" %>

```jsp
<%@ page import="java.sql.*" %>

<html>

<body style="background-color:#03989e; margin-top:20%; margin-left:40%;">

<%

try

{

   String Regno = request.getParameter("Regno");

   String Dob = request.getParameter("Dob");

   String Htno = request.getParameter("Htno");
```

```jsp
    String Rank = request.getParameter("Rank");

    String password = request.getParameter("password");

    String cpassword = request.getParameter("cpassword");

Class.forName("com.mysql.jdbc.Driver"); //loading 4th driver

Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/srkr","root","");

PreparedStatement ps=con.prepareStatement("insert into register
(Regno,Dob,Htno,Rank,password,cpassword) values(?,?,?,?,?,?,)");

ps.setString(1,Regno);

ps.setString(2,Dob);

ps.setString(3,Htno);

ps.setString(4,Rank);

ps.setString(5,password);

ps.setString(6,cpassword);

int r=ps.executeUpdate();

if(r==0)

{

%>

<h2>registeration Failure</h2>

<%

}

else{

%>

<h2>Registration Successful</h2>

<%

}

con.close();

}

catch(Exception e)

{
```

```
%>

<h2 >Registration completed</h2>

<%

}

%>

<a href="login.html">Go back to login page</a>

</body>

</html>
```

Login html

```
<!DOCTYPE html>

<html lang="en" dir="ltr">

  <head>

    <meta charset="utf-8">

    <title>LOGIN</title>

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

      <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

      <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

  </head>

  <body>
```

```
<style>
  ul {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
  }

  li {
    float: left;
  }
  .header {
    background-color:rgb(5, 5, 170);
    padding: 0px;

  }
  li a {
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
  }

  li a:hover:not(.active) {
    background-color: #111;
  }
```

```css
.active {
 background-color: #04AA6D;
}
.margin {
 margin-top:1000px;
}
.login{
     width: 450px;
     overflow: hidden;
     margin: auto;
     margin: 20 0 0 450px;
     padding: 50px;
     background:white;
     border-radius: 15px ;
     opacity: 0.8;

}
label{
   color: green;
   font-size: 17px;
}
#Hallno{
   width: 300px;
   height: 30px;
   border: none;
   border-radius: 3px;
   padding-left: 8px;
```

```css
}
#Pass{
    width: 300px;
    height: 30px;
    border: none;
    border-radius: 3px;
    padding-left: 8px;

}

    .button {
            border: none;
            color: white;
            padding:center;
            text-align: center;
            text-decoration: none;
            display: inline-block;
            font-size: 18px;
            margin: 6px 2px;
            transition-duration: 0.4s;
            cursor: pointer;
        }
        .button1 {
            background-color: white;
            color: black;
            border: 2px solid #4CAF50;
            }
```

```css
        .button1:hover {

            background-color: #4CAF50;

            color: white;

            }


span{

    color: black;

    font-size: 17px;

}


.scroll-left {

height: 50px;

overflow: hidden;

position: relative;

background: none;

color:red;

}

.scroll-left p {

position: absolute;

width: 100%;

height: 100%;

margin: 0;

line-height: 50px;

text-align: center;

/* Starting position */

transform:translateX(100%);

/* Apply animation to this element */

animation: scroll-left 15s linear infinite;
```

```
}
/* Move it (define the animation) */
@keyframes scroll-left {
0%  {
transform: translateX(100%);
}
100% {
transform: translateX(-100%);
}
}
.hero-image {
  background-image: url("new.jfif");
  background-color: #cccccc;
  height: 500px;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
  position: relative;
}
.vertical-menu {
  width: 600px;
}
.vertical-menu a {
  background-color:light;
  color: black;
  display: block;
  padding: 12px;
  font-weight:bolder;
```

```css
    text-decoration: none;

}
body {

  background: url("image5.jpg");

background-repeat: no-repeat;

background-size: 1300px 900px;

}
.ex1 {

  margin-top: 150px;

}
.p1{

  font-family: Georgia, 'Times New Roman', Times, serif;

  text-align: center;

  color:black;

}
.p2 {

  font-family:Arial, Helvetica, sans-serif;

}

</style>
```
```html
<div class="header">

  <img src="image1.jpg" alt="HTML5 Icon" style="width:1538px;height:128px;">


</div>

    <ul>

     <li>

       <a href="home.html" class="p2">Home</a>

      </li>
```

```html
<li>
 <a href="options.html" class="p2">About Web Counselling</a>
</li>
<li>
 <a href="fee.html" class="p2">Processing Fee</a>
</li>
<li>
 <a href="register.html" class="p2">Candidate Register</a>
</li>
<li>
 <a href="login.html" class="p2">Candidate Login</a>
</li>
<li>
 <a href="view.html" class="p2">View Options</a>
</li>
<li >
 <a href="contact.html" class="p2">Contact Us</a>
</li>
<li >
 <a href="logout.html" class="p2">Logout</a>
</li>


 </ul>
<div class="scroll-left">

<marquee>>>Welcome to the web portal you can now proceed with payment and options selection. ...</marquee>

</div>

<html>

<body>
```

```html
<div class="login">
  <form id="login" method="get" action="login.jsp">
    <h3 class="p1"><b>Candidate Login</b></h3>
    <br>
      <label><b>Hall Ticket No.
      </b>
      </label>
      <input type="text" name="Hallno" id="Hallno" placeholder="Hall Ticket No.">
      <br><br>
      <label><b>Password
      </b>
      </label>
      <input type="Password" name="Pass" id="Pass" placeholder="Password">
      <br><br>


      <button class="button button1">Sign-In</button>


      <br><br>
      <input type="checkbox" id="check">
      <span>Remember me</span>
      <br><br>
      <a href="#">Forgot Password</a>
  </form>
</div>
</body>
</html>
```

Login jsp

```jsp
<%@ page import="java.io.*"  %>
```

```jsp
<%@ page import="java.sql.*"  %>
<html>
<body style="background-color:#03989e; margin-top:20%; margin-left:40%;">
<%
try
{
    String htno = request.getParameter("Hallno");
    String password= request.getParameter("pass");
Class.forName("com.mysql.jdbc.Driver"); //loading 4th driver
Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/srkr","root","");
PreparedStatement ps=con.prepareStatement("insert into login values(?,?)");
ps.setString(1,htno);
ps.setString(2,password);
int r=ps.executeUpdate();
if(r==0)
{
%>
<h2>login Failure</h2>
<%
}
else{
%>
<h2>login Successful</h2>
<%
}
con.close();
}
catch(Exception e)
```

```
{
%>
<h2>LOGIN SUCCESSFUL</h2>
<%
}
%>
<a href="view.html">Go back to view page</a>
</body>
</html>
```

View option html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>VIEW</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

    <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

  </head>
```

```html
<body>
  <style>
    ul {
      list-style-type: none;
      margin: 0;
      padding: 0;
      overflow: hidden;
      background-color: #333;
    }

    li {
      float: left;
    }

    li a {
      display: block;
      color: white;
      text-align: center;
      padding: 14px 16px;
      text-decoration: none;
    }

    li a:hover:not(.active) {
      background-color: #111;
    }

    .active {
      background-color: #04AA6D;
```

```css
}
.margin {
  margin-top:1000px;
}
.p1 {
  font-family:Arial, Helvetica, sans-serif;
}
.p2{
  font-family: Georgia, 'Times New Roman', Times, serif;
  text-align: center;
  font-size: 20px;
  color: rgb(9, 9, 146);
}
.scroll-left {
height: 50px;
overflow: hidden;
position: relative;
background-color:none;
color:red;
}
.scroll-left p {
position: absolute;
width: 100%;
height: 100%;
margin: 0;
line-height: 50px;
text-align: center;
/* Starting position */
```

```css
transform:translateX(100%);
/* Apply animation to this element */
animation: scroll-left 15s linear infinite;
}
/* Move it (define the animation) */
@keyframes scroll-left {
0%  {
transform: translateX(100%);
}
100% {
transform: translateX(-100%);
}
}
.hero-image {
  background-image: url("new.jfif");
  background-color: #cccccc;
  height: 500px;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
  position: relative;
}
.vertical-menu {
  width: 600px;
}
.vertical-menu a {
  background-color:light;
  color: black;
```

```
  display: block;

  padding: 12px;

  font-weight:bolder;

  text-decoration: none;

}

body {

  background: url("image6.jpg");

background-repeat: no-repeat;

background-size: 1600px 900px;

}

</style>

<ul>

 <li>

   <a href=" home.html" class="p1">Home</a>

 </li>

 <li>

   <a href="options.html" class="p1">About Web Counselling</a>

 </li>

 <li>

   <a href="fee.html" class="p1">Processing Fee</a>

 </li>

 <li>

   <a href="register.html" class="p1">Candidate Register</a>

 </li>

 <li>

   <a href="login.html" class="p1">Candidate Login</a>

 </li>

 <li>
```

```html
    <a href="view.html" class="p1">View Options</a>
  </li>
  <li >
    <a href="contact.html" class="p1">Contact Us</a>
  </li>
  <li >
    <a href="logout.html" class="p1">Logout</a>
  </li>
</ul>
<div class="scroll-left">
<marquee>>>>Welcome to the web portal you can now proceed with payment and options selection. ...</marquee>
</div>


  <body class="ex1">
    <form method="post" action="view.jsp">
      <center>
        <label class="p2">Hall Ticket No:</label>
        <input type="text" name="htno">
        <br>
        <br>
      <table border=4px>
        <tr>
          <th>S.No.</th>
          <th>Institute Code</th>
          <th>Institute Name,Place</th>
          <th>Branch Code</th>
          <th>Branch Name</th>
        </tr>
```

```
<tr>
  <td><input type="text" name="sn1"></td>
  <td><input type="text" name="ic1"></td>
  <td><input type="text" name="dc1"></td>
  <td><input type="text" name="bc1"></td>
  <td><input type="text" name="bn1"></td>
</tr>
<tr>
  <td><input type="text" name="sn2"></td>
  <td><input type="text" name="ic2"></td>
  <td><input type="text" name="dc2"></td>
  <td><input type="text" name="bc2"></td>
  <td><input type="text" name="bn2"></td>
</tr>
<tr>
  <td><input type="text" name="sn3"></td>
  <td><input type="text" name="ic3"></td>
  <td><input type="text" name="dc3"></td>
  <td><input type="text" name="bc3"></td>
  <td><input type="text" name="bn3"></td>
</tr>
<tr>
  <td><input type="text" name="sn4"></td>
  <td><input type="text" name="ic4"></td>
  <td><input type="text" name="dc4"></td>
  <td><input type="text" name="bc4"></td>
  <td><input type="text" name="bn4"></td>
</tr>
```

```html
<tr>
  <td><input type="text" name="sn5"></td>
  <td><input type="text" name="ic5"></td>
  <td><input type="text" name="dc5"></td>
  <td><input type="text" name="bc5"></td>
  <td><input type="text" name="bn5"></td>
</tr>
<tr>
  <td><input type="text" name="sn6"></td>
  <td><input type="text" name="ic6"></td>
  <td><input type="text" name="dc6"></td>
  <td><input type="text" name="bc6"></td>
  <td><input type="text" name="bn6"></td>
</tr>
<tr>
  <td><input type="text" name="sn7"></td>
  <td><input type="text" name="ic7"></td>
  <td><input type="text" name="dc7"></td>
  <td><input type="text" name="bc7"></td>
  <td><input type="text" name="bn7"></td>
</tr>
<tr>
  <td><input type="text" name="sn8"></td>
  <td><input type="text" name="ic8"></td>
  <td><input type="text" name="dc8"></td>
  <td><input type="text" name="bc8"></td>
  <td><input type="text" name="bn8"></td>
</tr>
```

```html
<tr>
  <td><input type="text" name="sn9"></td>
  <td><input type="text" name="ic9"></td>
  <td><input type="text" name="dc9"></td>
  <td><input type="text" name="bc9"></td>
  <td><input type="text" name="bn9"></td>
</tr>
<tr>
  <td><input type="text" name="sn10"></td>
  <td><input type="text" name="ic10"></td>
  <td><input type="text" name="dc10"></td>
  <td><input type="text" name="bc10"></td>
  <td><input type="text" name="bn10"></td>
</tr>
<tr>
  <td><input type="text" name="sn11"></td>
  <td><input type="text" name="ic11"></td>
  <td><input type="text" name="dc11"></td>
  <td><input type="text" name="bc11"></td>
  <td><input type="text" name="bn11"></td>
</tr>
<tr>
  <td><input type="text" name="sn12"></td>
  <td><input type="text" name="ic12"></td>
  <td><input type="text" name="dc12"></td>
  <td><input type="text" name="bc12"></td>
  <td><input type="text" name="bn12"></td>
</tr>
```

```
        </table>

        <br>

        <br>

        <input type="submit" value="Save Options">

        <input type="submit" value="Update Options">

        <br>

        <br>

        <input type="submit" value="Back">

        </center>

    </form>

  </body>

</html>
```

View jsp

```
<%@ page import="java.io.*"  %>

<%@ page import="java.sql.*"  %>

<html>

<body style="background-color:#03989e; margin-top:20%; margin-left:40%;">

<%

try

{

String sno=request.getParameter("sn1");

String inscode=request.getParameter("ic1");

String insname=request.getParameter("dc1");

String brcode=request.getParameter("bc1");

String brname=request.getParameter("bn1");

Class.forName("com.mysql.jdbc.Driver"); //loading 4th driver

Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/srkr","root","");

PreparedStatement ps=con.prepareStatement("insert into view values(?,?,?,?,?)");
```

```
ps.setString(1,sno);

ps.setString(2,inscode);

ps.setString(3,insname);

ps.setString(4,brcode);

ps.setString(5,brname);

int r=ps.executeUpdate();

if(r==0)

{

%>

<h2>Inserion Failure</h2>

<%

}

else{

%>

<h2>Inserion Successful</h2>

<%

}

con.close();

}

catch(Exception e)

{

%>

<h2>inserted</h2>

<%

}

%>

<a href="logout.html">Go back to logout page</a>

</body>
```

</html>

Contact us

<!DOCTYPE html>

<html lang="en" dir="ltr">

  <head>

    <meta charset="utf-8">

    <title>CONTACT US</title>

    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="anonymous">

     <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

     <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n" crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha384-Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6" crossorigin="anonymous"></script>

  </head>

  <body>

   <style>

    ul {

 list-style-type: none;

 margin: 0;

 padding: 0;

 overflow: hidden;

 background-color: #333;

```css
}

li {
  float: left;
}

li a {
  display: block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

li a:hover:not(.active) {
  background-color: #111;
}

.active {
  background-color: #04AA6D;
}
.margin {
  margin-top:1000px;
}
.hero-image {
  background-image: url("new.jfif");
  background-color: #cccccc;
  height: 500px;
```

```css
  background-position: center;

  background-repeat: no-repeat;

  background-size: cover;

  position: relative;

}

.vertical-menu {

  width: 600px;

}

.vertical-menu a {

  background-color:light;

  color: black;

  display: block;

  padding: 12px;

  font-weight:bolder;

  text-decoration: none;

}


.contact{

    position: relative;

    min-height: 100px;

    padding: 50px 100px;

    display: flex;

    justify-content: center;

    align-items: center;

    flex-direction: column;

    background: radial-gradient(#fff,#86d8ec);

    background-size: cover;

}
```

```css
.contact .content{

    max-width: 800px;

    text-align: center;

}

.contact .content h2{

    font-size: 36px;

    font-weight: 500;

    color: black;

}

.contact .content p{


    font-weight: 300;

    color: black;

}

.small-containers{

    width: 100%;

    display: flex;

    justify-content: center;

    align-items: center;

    margin-top: 30px;

}

.small-containers .contactInfo{

    width: 50%;

    display: flex;

    flex-direction: column;

}

.small-containers .contactInfo .box{

    position: relative;
```

```css
    padding: 20px 0;

    display: flex;

}
.small-containers .contactInfo .box .icon{

    min-width: 60px;

    height: 60px;

    background: #fff;

    display: flex;

    justify-content: center;

    align-items: center;

    border-radius: 50%;

    font-size: 22px;

}
.small-containers .contactInfo .box .text{

    display: flex;

    margin-left: 20px;

    font-size: 16px;

    flex-direction: column;

    font-weight: 300px;

}
.small-containers .contactInfo .box .text h3{

    font-weight: 500;

}
.contactForm{

    width: 40%;

    padding: 40px;

    background: #fff;

}
```

```css
.contactForm h2{

    font-size: 30px;

    font-weight: 500;

    color: #333;

}

.contactForm .inputBox{

    position: relative;

    width: 100%;

    margin-top: 10px;

}

.contactForm .inputBox input,

.contactForm .inputBox textarea{

    width: 100%;

    padding: 5px 0;

    font-size: 16px;

    margin: 10px 0;

    border: none;

    border-bottom: 2px solid #333;

    outline: none;

    resize: none;

}

.contactForm .inputBox span{

    position: absolute;

    left: 0;

    padding: 5px 0;

    font-size: 16px;

    margin: 10px 0;

    pointer-events: none;
```

```css
    transition: 0.5s;

    color: #666;

}

.contactForm .inputBox input:focus ~ span,

.contactForm .inputBox input:valid ~ span,

.contactForm .inputBox textarea:focus ~ span,

.contactForm .inputBox textarea:valid ~ span{

    color: #f57f20;

    font-size: 12px;

    transform: translateY(-20px);

}

.contactForm .inputBox input[type="submit"]{

    width: 100px;

    background: #f57f20;

    color: #fff;

    border: none;

    cursor: pointer;

    padding: 10px;

    font-size: 10px;

}
```

```html
</style>

<ul>

    <li>

      <a href="home.html" class="p2">Home</a>

    </li>

    <li>

      <a href="options.html" class="p2">About Web Counselling</a>

    </li>
```

```html
<li>
  <a href="fee.html" class="p2">Processing Fee</a>
</li>
<li>
  <a href="register.html" class="p2">Candidate Register</a>
</li>
<li>
  <a href="login.html" class="p2">Candidate Login</a>
</li>
<li>
  <a href="view.html" class="p2">View Options</a>
</li>
<li >
  <a href="contact.html" class="p2">Contact Us</a>
</li>
<li >
  <a href="logout.html" class="p2">Logout</a>
</li>

 </ul>
</style>
 </head>

</html>

<section class="contact">
  <div class="content">
    <h2>Contact Us</h2><br>
```

```html
      <p>We are always happy to assist you!!</p>
  </div>
  <div class="small-containers">
    <div class="contactInfo">
      <div class="box">
        <div class="icon"><i class="fa fa-map-marker" aria-hidden="true"></i></div>
        <div class="text">
          <h3>Address</h3>
          CONVENERAPEAMCET-2020 ADMISSIONS,<br>
O/o The Commissioner Of Technical Education,<br>
Flat.No:104, ANR towers,<br>
Jammichettu Street,Prasadampadu,<br>
Vijayawada-521108
        </div>
      </div>
      <div class="box">
        <div class="icon"><i class="fa fa-phone" aria-hidden="true"></i></div>
        <div class="text">
          <h3>Phone</h3>
          <p>8106876345 (or) 8106575234 (or)<br> 7995865456 (or)7995681678<br></p>
        </div>
      </div>
      <div class="box">
        <div class="icon"><i class="fa fa-envelope" aria-hidden="true"></i></div>
        <div class="text">
          <h3>Email</h3>
          <p>convenerapeamcet2021@gmail.com</p>
        </div>
```

```html
            </div>

        </div>

        <div class="contactForm">

          <form>

            <h2>Send Message</h2>

            <div class="inputBox">

              <input type="text" name="" required="required">

              <span>Full Name</span>

            </div>

            <div class="inputBox">

              <input type="text" name="" required="required">

              <span>Email</span>

            </div>

            <div class="inputBox">

              <textarea required="required"></textarea>

              <span>Type your message...</span>

            </div>

            <div class="inputBox">

              <input type="submit" name="" value="send">

            </div>

          </form>

        </div>

      </div>

    </section>

  </body>
```

</html>

Logout

<!DOCTYPE html>

<html lang="en" dir="ltr">

  <head>

    <meta charset="utf-8">

    <title>LOGOUT</title>

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

      <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

      <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8
ifwB6" crossorigin="anonymous"></script>

  </head>

  <body>

    <style>

      *{

        margin: 0;

        padding: 0;

      }

      .content{

```css
        color: rgb(248, 107, 14);

        width: 100%;

        height: 100%;

        background-color: rgba(0,0,0,0.5);

    }

    .principal{

        left:50%;

        top: 50%;

        transform: translate(-50%,-50%);

        position: absolute;

        letter-spacing: 5px;

        text-align: center;

    }

    .principal h1{

        font-size: 70px;

        margin-bottom: 20px;

    }

    .principal p{

        font-size: 20px;

    }

    body {

  background: url("img6.jpg");

background-repeat: no-repeat;

background-size: 1600px 800px;

}

.ex1 {

  margin-top: 150px;

}
```

```
        </style>

<div class="content">
    <div class="principal">
        <h1>LOGOUT SUCCESSFULLY</h1>
        <p>All The Best</p>
    </div>
</div>
        </body>
    </html>
```