In [2]: import numpy as np import pandas as pd import matplotlib.pyplot as plt import seaborn as sns In [3]: df = pd.read_csv("test.csv") In [4]: df.head() Out[4]: Cabin Passengerld Survived Pclass Name Sex Age SibSp Parch **Ticket Embarked** 0 1 0 3 22.0 0 A/5 21171 7.2500 NaN S Braund, Mr. Owen Harris male 1 Cumings, Mrs. John Bradley 2 1 1 female 1 38.0 1 0 PC 17599 71.2833 C85 C (Florence Briggs Th... STON/O2. 2 3 1 3 26.0 0 7.9250 S Heikkinen, Miss. Laina female NaN 3101282 Futrelle, Mrs. Jacques Heath S 3 1 1 4 female 35.0 1 0 113803 53.1000 C123 (Lily May Peel) 4 5 0 3 0 373450 8.0500 S Allen, Mr. William Henry male 35.0 NaN In [5]: df.head(10) Out[5]: Passengerld Survived Pclass Name Sex Age SibSp Parch **Ticket** Fare Cabin **Embarked** 0 0 3 Braund, Mr. Owen Harris S 1 male 22.0 0 A/5 21171 7.2500 NaN Cumings, Mrs. John Bradley 1 2 1 1 female 38.0 1 0 71.2833 C85 C PC 17599 (Florence Briggs Th... STON/O2. 2 3 1 3 0 0 7.9250 S Heikkinen, Miss. Laina female 26.0 NaN 3101282 Futrelle, Mrs. Jacques Heath female 3 4 1 1 35.0 1 0 113803 53.1000 C123 S (Lily May Peel) 5 0 3 35.0 0 0 8.0500 S 4 Allen, Mr. William Henry male 373450 NaN 5 6 0 3 Moran, Mr. James male NaN 0 0 330877 8.4583 NaN Q 6 7 0 1 0 0 S McCarthy, Mr. Timothy J male 54.0 17463 51.8625 E46 Palsson, Master. Gosta 7 8 0 3 S 2.0 3 1 349909 21.0750 male NaN Leonard Johnson, Mrs. Oscar W 8 9 1 3 27.0 0 2 347742 11.1333 S female NaN (Elisabeth Vilhelmina Berg) Nasser, Mrs. Nicholas (Adele 9 10 1 C female 14.0 1 0 237736 30.0708 NaN Achem) In [6]: df.shape Out[6]: (891, 12)In [7]: df.describe() **Pclass Parch** PassengerId Survived Age SibSp Fare 891.000000 891.000000 891.000000 891.000000 714.000000 891.000000 891.000000 count 2.308642 29.699118 0.381594 446.000000 0.383838 0.523008 32.204208 mean 0.836071 14.526497 49.693429 257.353842 0.486592 1.102743 0.806057 std min 1.000000 0.000000 1.000000 0.420000 0.000000 0.000000 0.000000 25% 223.500000 0.000000 2.000000 20.125000 0.000000 0.000000 7.910400 446.000000 **50**% 28.000000 0.000000 3.000000 0.000000 0.000000 14.454200 0.000000 **75**% 668.500000 1.000000 3.000000 38.000000 1.000000 31.000000 891.000000 1.000000 3.000000 80.000000 8.000000 6.000000 512.329200 max In [8]: df['Survived'].value_counts() Out[8]: Survived 549 1 342 Name: count, dtype: int64 In [9]: sns.countplot(x=df['Survived'], hue=df['Pclass']) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass `(name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass `(name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass (name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) Out[9]: <Axes: xlabel='Survived', ylabel='count'> Pclass 350 1 2 3 300 250 200 150 100 50 0 0 1 Survived In [10]: df["Sex"] Out[10]: 0 male female 1 2 female 3 female 4 male . . . 886 male 887 female female 888 889 male 890 male Name: Sex, Length: 891, dtype: object In [11]: sns.countplot(x=df['Sex'], hue=df['Survived']) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass `(name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass `(name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) <Axes: xlabel='Sex', ylabel='count'> Survived 0 1 400 300 count 200 100 female male Sex df.groupby('Sex')[['Survived']].mean() Out[12]: Survived Sex **female** 0.742038 **male** 0.188908 In [13]: df['Sex'].unique() Out[13]: array(['male', 'female'], dtype=object) In [14]: from sklearn.preprocessing import LabelEncoder labelencoder = LabelEncoder() df['Sex']= labelencoder.fit_transform(df['Sex']) df.head() Out[14]: Passengerld Survived Pclass Name Sex Age SibSp Parch Ticket Fare Cabin Embarked 0 1 0 3 Braund, Mr. Owen Harris 0 A/5 21171 7.2500 NaN S 22.0 1 Cumings, Mrs. John Bradley 1 PC 17599 71.2833 C 1 2 0 38.0 C85 (Florence Briggs Th... STON/O2. 2 3 7.9250 S Heikkinen, Miss. Laina 0 26.0 NaN 3101282 Futrelle, Mrs. Jacques Heath S 3 1 0 35.0 0 113803 53.1000 C123 (Lily May Peel) 4 5 0 3 0 0 S Allen, Mr. William Henry 1 35.0 373450 8.0500 NaN In [15]: df['Sex'], df['Survived'] Out[15]: (0 1 1 0 2 0 3 4 886 1 887 0 888 0 889 1 890 1 Name: Sex, Length: 891, dtype: int32, 0 1 1 2 1 3 4 886 0 887 1 0 888 889 1 890 Name: Survived, Length: 891, dtype: int64) In [16]: sns.countplot(x=df['Sex'], hue=df["Survived"]) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass `(name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) C:\Users\user\AppData\Local\Programs\Python\Python312\Lib\site-packages\seaborn_base.py:949: FutureWarning: When group ing with a length-1 list-like, you will need to pass a length-1 tuple to get_group in a future version of pandas. Pass `(name,)` instead of `name` to silence this warning. data_subset = grouped_data.get_group(pd_key) Out[16]: <Axes: xlabel='Sex', ylabel='count'> Survived 0 1 400 300 count 200 100 0 0 1 Sex In [17]: df.isna().sum() Out[17]: PassengerId 0 Survived 0 Pclass 0 Name 0 Sex 0 177 Age SibSp 0 Parch 0 Ticket 0 0 Fare 687 Cabin Embarked 2 dtype: int64 In [18]: df=df.drop(['Age'], axis=1) In [19]: df_final = df df_final.head(10) Out[19]: PassengerId Survived Pclass Name Sex SibSp Parch **Ticket** Cabin **Embarked** 0 1 0 3 Braund, Mr. Owen Harris 0 S A/5 21171 7.2500 NaN Cumings, Mrs. John Bradley 2 0 C 1 1 1 0 71.2833 C85 1 PC 17599 (Florence Briggs Th... STON/O2. 1 2 3 3 Heikkinen, Miss. Laina 0 0 0 7.9250 NaN S 3101282 Futrelle, Mrs. Jacques Heath (Lily 3 1 1 0 0 113803 53.1000 C123 S 4 1 May Peel) 0 373450 S 4 5 3 Allen, Mr. William Henry 0 0 8.0500 NaN 0 5 6 3 0 0 330877 8.4583 NaN Q Moran, Mr. James 6 7 0 0 0 S 1 McCarthy, Mr. Timothy J 17463 51.8625 E46 7 0 3 349909 S Palsson, Master. Gosta Leonard 1 21.0750 NaN Johnson, Mrs. Oscar W (Elisabeth

▼ LogisticRegression

LogisticRegression(random_state=0)

8

9

In [20]:

In [22]:

In [23]:

Out[23]:

9

10

X= df[['Pclass', 'Sex']]

log.fit(X_train, Y_train)

Y=df['Survived']

1

3

from sklearn.model_selection import train_test_split

from sklearn.linear_model import LogisticRegression

log = LogisticRegression(random_state = 0)

0

Vilhelmina Berg)

Nasser, Mrs. Nicholas (Adele Achem)

X_train, X_test, Y_train, Y_test = train_test_split(X, Y, test_size = 0.2, random_state = 0)

0

2

0

347742 11.1333

237736 30.0708

NaN

NaN

S

C

In [24]: pred = print(log.predict(X_test)) $0\;1\;0\;0\;0\;0\;0\;0\;1\;0\;0\;1\;1\;1\;1\;0\;0\;0\;0\;1\;1\;0\;1\;0\;0\;0\;0\;0\;0\;1\;1\;1\;1\;0\;1\;0$ 1001101010110011000000001001001001 In [25]: print(Y_test) 0 495 648 0 278 0 31 1 255 1 . . 780 1 837 0 1 215 833 372 Name: Survived, Length: 179, dtype: int64 In [26]: import warnings warnings.filterwarnings("ignore") res= log.predict([[2,1]]) **if**(res==0): print("So Sorry! Not Survived") else: print("Survived") So Sorry! Not Survived In []: