

FCEPH – GROUP 3

ANIS SUBBA - JENNIFER ODONGO - BENJAMIN MAPAMBOLI - NAZIR MOHAMMMAD

Contents

Table of Figures	4
Project	5
Project Team.....	5
Introduction	5
Project Plan.....	5
Software Requirements	6
Charts and Diagrams	9
Risk Register.....	16
Group Meetings/Schedule	18
Technology used for meetings/collaboration	19
Project Lifecycle	19
Week 1	19
Week 2	20
Week 3.....	20
Week 4	20
Week 5.....	20
Week 6	21
Week 7.....	21
Week 8	21
Week 9	21
Week 10	21
Week 11	21
Week 12	22
Core Software	22
Website.....	22
Items View	22
Item Page	23
Basket.....	23
Login	24
Delivery	24
Checkout.....	25
Website Testing.....	25
Items View	25
Item Page	26

Basket.....	26
Login	26
Delivery	27
Checkout.....	27
Anis – Supplier Interface – PM	28
Project Manager	28
Sub Project Plan	28
Gantt chart.....	29
Work Breakdown Structure.....	30
Risk Register	31
Requirements	32
Software.....	32
Component Integration	32
Testing	33
Jennifer – Loyalty Scheme – Documentation.....	34
Documentation.....	34
Sub Project Plan	34
Work Breakdown Structure.....	34
Gantt chart.....	35
Network Diagram	36
Risk Register	37
Requirements	38
Software.....	38
Login/register to clubcard.....	38
Point addition	39
Special deals.....	39
Component Integration	39
Testing	40
Login/register to clubcard.....	40
Point addition	41
Special deals.....	41
Nazir – Payment – Integration	42
Integration Planner	42
Sub Project Plan	42
Gantt chart.....	43
Risk Register	44

Requirements	45
Software.....	45
Component Integration	45
Testing	45
Benjamin – Marketing - QA	47
Quality Assurance	47
Sub Project Plan	47
Risk Register	47
Risk Breakdown Structure.....	47
Requirements	48
Software.....	48
Component Integration	49
Testing	49
Appendix	50
Website.....	50
Style.css.....	50
Index.html.....	84
item.html.....	92
Groceries.html	101
freshfood.html.....	111
fruit.html	121
basket.js.....	133
clubcard.html - JenniferComp	134
signup.html - JenniferComp.....	138
clubcard1.html - JenniferComp.....	141
payment.html - NazirComp	147
devlivery.html.....	148
checkout.html.....	154
Asos-suppliers.html - AnisComp	157
ocado-supplier.html - AnisComp.....	168
supplier.html - AnisComp	178

Table of Figures

Figure 1 – Work Breakdown Structure	9
Figure 2 – Network Diagram	10
Figure 3 – Activity Diagram.....	12
Figure 4 – Critical Path Analysis	13
Figure 5 - Earned Value Analysis.....	14
Figure 6 - Gantt Chart.....	15
Figure 7 – Risk Register.....	16
Figure 8 – AnisGanttChart	29
Figure 9 - AnisWBS	30
Figure 10 - Anis Risk Register	31
Figure 11 – Jennifer WBS	34
Figure 12 - Jennifer Gantt Chart.....	35
Figure 13 - Jennifer Risk Register.....	37
Figure 14 - NazirWBS	42
Figure 15 - NazirGanttChart	43
Figure 16 - NazirRiskRegister	44
Figure 17 - BenRiskBreakdownStructure.....	48

Project

Project Team

FCEPH is a team with four members. Anis, Jennifer, Nazir and Benjamin.

Anis's non-technical role in the team is project manager. As project manager, Anis was in charge of taking the group minutes. His technical role was to develop the suppliers interface component.

Jennifer's non-technical role is documenting. This involved keeping track of the planning and development processes of this project. Her technical role was to develop the loyalty scheme component.

Nazir's non-technical role is integration planner. This involved coming up with a way to integrate our individual components into the core software. His technical role was to develop the payment component.

Benjamin's non-technical role is quality assurance. This involved checking over the work being produced and giving any suggestions on things that can be done to improve it. His technical role was to develop the marketing component.

Introduction

The software we decided to develop was a website for a supermarket. The core is all the items for sale on view with a basket to store their items and check out. The payment component allows the user to pay for their items. The marketing component gives users sales. The supplier component lets a user buy more supplies and the loyalty scheme component lets a user get points for purchasing certain items.

Project Plan

Our original plan had been to create two pieces of software for a supermarket. The two pieces of software would be an application and a website. The team would split so that Anis and Nazir would create the app and Jennifer and Benjamin would create the website. We chose Anis and Nazir for the app development as they had had experience with that. We chose Jennifer and Benjamin for the website as they both had previous experience with that. This had not been a good idea because the project ended up being bigger than expected and there were not enough people for most of the activities. Because of this many things had to be cut out of our software, requirements were changed and the app had to be ditched.

Software and resources

We used a number of software and resources in the planning and creation of our software.

To create the website, we decided to use Dreamweaver. We chose this program because of the split screen it provided. Dreamweaver allows you to view your code and your design at the same time. You get a live update for any code you add without having to open the website on a web browser to see what the code has done.

Name

The name of our group and supermarket is FCEPH. It stands for Food, Clothing, Electronics, Pharmacy and Household. This is because we wanted our supermarket to be one that sells all these things so we chose a name that would reflect this.

Colour Scheme



We chose the colours green, blue and white as our projects colour scheme. We used these colours throughout our project on charts and in our website. We chose these colours because we felt that they would be appropriate for a supermarket.

Logo



Jennifer designed this logo for the website.

Software Requirements

We created a list of user requirements for each component of the software to help break down the tasks we needed to do. With this we were able to get the most important aspects of the software completed first leaving us with enough time to add any extra features we wanted. Because we had originally decided to create a website and an application, we wrote down three sets of core requirements. One was the overall requirement for the supermarket. The second was for the website and the third was for the application. We removed the application requirements when it we decided that we should stick to the website.

Overall Requirement

- A customer should be able to register/login or use software as a guest.
- A customer should be able to view a list of items on offer.
- A customer should be able to filter through the items on view.
- A customer should be able to select an item.
- A customer should be able to increase or decrease the quantity of items.
- A customer should be able to add items to a basket.
- A customer should be able to checkout.
- A customer should be able to set a delivery date

Website Requirement

Home Page

- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Slideshow
- Promo items
- Utility bar at the top (Login, settings, help, basket, account etc)

- Footer (Help, contact us etc)

Groceries Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Sub navigation bar (Fresh food, frozen food, drinks etc)
- Footer (Help, contact us etc)
- View items
- Filter items
- Add item to basket
- Select items

Clothing Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Sub navigation bar (Fresh food, frozen food, drinks etc)
- Footer (Help, contact us etc)
- View items
- Filter items
- Add item to basket
- Select items

Electronics Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Sub navigation bar (Fresh food, frozen food, drinks etc)
- Footer (Help, contact us etc)
- View items
- Filter items
- Add item to basket
- Select items

Pharmacy Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Sub navigation bar (Fresh food, frozen food, drinks etc)
- Footer (Help, contact us etc)
- View items
- Filter items
- Add item to basket
- Select items

Home & Furniture Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Sub navigation bar (Fresh food, frozen food, drinks etc)
- Footer (Help, contact us etc)
- View items
- Filter items
- Add item to basket

- Select items

Item Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Footer (Help, contact us etc)
- Item name
- Item image
- Item description
- Item price
- Change quantity
- Add item to basket

Basket Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Footer (Help, contact us etc)
- View basket items
- Change quantity
- Remove item
- Checkout

Checkout Page

- Confirm order
- Cancel order

Login/Register Page

- Fields to enter Login/register details

Contact Us Page

- Utility bar at the top (Login, settings, help, basket, account etc)
- Navigation bar (Groceries, Clothing, Electronics, Pharmacy and Home & Furniture)
- Footer (Help, contact us etc)
- Contact us form
- Address
- Phone number

As time went by, we realised that we would have to remove some things from the requirement due to time running out. The last time we had to demonstrate we lost marks for having things that did not work so we saw it was better if those things were just removed so we would not have the same problems as last time. We removed the basket page and turned into a popup. We removed the login/register page because there was not enough time to get it to work.

Charts and Diagrams

Work Breakdown Structure




Figure 1 – Work Breakdown Structure

This diagram shows all the functions on our website that needs to be done. This is an image for the overall software, core and components. We used a work breakdown structure so that we could break down the project into manageable chunks. This made the project look much more manageable so we wouldn't feel overwhelmed by the workload.

Network Diagram

Tasks	Dependencies
1. Enter details	
2. Register/sign-in	
3. Points addition	2
4. Points subtraction	2
5. Special deals	2
6. Product types	
7. Product view	6
8. Product selection	7
9. Product quantity	7
10. Fill basket	1, 8
11. View basket	1, 10
12. View dates	11
13. Select dates	12
14. View basket	11, 13
15. Enter details	13
16. Confirm order	15
17. View order details	16
18. Send customer deals	17
19. View stock amount	1
20. View supplier list	19
21. Select supplier	20
22. Select product type	21
23. Place order	22
24. Update stock	23




Figure 2 – Network Diagram

The network diagram is a more detailed version of the WBS, Work Breakdown Structure. It helps with identifying critical activities and the dependencies. The tasks with empty dependencies do not depend on any other tasks. 1 is for registration. 2 is for registration for a loyalty scheme. 3, 4 and 5 rely on 2 because a user has to be registered to get these benefits. 6 which is having different products does not depend on anything. 7 depends on 6 because there needs to be a product type for the re to be a view. 8 and 9 depend on 7 because a user needs to be able to view a product before they can select or choose quantity. 10 depends on 1 and 8 because user needs to be logged in to fill basket and they need to be able to select an item. 11 depends on 1 and 10 because user needs to be logged in and the

basket needs to have some items. 12 depends on 11 because the basket needs to be filled before they can get to choose a delivery date. 13 depends on 12 because the user needs to be able to view the dates before they can select one. 14, the confirmation, depends on 11 and 13 because the basket needs to be filled and a date has to have been chosen. 15 depends on 13 because a date has to have been chosen. 16 depends on 15 because payment details have to be there. 17 depends on 16 because the order has to have been confirmed. 18 depends on 17 because the customer has to have placed an order before. 19 depends on 1 because the staff needs to be logged in to access the stock. 20 depends on 19 because there has to be low stock for the staff to want to update the stock. 21 depends on 20 because user needs to be able to view supplier before they can select. 22 depends on 21 because the user needs to select a supplier first. 23 depends on 22 because the user needs to select a product before they can place an order. 24 depends on 23 because an order needs to have been placed before the stock can be updated.

Activity Diagram

Activity	Brief description of work	Completion time (days)	Immediate predecessor(s) activities
A	Development of Product Design Specification (PDS)	5	None
B	Detail design of the product	7	A
C	Materials requirement and planning	3	A
D	Development of software	30	A, B, C
E	Testing and integration	6	D
F	Sub assembly of the part	10	C, D
G	Main assembly of the parts	8	E, F
H	Finishing of the final product	6	G, D




Figure 3 – Activity Diagram

Activity diagram shows the number of activities and its predecessors. This diagram shows that B is the predecessor of A as design specifications are needed for there to be a detail design for the software. C precedes A because it needs the design specification for the material planning to be done. D precedes A, B and C as it needs all of these before it can start. E precedes D because the software needs to have been developed for testing and integration to happen. F precedes D and C because the main component need to be completed and the material requirements and planning is needed to start it. G precedes E and F

because the sup parts have to be finished and the program needs to be integrated for the main assembly. H precedes G and D because everything needs to have been completed.

Critical Path Analysis




Figure 4 – Critical Path Analysis

The critical path analysis uses projects activities, duration time for those activities and dependencies to help with managing the project. We did this by estimating the earliest finishing time, EFT, and the latest finishing time, LFT.

The first activity, development of product design specification, would take an estimate of 5 days to complete. The second activity, detail design of the product, would take an estimate of 7 days to complete. This would be 12 days into the project. The third activity, materials requirement and planning, would take an estimate of 3 days to complete. This would be 15 days into the project. The fourth activity, development of software, would take an estimate of 30 days to complete. This would be 45 days into the project. The fifth activity, testing and integration, would take an estimate of 6 days to complete. This would be 51 days into the project. The sixth activity, sub assembly of the part, would take an estimate of 10 days to complete. This would be 61 days into the project. The seventh activity, main assembly of the parts, would take an estimate of 8 days to complete. This would be 69 days into the project. The last activity, finishing of the final product, would take an estimate of 6 days to complete. The 75 day would be the earliest finish time.

The LFT for the first activity is the 12th day. The LFT for the second activity is also the 12th day. The LFT for the third activity is the 15th day. The LFT for the fourth activity is the 45th day. The LFT for the fifth activity is the 51st day. The LFT for the sixth activity is the 61st day. The LFT for the seventh day is the 69th day and the LFT for that last activity is the 75th day.

Since the EST and the LFT are the same for most of the activities, those times would be the length of the activity. This also means that all the activities are critical.

Earned Value Analysis

Earned value analysis, EVA, is a system that allows you to see the relationship between the accomplishments that were planned and the accomplishments that were actually achieved. Planned value, PV, is the planned work. Earned value, EV, is the actual work and actual cost, AC, is the cost of completing that work.

Using the example given in the week 10 lecture, this software project is £30,000. This is for 6 weeks, as the core should be finished by then.

By fifth week core was only 30% complete so the actual cost is £50,000.

Planned Value = £25,000

Earned Value = £9,000

Actual Cost = £50,000

Schedule Variance = -£16,000

Schedule Performance Index = .36

Cost Variance = -£41,000

Cost Performance Index = .18

The total cost of the project will be £166,666.66




Figure 5 - Earned Value Analysis

The core was supposed to be completed by the 6th week but this did not happen. The main reason for this is that there had not been enough people assigned to the core development so progress fell behind drastically.

Gantt Chart

Tasks	Start Date	End Date	Duration
Understanding core	02-Feb-17	02-Feb-17	0
Gathering requirement	03-Feb-17	05-Feb-17	2
Dividing Roles	02-Feb-17	10-Feb-17	8
Project Planing	07-Feb-17	10-Feb-17	3
Logo,Name,Colour	14-Feb-17	16-Feb-17	2
WBS	21-Feb-17	25-Feb-17	4
Gantt chart	20-Feb-17	26-Feb-17	6
Network Diagram	21-Feb-17	27-Feb-17	6
App design	22-Feb-17	14-Mar-17	20
Web design	23-Feb-17	04-Apr-17	40
Presetation	18-Feb-17	21-Feb-17	3
Start Core Requirements	28-Mar-17	11-Apr-17	14
Website testing	30-Mar-17	10-Apr-17	11
Documentation	07-Feb-17	09-Apr-17	61
Report	07-Feb-17	09-Apr-17	61




Figure 6 - Gantt Chart

This Gantt chart shows the work we did over the course of our project.

Risk Register

We created a risk register so that we could keep track of all the things we think can possibly go wrong or right in our project.

No	Rank	Risk	Description	Category	Root	Triggers	Potential Responses	Risk Owner	Status
R1	1	incompletion	Not finishing the core on time	Negative	Not enough people working on an activity	Passing a deadline for an activity	Assign more people to task	Ben, Jen	Ongoing
R2	2	Communication	Not being able to inform others about certain tasks/issues	Negative	Some people have problems with phones/internet	An issue in the development	Have more group meetings	Ben	Ongoing
R3	3	Resources	Not being able to get certain software's to develop the core	Negative	Software not available/too expensive	Previous software not working out	Make sure necessary software is available to everyone	Everyone	Possible
R4	4	Internet access	Not being able to access the internet therefore not being able to access resources	Negative	Not having internet	Being unable to do project because of internet	Spend more time in university doing work	Nazir	Possible
R5	5	Free people	People being free to take up more tasks	Positive	Having free people	Somebody finishes their task early	Spend more time activities to try finish early	Ben, Jen	Possible
R6	6	Inexperience	Not being able to do certain tasks	Negative	Not knowing html, CSS well enough	Needing more people to develop the website	Have inexperienced members look at online web tutorials	Nazir, Ben, Anis	Possible

Figure 7 – Risk Register

Risk 1 was the highest negative risk because our software was a website and some of our team members did not have enough web design skills. It was decided that two software's were going to be developed. An application and a website. As time went on the team decided to stick with the website because time was running out and the website was more developed than the app. Anis and Nazir, the two developing the app, did not have the same amount of web developing experience as Jennifer and Benjamin. Assigning more people to the development of the core, which was now the website, would have been difficult.

Risk 2 is a negative risk because it was hard to get in contact with some members so lack of communication is a risk. Ben is the risk owner because it is sometimes hard to get a hold of him and that will have an effect on the project.

Risk 3 is a negative risk because the software used to develop the website at university, Dreamweaver, is not a free software so some people may not be able to access that software. Everybody is the risk owner because some of the software available at university is not available to us at home, so finding/using an alternative may be a problem.

Risk 4 is a negative risk because some members mentioned that they did not have internet at home so doing the project at home would be an issue. Nazir is the risk owner because he is a member that does not have internet access at home.

Risk 5 is a positive risk because some people may complete their tasks in time so we could assign some people to another task. Jennifer and Ben are the risk owners because they are in charge of developing the website.

Risk 6 is a negative risk because we chose our core to be a software people did not have much experience with. Nazir, Anis and Ben are the risk owners because they do not have that much experience when it comes to web development.

Group Meetings/Schedule

Initially we created a schedule where we would meet twice a week. The first meeting would be during the practical sessions on Tuesdays and the second would be on a Thursday. We had also planned that at the end of each week we would check up on everyone's work to see what they have done and if they have completed things on time.

It had been hard to get everyone to meet outside of normal university hours so we decided having one meeting a week would be fine and those meetings would be during the practical sessions on Tuesdays.

Group meetings

Meeting topic	Date	Hours spend
Start of the team project getting to understand the senario and who is goiing represent what in the team member. Any idea on what we are goin to be building.	17/12/2016	5
Meeting based on what we kind of role each team member has and what they have to achieve at the end of the team project for it to be successful.	24/12/2016	4
Meeting based on all the primary object of starting the project like name, color, logo , what we gonna sell	31/12/2016	5
We had a chat about how we gonna build and what is needed in the WBS, gnatt chart and network diagram.	07/02/2017	4

Meeting based on Starting the presentation hwho is going to presnt what. What are the requirement for the presentation.	14/02/2017	4
Before the presentation we had a update on the presentation as we lost ben so making changes .	20/02/2017	4
first part done so for the second part we were chatting on how we gonna fulfill or roles like supplier interface anis, loyalty scheme jennifer, marketing and banner ben and payment nazir.	28/02/2017	3
Had this meeting on the problem of choosing one software rather then two (website or app) and looking at how website were ahead we focused on website and ended app.	07/03/2017	4
started to look on writing the group documentation, updating the gantt chart, WBS and network diagram.	14/03/2017	5
having meeting on how each components will be shown in the webpage. As supplier as fact cannot be shown to the customer so had idea of adding a staff page.	21/03/2017	4
had meeting on hwo all the team member is doing with there roles and how long it will take to finish it. Any help need!	28/03/2017	5
Started on fixing the doucmentation and individual documentations.	04/03/2017	4
final check on the website as well the power point presentation.	11/03/2017	3

Technology used for meetings/collaboration

For collaboration, we used GitHub. We uploaded all the work that we produced onto GitHub. This allowed us to collaborate, as we did not need to be in the same room to see what another team member has done.

Project Lifecycle

Week 1

We spent the first week of our project on establishment. This involved recognising software requirements, defining roles, making a project plan and creating a schedule for the whole team to follow.

For the requirements, we read the case study, looked at the core and different components then used both of these resources to write down what we thought the software requirements would be. Things like customer being able to view items and placing items in baskets.

In defining roles, we looked at a list of roles, technical and non-technical, provided for us and discussed which roles we would be comfortable with. For the non-technical roles, we decided that Anis would be the Project Manager because he know how to take minutes, something that was part of the role for a Project Manager. Jennifer took the role of Documenting as she felt she would be able to do this. Nazir was

assigned the role of Integration and Benjamin was given the role of Quality Assurance. For the technical roles, we decided that Anis would develop the Suppliers Interface component, Jennifer would develop the Loyalty Scheme component, Nazir would develop the Payment component and Benjamin would develop the Marketing component.

We also decided on a meeting schedule. We would have two meetings a week. One on a Tuesday and one on a Thursday.

Week 2

The goal of the week was to name our supermarket, create a logo, choose a colour scheme and create templates for diagrams we were going to include. For example, Work Breakdown structure, Gantt Chart and other charts.

We were able to come up with a name for our supermarket. The name that we chose was FCEPH, a name created by Anis. We chose this name because it stands for Food, Clothing, Electronics, Pharmacy and Household. Nazir created the slogan "We don't compromise on quality". We also created the colour scheme for our project.

Week 3

The goal of the week was to start developing and create charts and diagrams for our project.

We created a work breakdown structure that would cover the whole project as well website and app separately. To create the WBS we used the requirements created in the previous weeks to identify all the tasks in our project.

We also set out who was going to develop what software. We planned that Jennifer and Ben would work on developing the website, which is our main core project as they have much more experience on the making website, while Nazir and I will start on the mobile app, which in the time seemed like a good plan. For the website, they used Notepad++ and for the mobile app, we have used Android studio.

We also started looking on making the Gantt chart for the following week until week 6 as that was our first deadline and predicting how much we can finish until then and beyond.

Week 4

The goal of the week was to continue developing our core.

This was the week development officially started. Nazir started on creating the App while Jennifer started creating the structure and style for our web pages.

Week 5

The goal of the week was to prepare for our presentation.

We had to look that there is not too much explanation on the slides or else they could find it a bit boring and less professional. Make sure the font and colour is presentable, reasonable sliding action. Had a chat on what each team member is going to present in the presentation and how they are going to present it (like the body language, eye contact, speed while speaking and many more).

As all of us had a bit of stage fright, we planned to practise a lot.

As far as the development was going me and Nazir were having a bit of graphing problem with the app so we decided show a prototype on how it will look but in the Jennifer and Ben website it was going fantastic which was ready to be presented. Which is what we went for as well.

Week 6

This week's goal was to deliver our presentation, finish the development of our core software and layout the plans for our individual development.

We prepared for our presentation by going over it in our spare time so that we all knew what to say but our preparations were a bit last minute so there was still some uncertainty amongst the group on how the presentation would go. Ben had been ill so had not been present for the presentation.

Because our core software was not finished, we did not start planning to begin our individual development.

Week 7

The goal of the week was to try to finish the core software so that we could start our individual components.

This week we studied the network diagrams, which can be designed by recap of the WBS, estimations and Gantt charts. It is also called the activity diagram, which is more detailed WBS and supporting explanations.

The development process for the core was still ongoing so nobody started his or her individual component at this point.

Week 8

The goal of the week, like last week, was to try to finish the core software so that we could start our individual components.

This week like the last was spent on the development of the core, which was still not completed.

Week 9

The goal of the week was to finish the core software so that we could start our individual components and start documentation.

We had a meeting regarding the issue that we had two pieces of software, the app and the website, that were nowhere near completion. So we discussed on leaving one, looking at how the website was going ahead of the app we decide on focusing the entire team member on the website and starting to focus in the core so that we could get it out of the way and start our individual components. We were aware that this could be a problem because two of our members did not have web development skills so them having to create there components on a website would be an issue.

We also started the group documentation.

Week 10

The goal of the week was to finish the core software so that we could start our individual components and continue documentation.

We spent the week solely on developing the core.

Week 11

The goal of the week was to finish the core software so that we could start our individual components and continue documentation.

This week was spent on writing the documentation, creating any charts or diagrams we were missing, developing the core and creating our individual components. Because some of our team members were not experienced when it came to web development, we could not assign more people to the task so it took a long time for the core to reach a somewhat complete state.

Week 12

The goal of the week was to finish the core software, finish our documentation, finish our components and create our presentation.

We were able to finish our components and documentation on time so we were able to focus on the presentation that was coming up. We decided the presentation would recap what our software was about then introduce everybody with his or her component.

Core Software

Website

Items View

Items view is the list of all the items in the website as a grid.

Code

```
<li class="gridItem">
  <a href="item.html" style="text-decoration:none"
style="color:#000">
    <div id="productContent">
      <p id="name" style="color:#000">Loose Banana</p>
      <p id="desc" style="color:#000">£0.75</p></a>
      <button type="submit" style="margin-left:50px;"
onclick="AddtoCart('Loose Banana', '100g', 1, 0.75)">Add</button>
    </div>
</li>
```

This is the html for an item. Each item on a page uses this form to display the items for that category. An image of the item goes into the img tag. Under that is a div with two p tags. The first one holds the name of the item whilst the second hold the description. The img and p tags are surrounded in an a tag. This tag adds a link to these three tags. If someone clicks on the image, name or description it should take the user to another web page. In this case, it takes the user to the item page where you see a more detailed description of the item. Under these tags is the button tag. This button uses an onclick method to add the item to the basket.

Item Page

The item page contains a more detailed version of the items.

```
<div id="item" style="float:left">
  <h2 style="float:left">Red Seedless Grapes 500g</h2><br>
  
  <div>
    <p>£1.75</p>
    <input type="text" value="1" name="quantity"/>
  </div>
</div>
<div id="itemDesc" style="float:right" width="400">
  <p>Country of Origin
  Grown in Brazil, Chile, Egypt, Greece, India, Israel, Italy, Lebanon,
  Morocco, Namibia, Peru, Portugal, South Africa, Spain, USA, Zambia
  <br><br>
  Size
  500gg</p>
</div><div style="width:100%;"><button type="submit">Add</button></div>
```

The item page has the name of the item, the image for the item, an input field for the quantity, an add button and a more detailed item description.

Basket

The basket is made using JavaScript. It has a function that adds items to a hidden table in a webpage. When a user clicks on the basket button, it opens a popup that displays the contents of the basket

```
<script src="basket.js"></script>
<li class="utility_option"><a
onclick="document.getElementById('id01').style.display = 'block'"
class="utility_option_link"><span>Your Basket</span></a></li>
```

I first imported the basket JavaScript then added an onclick function to make the basket visible if a user clicks on the 'your basket' section.

Login

Like the basket, the login section is a popup that appears when a user clicks on the Sign in/register section.

```
<div class="container">
  <label><b>Email</b></label>
  <input type="email" placeholder="Enter Email" name="uname"
required>

  <label><b>Password</b></label>
  <input type="password" placeholder="Enter Password" name="psw"
required>

  <button type="submit">Login</button>
  <input type="checkbox" checked="checked"> Remember me
  <span class="reg"><a href="signup.html">New Customer?</a></span>
</div>
```

The login popup has two input fields, email and password. When a user clicks on the button after entering their details it will take them to the account page.

Delivery

For the delivery page, I created a table that would list all the dates of the month. Using CSS and JavaScript to allow a user to select a date.

```
var list = document.querySelector('tbody');
list.addEventListener('click', function(ev) {
  if (ev.target.tagName === 'TD') {
    ev.target.classList.toggle('checked');
  }
}, false);
```

When a user selects a table item it gives that, item the checked class. The checked class has a CSS style that changes the background colour of that item to show that the item was selected.

Checkout

The checkout page is a message telling the user that their order is complete.


```
<style>
    #confirm{
        border: 1px solid #DFDFDF;
        border-radius: 5px;
        padding: 20px;
        width: 400px;
        margin: auto;
    }
</style>
<div id="confirm" style="background:#fff;">
<div><b>Order No:33659194</b></div>
<div><p>Your order has been confirmed. Thank you for shopping at
FCEPH</p></div>
</div>
<div id="checkout" style="float:right;" width=100>
    <a href="index.html"><button>Continue Shopping</button></a>
</div>
```

A div contains the message for the user giving them their order number and telling them their order has been confirmed. In addition, a button takes the user back to the index for them to continue shopping.

Website Testing

Items View


All the items are listed in the same view.



When clicked on the item takes you to an item page.


Item Page

The item page has the item name, image, price, description, quantity and add button as expected.



Basket

When 'Your Basket' is selected, the basket appears as a popup.



Login

When 'Sign in/Register' is selected, the sign in popup appears.



Email X

Enter Email

Password

Enter Password

Login

☒ Remember me
 [New Customer?](#)

[Cancel](#)
[Forgot password?](#)

Delivery

When an item on the table is selected, the items background colour changes to show it has been selected.

APRIL						
MO	TU	WE	TH	FR	SA	SU
26	27	28	29	30	31	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	1	2	3	4	5	6

Checkout

A page with a confirmation message appears.

Order No:33659194

Your order has been confirmed. Thank you for shopping at FCEPH

Anis – Supplier Interface – PM

Project Manager

As a project manager, I have a job like meeting time documentation making sure to take time of all the meeting we have in the class and out in the library, also to make sure to note all the main details on that meeting.

Also making the project plan such as for first part of the assignment we were full of ideas on what we wanted to make and looking on that we decided on making the F.E.C.P.H supermarket the letter in the name represent all the product that we will be selling such as F (food), E (electronic), C (Cloths), P (pharmacy), H (house and furniture). Also decide to make both app and website which at time looked good but as week passed we realised more error and lack in time got us to make a decision to choose on component to work on so looking at how underdeveloped and error app was having we decide to come back on to finish it If time we spared. So that was my another job as a project manager to take everyone options and move on it.

Sub Project Plan

As for me, my sub project plan will be working on the supplier list, which is to provide a proper and reliable supplier with their name and link on the website, which the user will be able to look upon.

Another was the mobile app, which was on hold for the lack of time as well the error we were having on it.

Gantt chart

My Gantt Chart : which show from week 1 to week 13.




Figure 8 – AnisGanttChart

Work Breakdown Structure

My Work Breakdown Structure of the whole Project:




Figure 9 - AnisWBS

Risk Register

This are some of the risk that I have found with in throught the team project some with me and some with the whole team:

No.	Rank	Risk	Description	Category	Root Cause	Triggers	Potential Responses	Risk Owner	Impact	Status
R1	1	Choices	Made rash decision of choicing both website and app, time consuming	Structure/Process Risk	Makes future plan longer to achieve	Meeting and Planing	Choosing one application	Team	delayed work	Risk Accepted
R2	2	App	Software problem (Freezing), File capacity , Time consuming	Technology Risk	Capacity of the software and file	Software overloaded	Better understand of the software	Me	delayed work	Risk Avioded
R3	3	Website	Creates an window to learn more about it, could take longer time, update ideas	Positive Risk	Own statifation and complete the given work	Gain Knowledge	Better understanding	Me	Element incomplete	Risk Accepted
R4	4	Roles	Missing components or unware of roles leading to time consuming	People Risk	some roles were hard specified and described within the team	confusing roles	Specification of the roles	User Doc (Nazir)	delayed work	Risk Avioded

Figure 10 - Anis Risk Register

In here I will be explaining what each Risk stands for:

R1: "make rash decision of doing both website and app, time consuming" when we started the project we had meeting of what we should develop as we were abit excited of it we just made a rash decision of dividing the group in two one which go for app and one for the website. Not knowing the schedule of other assignment. That's why is has risk owner as team member.

R2: "software problem (freezing), file capacity, Time Consuming" as in their where time with the android studio which I had problem with as it was taking too long to load the API, the layout image error also may be as a mac it was having some loading problems. Which lead to the us as a team removing the App out of the core project and us all focusing in the website of the project. (status: risk avoided)

R3: "Create a window to learn more about it, could take longer time, update ideas" for the reason I was in the app building at the first was because we just finished MAD module in first semester which gave me some ideas on how to start while I had no idea on HTML website. But as we all focused on website I liked the idea to learn some more which could take some time in hand. That why the impact is "Element Incomplete" meaning in supplier interface user can check stock amount and update but because of lack of time, it's been removed.

R4: "Missing components or unaware of roles leading to time consuming" meaning some of the team mate had some hard time understanding their role which lead to finishing their part of the core project late. Which slowed the whole project out.

Requirements

This are the requirement that we came up with for the suppliers interface but as week pass there are some of the requirement, which has to be removed because of the time delayed.

Supplier Interface Requirements


- User should be able to view stock amount. **REMOVED**
- There should be a list of suppliers with their details.
- User should be able to select a supplier.
- User should be able to select type of product from supplier.
- User should be able to place order with supplier.
- Stock should be updated. **REMOVED**

Software

I have been using the Notepad++ for the making of the website. While making a html page. As for the app, we were using android studio.

Component Integration

This is my role the supplier interface which is to create a supplier page so that the user can see the list of all the suppliers. In there they will be able to check some supplier we have for the company who are supplying for each of the category.



Like Groceries section which is supplied by Ocado Company:

Groceries
Clothing
Electronics
Pharmacy
Home & Furniture
Clubcard
Suppliers









Groceries
Clothing
Electronic
Pharmacy
House & Furniture

Foods and Groceries

FCEPH

Suppliers / Ocado

Filter
Sort By:
Price - Low to High
Department
[Apple](#)
[Pear](#)
[Banana](#)
[Strawberry](#)
[Pineapple](#)

 <p>Tropicana Morning Boost Apple & Pear Juice 750ml £2.00</p> <p>1 Add</p>	 <p>Cracendale Semi Skimmed milk 2L £1.90</p> <p>1 Add</p>	 <p>Bio-titful organic kefir 500ml £2.95</p> <p>1 Add</p>	 <p>F.C.E.P.H Raspberries 150g £2.40</p> <p>1 Add</p>
 <p>F.C.E.P.H Large King Prawns 150g</p>	 <p>F.C.E.P.H Unwaxed Lemons 4 per pack</p>	 <p>Cooks ingredients Diced Pancetta 2 X 77g</p>	 <p>F.C.E.P.H Bananas 10 per pack</p>

Testing

After it all listed and done I am to check each button if they will open to the each supplier webpage. In which there will be products that can choose to order from.

Jennifer – Loyalty Scheme – Documentation

Documentation

My role in the project was documentation. I documented everything that went on in the project. I kept track of all the charts and diagrams created for the project. I documented the progress of the project and I created the group report.

Sub Project Plan

My sub project was to develop a loyalty scheme system. This component would be for customers who have an account with FCEPH.

Work Breakdown Structure




Figure 11 – Jennifer WBS

This is the work breakdown structure for my component. A user should be able to log into their clubcard account. A user should be able to view items that give extra points. A user should be able to buy items using their points and a user should be able to view special deals.

Gantt chart





Figure 12 - Jennifer Gantt Chart

I spent the first few weeks on project planning. This includes things like setting out the requirements and creating charts and diagrams. In the 9th week, I started creating the risk register and started developing my component. This went on for 4 weeks. In the remaining weeks I tested my component, integrated it into the main software and documenting all that I had done.

Network Diagram

Tasks	Dependencies
1. Enter details	none
2. View items with points	none
3. Buy items with points	none
4. View items on sale	1



Tasks 1, 2 and 3 do not have any dependencies while takes 4 depends on task 1. This is because the items on sale are only for those who have an account with the clucbcard.

Risk Register

No.	Rank	Risk	Description	Category	Root	Triggers	Potential Responses	Risk Owner	Status
R1	1	Incompletion	Not finishing the sub component on time	Negative	Started component late because core was unfinished	Passing deadlines set for tasks	Spend more time on component	Jennifer, Ben	Risk avoided
R2	2	Extra time	Finishing things on time/early	Positive	Spending more time on the component	Finishing the component early	Spend more time on component	Jennifer	Risk avoided
R3	3	Document	Not finishing the documentation on time	Negative	Being behind with the development	Passing set deadlines	Spend more time on component	Jennifer	Risk avoided

Figure 13 - Jennifer Risk Register

The first risk has the highest rank because it effects the whole project. If the core is not finished in time, it will go over the time I am supposed to spend developing the component, which will lead the possibility of the component being incomplete. The risk owners are Ben and I because we are responsible for the development of the website.

R2 is a positive risk. This is because extra time will allow me to make improvements and add extra parts to my component. I am the risk owner because I am developing my component. If I finish it early, the risk will occur.

R3 is a negative risk. This is because the documentation is a part of my project. If I do not do the documentation, I will lose marks. I am the risk owner because I am responsible for the development of my component.

Requirements

At the beginning of my sub project the requirements had been:

Loyalty Scheme Requirements

- A customer should be able to register to a loyalty company.
- A customer should be assigned a loyalty card. - **removed**
- Points should be added to a loyalty card when the customer shops.
- Points should be removed from a loyalty card when customers use their loyalty card as payment. - **removed**
- A customer should receive special deals for loyalty points and discounts.

As time went by, I realised that I could not fulfil all the requirements on time so I had to remove the assignment of a loyalty card and just implied to the user that there was some kind of card. I did not have enough time to program the removal of points so that was removed. I only implied that points would be added if certain products were purchased.

Software

Login/register to clubcard

There is a button on the clubcard page. This button is for users who do not have club cards. If they do not have a club card, it means they are not a member and so need to sign up and create a clubcard account. They will be taken to the sign up page where they will have to enter their details and create an account.

```
<a href="signup.html"><button> Don't have a club card?</button></a>

<label><b>Title</b></label><br>
<select name="title">
    <option value="1"> Please Select</option>
    <option value="2"> Miss</option>
    <option value="3"> Mr</option>
    <option value="4"> Mrs</option>
    <option value="5"> Ms</option>
</select><br>
<label><b>First Name</b></label><br>
<input type="text" name="fname" required><br>
<label><b>Last Name</b></label><br>
<input type="text" name="sname" required><br>
<label><b>Email Address</b></label><br>
<input type="email" name="email" required><br>
<label><b>Password</b></label><br>
<input type="password" name="psw" required><br>
<label><b>Confirm Password</b></label><br>
<input type="password" name="psw" required><br>
<label><b>Postcode</b></label><br>
<input type="text" name="pst" required><br>
```

The button is linked to the sign up page. The sign up page has input fields and labels. The labels give a title to the individual input fields so that users will know what information to put into what field.

Point addition

Using the same format as the items page, I listed a few special items that would give users extra points. This section is only visible when a user has signed up.

```
<li class="gridItem" style="height: 250px;">
  
  <div id="productContent">
    <p id="name" style="color:#000">Loose Banana</p>
    <p id="desc" style="color:#91DC5A">5 points</p>
  </div>
</li>
```

The item section has the name of the item and the point a user can get if they buy that item.


Special deals

Special deals are images that show the users the kind of things they can get from having a clubcard.

```
<div class="responsive" >
  <div class="img">
    <a target="_blank" href="#">
      </a>
    <div class="desc">Buy tickets to the London Zoo</div>
  </div>
</div>
```

Component Integration

I added a Clubcard link to the website so that a user would always see it and could go there straight away.



Testing

Login/register to clubcard

When a user clicks on the 'don't have a club card?' button, it takes them to the sign up page. The sign up page has input fields for a user to sign up. When they sign up it takes them back to the clubcard page.

Don't have a club card?

Title

Please Select ▼

First Name

Last Name

Email Address

Password

Confirm Password

Postcode

Terms and condition

Welcome to our FCEPH. If you create an account and use this website, you are agreeing to comply with and be bound by the following terms and conditions of use, which together with our privacy policy govern FCEPH's relationship with you in relation to this website. If you disagree with any part of these terms and conditions, please do not use our website.









☐ I agree with the terms and conditions

Register

Point addition

For this, I listed a few items with points to show users the types of products they can buy to earn points.




Gain points

 Loose Banana 5 points	 Kitsound Arena Wireless Bluetooth Headphones 100 points	 Ambrosia Original Rice Pudding Pot 120g 20 points	 Stainless Steel Cutlery Holder 30 points
 Napolina Spaghetti 500g 20 points	 Pom-Bear Original Potato Snack 6x15g 20 points	 Carex Antibacterial Handwash 250ml 10 points	 Air Wick Plug In Air Freshener Refill 17ml 30 points

Special deals

These images show the benefits that come with owning a clubcard and where the points can be used.

What you gain from ClubPoints

 Buy tickets to the London Zoo	 Use points in restaurant
 Subscribe to magazines	

Nazir – Payment – Integration

Integration Planner

As previous tasks and contributions included; I had to look at various factors that make our website look standing. As per my individual task, I had to include a payment section on to our FCEPH website for users when selecting check out process.

I would have payment section that will be added to the checkout process. The payment section will include; payment details as title, name, card number, issue date, expiry date, and security number as input text. I have also included a confirmation and cancel button where the payment is going to be confirmed or can be cancel for the user's purpose only.

Sub Project Plan

Payment Process

When a customer Purchase items checkout where they confirm their purchase once the confirmation is done clicking on checkout will take them on to payment page where customer need to fill information and then whether confirm or cancel purchase.



Figure 14 - NazirWBS

Gantt chart

The Gantt Chart indicates the tasks, start time, end time and durations for each task. For example, software development took us 180 days to build. Payment as my individual core component took me around 25 days to fully function.

Tasks	Start Time	End Time	Durations
Software development	22-Sep-16	02-Apr-17	180
Documentaion project	03-Mar-17	05-Apr-17	20
WBS	15-Mar-17	10-Mar-17	15
Meetings	11-Mar-17	01-Apr-17	25
Personal Report	01-Mar-17	09-Apr-17	8
Indivitual Core Components	21-Jan-17	25-Mar-17	65
Network Diagrams	21-Feb-17	01-Mar-17	10
Extra workshops	21-Feb-17	02-Mar-17	9
presentation	23-Mar-17	11-Apr-17	20
Logo Design	18-Oct-16	22-Oct-17	5
Website CSS	28-Jan-17	21-Mar-17	41
Mobile Application development	30-Nov-16	11-Aug-17	0
Software Testings	07-Mar-17	08-Apr-17	30
Gantt Chart	07-Mar-17	09-Mar-17	2
Integration planner	28-Mar-17	07-Apr-17	8
Payment	20-Mar-17	07-Apr-17	25




Figure 15 - NazirGanttChart

Risk Register

There were positive and negative risks included as positive risk for the website was completed before deadline. The positive risks would have been missing components would lead to re-do and delaying the work. The reason was good participation within the team members, knowledge of a given task and well understandably of each other's as individual.

As for my core component, I did not know how to present the payment section within the website as the website was keep updating with the time. I used polymer component paper-input- elements. Which helped me with the payment layout section.

The components were a little tricky because I used polymers element and when adding a new element on to my Html file, I had to import the polymer components for the elements file too. Otherwise the polymer components would not run unless imported.

There were other minor risks such as software freezing because of the capacity of the file and time consuming.

No.	Rank	Risk	Description	Category	Root Cause	Triggers	Potential Responses	Risk Owner	Impact	Status
R1	1	Software	NetBeans freezing	Negative Risk	Capacity of the software and file	Software overloaded	backup	me	delay work	On-going
R2	2	Android Studio	File capacity , Time consuming	Negative Risk	Capacity of the software and file	Software overloaded	backup	me	delay work	on-hold
R3	3	FCEPH Website	Oppurtunities to make it more functional and resonsive website , updating website	Positive Risk	completing given tasks on schedule	knowledge of a given task	given more responsibilities to challenge potential	Team	Missing elements	Risk Accepted
R4	4	Roles	Missing components or unaware of roles leading to re-doing work	Negative Risk	Roles were not specified and described appropriately within the team members	meetings and discussions	should have twice aweek instead once aweek	Project leader(Anis)	delay work	Risk Avoided
R5	5	Core Components	disaggreeling on spliting core components as some were more complicated	Negative Risk	Some members had lack of experience on some of the core components	workshops provided time to time	used more github or groupblock for discussions	project leader(Anis)	delay work	Risk Avoided

Figure 16 - NazirRiskRegister

The table above is demonstration of possible risks during the process of project in general. I have explained the positive and negative risks. The cause and impact of it on the project. For example, our mobile application has got delayed because of the capacity and overloaded files thus, freezing and crashing software. This could have been prevented by backing up files or downloaded the new version software or using software's such as Eclipse, NetBeans and so on.

Requirements

Payment Requirement

- A customer should receive payment request when attempting to check out.
- Customer should receive a confirmation or denial for their payment.

Software


We mostly used notepad++ for the website but as for my individual core payment I used NetBeans 8.2 version software. I used polymer-project.org components. It helped me with the components of payment by using paper-input elements. I visited other online websites such as; w3school workshop.

We have used android studio for the mobile application to create our FCEPH app. Because of lacking time, we put our mobile app aside as we already have our main website developed.

Component Integration

As you can see in the picture below demonstrates you get a reminder little rectangle box that has name, description quantity and price with buttons cancel or checkout.

when selecting checkout will take you to the payment section. And the customer will fill the input text field where she/he put his account details to go purchase items selected items such as asparagus and spears shown in the box.



Testing

I have provided screenshots of my payment sections where a customer is asked for their personal account details to purchase items.

Payment Details

Welecom to FCEPH payment Section.

CardHolder Name

Nazir Mohammad

Card Number

2128975647978

Issue Date

20-02-2015

Expiry Date

22-12-2019

Security Number

123

CANCEL

CONFIRM

I have given an example of using the payment sections. Where it will ask for cardholder name, card number, issue date, expiry date and security number.

Payment Details

Welecom to FCEPH payment Section.

CardHolder Name

Card Number

Issue Date

Expiry Date

Security Number

CANCEL

CONFIRM

I have created an option buttons where customer can confirm or cancel. Each button will have different functionality and a reminder message will indicate.

Benjamin – Marketing - QA

Quality Assurance

Most of the time quality assurance is treated as the source of good quality in and of itself. That idea turns out to be unexpectedly imperfect one. After attractive our personal lumps on the subject of quality a few years back, we have a procession on the right way to gaze at it.

- Have we done what we promised?
- Have we done something that will make our customers happier?
- Have we done something that we will be proud of?

Sub Project Plan

Risk Register

Risk management is the systematic process of planning for, identifying, analysing responding to, and monitoring project risks. It involves processes, tools, and techniques that will help the project manager maximize the probability of a predictable outcome.

In Risk management process, we have six major processes and I will explain each of them,

Such as plan risk management, identify risk, perform qualitative risk analysis, perform quantitative risk analysis, plan risk responses, monitor and control risks.

Plan risk management: this involves how to approach, plan, and execute the risk management activities for a project. The main output of this process is risk management plan.

Identify risk: it involves determining the risks that are likely to affect a project and documenting the characteristics of each. The main output of this process is risk register

Risk Breakdown Structure

Risk breakdown structure development is a powerful exercise for reviewing areas of concern and identifying potential relationships among these areas. The risk breakdown structure may be developed either from the top down or from the bottom up, much like the work breakdown structure. In a top-down development process, the key is to have an acute awareness of the primary categories of risk sources that exist within the organisation




Figure 17 - BenRiskBreakdownStructure

Requirements

Our team helps build relationships with both customers and colleagues. Internally, we communicate business news, shout about our success stories and inspire over 150,000 colleagues with our values, vision and goals. Externally, we speak to our customers constantly, enabling us to create targeted TV, online and radio campaigns, appealing in-store events and great sub-brands like Taste the Difference. Because we understand exactly what our customers want, we can find new ways to increase satisfaction, loyalty and sales.

Marketing Requirements

- User should be able to view the types of items purchased by a customer.
- User should be able to send recommendations/deals to customers.

Software

The world is changing rapidly. Our vision is for FCEPH is to have a world-class digital and technology function to ensure that we can deliver great services for our customers whenever and wherever they want to shop with us.

This announcement demonstrates our commitment to that goal, and to attracting the best talent in this ever-developing sector. As Manchester is the UK's second largest technology hub, it is a natural step for us to recruit there. It is a great time to be working in retail. This fast-paced, exciting sector is giving rise to the most innovative practices.

Component Integration

I have created a database system for the staff members and customers where they will be able to choose any fruit they want without going around the shop to look for it and for the staff members its used to help them to find which fruit it items is missing in the stock.

The screenshot shows a software application window titled 'Fruit'. At the top center, the word 'Fruit' is displayed in large red text on a blue rectangular background. Below this, the interface is divided into several input fields and buttons. On the left side, there are four labeled input fields: 'fruit serial no' with the value '2022', 'fruit type' with a dropdown menu showing 'Mangoes', and 'fruit location' with the value 'Room 2'. To the right of these, there are three more labeled input fields: 'Staff monitor serial no' with the value '0020', 'Supplier serial no', and 'Order serial no'. On the far right side of the interface, there are four buttons arranged vertically: a button with a magnifying glass icon, a button with a fruit icon, a button with a printer icon, and two buttons with left and right arrow icons at the bottom.

Testing

The market test is generally carried out to ascertain the probable market success in terms of new product's performance, the level of acceptance of the product, customer satisfaction, and the efficiency of the marketing campaign.

Appendix

Website

Style.css

```
@charset "utf-8";
```

```
/* CSS Document */
```

```
body {  
    font-family: Verdana, Geneva, sans-serif;  
    font-size: 14px;  
    background-color: #FFFFFF;  
    margin: 0;  
}
```

```
.utility {  
    z-index: 21;  
    position: relative;  
    height: 50px;  
    background-color: #FFFFFF;  
    border-bottom: 1px solid #DFDFDF;  
    left: 0;  
    right: 0;  
    top: 0;  
    margin: 0 auto;  
    box-sizing: content-box;
```

```
}
```

```
.utility_wrapper {  
    margin-left: 3%;  
    margin-right: 3%;  
    height: 50px;  
}
```

```
.utility_nav1 {  
    float: left;  
    margin: 0px;  
    padding: 0px;
```

```

}
.utility_nav1 li a{
    text-decoration: none;
    color: #4E514E;
}
.utility_nav2 li a{
    text-decoration: none;
    color: #4E514E;
}
.utility_nav2 {
    float: right;
    margin: 0px;
    padding: 0px;
    text-decoration: none;
}
.utility_section {
    float: right;
    margin: 0px;
    padding: 0px;
    text-decoration: none;
}
.utility_option {
    display: inline;
    float: left;
    padding-left: 10px;
    padding-right: 10px;
    padding-top: 10px;
    height: inherit;
    text-decoration: none;
}
/* Full-width input fields */
.container input[type=email], input[type=password] {
    width: 100%;
    padding: 12px 20px;
    margin: 8px 0;

```

```
display: inline-block;
border: 1px solid #ccc;
box-sizing: border-box;
}
```

```
/* Set a style for all buttons */
```

```
button {
    background-color: #91DC5A;
    border-radius: 25px;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    cursor: pointer;
    width: 100%;
}
```

```
/* Extra styles for the cancel button */
```

```
.cancelbtn {
    width: auto;
    padding: 10px 18px;
    background-color: #074DA3;
}
```

```
/* Center the image and position the close button */
```

```
.imgcontainer {
    text-align: center;
    margin: 24px 0 12px 0;
    position: relative;
}
```

```
.container {
    padding: 16px;
}
```

```

span.psw {
    float: right;
    padding-top: 16px;
}

span.reg {
    float: right;
    padding-bottom: 16px;
}

/* The Modal (background) */
.modal {
    display: none; /* Hidden by default */
    position: fixed; /* Stay in place */
    z-index: 1; /* Sit on top */
    left: 0;
    top: 0;
    width: 100%; /* Full width */
    height: 100%; /* Full height */
    overflow: auto; /* Enable scroll if needed */
    background-color: rgb(0,0,0); /* Fallback color */
    background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
    padding-top: 60px;
}

/* Modal Content/Box */
.modal-content {
    background-color: #fefefe;
    margin: 5% auto 15% auto; /* 5% from the top, 15% from the bottom and centered */
    border: 1px solid #888;
    width: 40%; /* Could be more or less, depending on screen size */
}

/* The Close Button (x) */
.close {
    position: absolute;

```

```

    right: 25px;
    top: 0;
    color: #000;
    font-size: 35px;
    font-weight: bold;
}

.close:hover,
.close:focus {
    color: red;
    cursor: pointer;
}

/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
    span.psw {
        display: block;
        float: none;
    }
}

```

```

.cancelbtn {
    width: 100%;
}
}
/* Remove margins and padding from the list */
.list{
    margin: 0;
    padding: 0;
}
/* Set all odd list items to a different color (zebra-stripes) */
.list li:nth-child(odd){
    background: #f9f9f9;
}
.list li{
    float:left;
    position: relative;
    padding: 12px 8px 12px 10px;
    background: #eee;
    transition: 0.2s;
}
.li {
    border-bottom: solid 1px #DFDFDF;
}
.header {
    border: solid 2px #DFDFDF;
}
}
#myUL ul{
    display: table;
}
.list1 li{
    float:left;
    position: relative;
    padding: 12px 8px 12px 10px;
    background: #eee;

```



```

}
.sub-list1{
    width: 60px;
    height: inherited;
}
.sub-list2{
    width: 600px;
    height: inherited;
}
.sub-list3{
    width: 60px;
    height: inherited;
}
.sub-list4{
    width: 40px;
    height: inherited;
}
#myUL .li{
    clear: both;
}
#myUL input {
    border-radius: 15px;
    border: solid 1px #DFDFDF;
    padding: 10px;
    width: 25px;
    text-align: center;
}
/* Style the close button */
.close1 {
    /*position: absolute;*/
    right: 0;
    padding: 12px 16px 12px 16px
}
.droo {
    display: none;

```

```

position: absolute;
background-color: #f6f6f6;
min-width: 230px;
overflow: auto;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
z-index: 1;
    margin-top: 30px;
}
.droo a {
    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
}
.show {display: block;}
.close1: hover {
    background-color: #f44336;
    color: white;
}
/* Style the tab */
.tab {
    float: left;
    border: 1px solid #ccc;
    background-color: #f1f1f1;
    width: 30%;
    height: 400px;
    border-right: none;
}

/* Style the buttons inside the tab */
.tab button {
    display: block;
    background-color: inherit;
    color: black;
    padding: 22px 16px;

```

```

width: 100%;
border: none;
outline: none;
text-align: left;
cursor: pointer;
transition: 0.3s;
font-size: 17px;
}

/* Change background color of buttons on hover */
.tab button:hover {
    background-color: #ddd;
}

/* Create an active/current "tab button" class */
.tab button.active {
    background-color: #ccc;
}

/* Style the tab content */
.tabcontent {
    float: left;
    padding: 0px 12px;
    border: 1px solid #ccc;
    width: 60%;
    height: 600px;
}

#Info{
    width:60%;
    margin-top:0;
    margin-bottom:0;
    margin-right:8%;
}

header ul {
    margin-left: 25px;

```

```

        margin-right: 25px;
        list-style:none;
        padding:10px;
        position:inherit;
        letter-spacing: 1px;
        display:block;
        height:80px;
    }
    button.accordion {
        background-color: #eee;
        color: #444;
        cursor: pointer;
        padding: 18px;
        width: 100%;
        border: none;
        text-align: left;
        outline: none;
        font-size: 15px;
        transition: 0.4s;
    }

    button.accordion.active, button.accordion:hover {
        background-color: #ddd;
    }

    button.accordion:after {
        content: '\002B';
        color: #777;
        font-weight: bold;
        float: right;
        margin-left: 5px;
    }

    button.accordion.active:after {
        content: "\2212";

```

```
}
```

```
div.panel {  
  padding: 0 18px;  
  background-color: white;  
  max-height: 0;  
  overflow: hidden;  
  transition: max-height 0.2s ease-out;  
}
```

```
ul.breadcrumb {  
  padding: 10px 16px;  
  list-style: none;  
  background-color: #eee;  
  font-size: 17px;  
}
```

```
ul.breadcrumb li {display: inline;}
```

```
ul.breadcrumb li+li:before {  
  padding: 8px;  
  color: black;  
  content: "\00a0";  
}
```

```
ul.breadcrumb li a {  
  color: #07198E;  
  text-decoration: none;  
}
```

```
ul.breadcrumb li a:hover {  
  color: #01447e;  
  text-decoration: underline;  
}
```

```
#h1{  
  float:left;  
  display:block;  
}
```

```
#h2{  
  float:right;
```

```

        display: block;
    }

    .drop{
        margin-left: 10px;
        margin-right: 10px;
    }

    .dropdown-content1 {
        display: none;
        position: absolute;
        right: 0;
        background-color: #FFFFFF;
        z-index: 1;
        padding-left: 15%;
        padding-right: 15%;
        border-top: 2px solid #91DC5A;
        border-bottom: 1px solid #DFDFDF;
    }

    .dropdown-content1 a {
        color: black;
        padding: 12px 16px;
        text-decoration: none;
        display: block;
        font-size: 12px;
    }

    .dropdown-content1 a:hover {text-decoration: underline;}

    .drop:hover .dropdown-content1 {
        display: block;
    }

    #search ul {
        margin-top: 0px;

```

```

margin-right: auto;
margin-bottom: 0px;
margin-left: auto;
list-style: none;
padding: 10px;
position: inherit;
letter-spacing: 1px;
display: table;
}
#search li {
float: left;
display: block;
padding-top: 10px;
}
#search input {
Height: 36px;
border-style: solid;
border-left: none;
border-right: none;
border-width: 1px;
border-color: #C7CBC7;
padding-left: 12px;
}
#img {
border-style: solid;
border-left: none;
Height: 34px;
border-bottom-right-radius: 20px;
border-top-right-radius: 20px;
border-width: 1px;
border-color: #C7CBC7;
padding-right: 10px;
padding-top: 4px;
}
#img1 {

```

```

border-style:solid;
border-left:none;
Height:24px;
border-bottom-right-radius:20px;
border-top-right-radius:20px;
border-width:1px;
border-color:#C7CBC7;
padding-right:10px;
padding-top:4px;
}
#search select {
border-bottom-left-radius:20px;
border-top-left-radius:20px;
border-right:none;
border-style:solid;
border-width:1px;
border-color:#C7CBC7;
Height:40px;
text-align: center;
padding-left: 12px;
}
#search button {
border-radius: 100%;
border-style: solid;
background-color:#FFFFFF;
}
#search1 ul {
margin-top: 0px;
margin-right: auto;
margin-bottom: 0px;
margin-left: auto;
list-style:none;
position:inherit;
letter-spacing: 1px;
display:table;

```



```

}
#search1 li {
    float:left;
    display:block;
}
#search1 input {
    Height:26px;
    border-bottom-left-radius:20px;
    border-top-left-radius:20px;
    border-style: solid;
    border-right:none;
    border-width:1px;
    border-color:#C7CBC7;
    padding-left: 12px;
}
#search1 button {
    border-radius: 50%;
    border-style: solid;
}
nav ul {
    margin-top: 0px;
    margin-right: auto;
    margin-bottom: 0px;
    margin-left: auto;
    list-style:none;
    padding-top:10px;
    position:inherit;
    letter-spacing: 1px;
    display:table;
}
nav li {
    float:left;
    display:block;
    padding-top:15px;
    padding-left:20px;

```

```

padding-right:20px;
border: 2px solid #FFFFFF;
border-bottom:none;
border-top-left-radius:15px;
border-top-right-radius:15px;
}
nav li a {
display:block;
width:inherit;
text-decoration:none;
text-align: middle;
color: #4E514E;
}
nav ul li.active {
border-color: #91DC5A;
}
nav ul li:hover {
border-color: #91DC5A;
}
#subnav ul {
margin-top: 0px;
margin-right: auto;
margin-bottom: 0px;
margin-left: auto;
list-style:none;
padding:10px;
position:inherit;
letter-spacing: 1px;
display:table;
}
#subnav li {
float:left;
display:block;
padding-left:10px;
padding-right:10px;

```

```

        margin-left: 10px;
        margin-right: 10px;
    }
    #subnav li a {
        float:left;
        display:block;
        text-decoration:none;
    }
    .dropbtn {
        font-size: 14px;
        border: none;
        cursor: pointer;
    }

    /* Dropdown button on hover & focus */
    .dropbtn:hover, .dropbtn:focus {
        color: #91DC5A;
    }

    /* The container <div> - needed to position the dropdown content */
    .dropdown {
        position: relative;
        display: inline-block;
    }

    /* Dropdown Content (Hidden by Default) */
    .dropdown-content {
        float: left;
        display: none;
        position: absolute;
        background-color: #fff;
        margin-top: 18px;
        min-width: 160px;
        z-index: 1;
        border: solid 1px #DFDFDF;
    }

```

```
}
```

```
/* Links inside the dropdown */
```

```
.dropdown-content a {
```

```
  color: black;
```

```
  padding: 8px 16px;
```

```
  text-decoration: none;
```

```
  display: block;
```

```
    border-bottom: solid 1px #DFDFDF;
```

```
    width: 80%;
```

```
    font-size: 12px;
```

```
    clear: both;
```

```
}
```

```
/* Change color of dropdown links on hover */
```

```
.dropdown-content a:hover {color: #91DC5A}
```

```
/* Show the dropdown menu (use JS to add this class to the .dropdown-content container when the user  
clicks on the dropdown button) */
```

```
.show {display:block;}
```

```
#button button {
```

```
  font-size:16px;
```

```
  clear:both;
```

```
  transition: background 0.5s ease-in-out 0s;
```

```
  padding: 5px;
```

```
  margin:0 auto;
```

```
}
```

```
header img {
```

```
  border: 0px none;
```

```
}
```

```
header {
```

```
  margin-left:60px;
```

```
  margin-right:60px;
```

```
}
```

```
nav {
```

```
        border-bottom: 2px solid #91DC5A;
        min-height: 44px;
        font-size: 16px;
    }
```

```
.mySlides {display: none}
```

```
/* Slideshow container */
```

```
.slideshow-container {
    max-width: 80%;
    position: relative;
    margin: auto;
}
```

```
/* Next & previous buttons */
```

```
.prev, .next {
    cursor: pointer;
    position: absolute;
    top: 50%;
    width: auto;
    padding: 16px;
    margin-top: -22px;
    color: white;
    font-weight: bold;
    font-size: 18px;
    transition: 0.6s ease;
    border-radius: 0 3px 3px 0;
}
```

```
/* Position the "next button" to the right */
```

```
.next {
    right: 0;
    border-radius: 3px 0 0 3px;
}
```

```
/* On hover, add a black background color with a little bit see-through */
```

```
.prev:hover, .next:hover {  
  background-color: rgba(0,0,0,0.8);  
}
```

```
/* Caption text */
```

```
.text {  
  color: #f2f2f2;  
  font-size: 15px;  
  padding: 8px 12px;  
  position: absolute;  
  bottom: 8px;  
  width: 100%;  
  text-align: center;  
  background-color: rgba(0,0,0,0.8);  
}
```

```
/* The dots/bullets/indicators */
```

```
.dot {  
  cursor: pointer;  
  height: 13px;  
  width: 13px;  
  margin: 0 2px;  
  background-color: #bbb;  
  border-radius: 50%;  
  display: inline-block;  
  transition: background-color 0.6s ease;  
}
```

```
.active1, .dot:hover {  
  background-color: #717171;  
}
```

```
/* Fading animation */
```

```
.fade {
```

```
-webkit-animation-name: fade;
-webkit-animation-duration: 1.5s;
animation-name: fade;
animation-duration: 1.5s;
}
```

```
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
```

```
@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
```

```
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .prev, .next, .text {font-size: 11px}
}
```

```
#tabs a{
  text-decoration:none;
  color:#000;
  font-size: 1.1rem;
}
```

```
#tabs li{
  float:left;
  list-style:none;
  padding:4px;
}
```

```
#tabs li{
  background-color:#404040;
  border-top-left-radius:5px;
  border-top-right-radius:5px;
  margin:5px;
```

```

}
#tabs {
    clear:right;
}
#tabCtrl {
    background-color:#181818;
    padding:10px;
}

#AC ul li {
    float: left;
    list-style: none;
    padding:50px;
}
#AC {
    margin: 0 auto;
    margin-top: -30px;
}
#AC li {
    padding-left: 100px;
    padding-right: 100px;
}

#to input{
    Background-color: #0CoCoC;
    color:#7e7e6b;
    border: none;
    Height:30px;
    Width:150px;
    font-size: 1.1rem;
    font-family: "Open Sans",Arial,sans-serif;
    text-align: center;
}
.floatright {
    float:right;

```



```

        margin-right:150px;
    }

/* ----- CALENDAR ----- */

.calendar {
    text-align: center;
}

.calendar header {
    position: relative;
}

.calendar h2 {
    text-transform: uppercase;
}

.calendar thead {
    font-weight: 600;
    text-transform: uppercase;
}

.calendar tbody {
    color: #7c8a95;
}

.calendar tbody td:hover {
    border: 2px solid #00addf;
}

.calendar td {
    border: 2px solid transparent;
    border-radius: 50%;
    display: inline-block;
    height: 4em;
    line-height: 4em;

```

```

        text-align: center;
        width: 4em;
    }
    .calendar tbody td.checked {
        background: #00addf;
        color: #fff;
    }
    .calendar .prev-month,
    .calendar .next-month {
        color: #cbd1d2;
    }

    .calendar .prev-month:hover,
    .calendar .next-month:hover {
        border: 2px solid #cbd1d2;
    }

    .current-day {
        background: #00addf;
        color: #f9f9f9;
    }

    .event {
        cursor: pointer;
        position: relative;
    }

    .event:after {
        background: #00addf;
        border-radius: 50%;
        bottom: .5em;
        display: block;
        content: "";
        height: .5em;
        left: 50%;

```

```
        margin: -.25em 0 0 -.25em;
        position: absolute;
        width: .5em;
    }
```

```
.event.current-day:after {
    background: #f9f9f9;
}
```

```
.btn-prev,
.btn-next {
    border: 2px solid #cbd1d2;
    border-radius: 50%;
    color: #cbd1d2;
    height: 2em;
    font-size: .75em;
    line-height: 2em;
    margin: -1em;
    position: absolute;
    top: 50%;
    width: 2em;
}
```

```
.btn-prev:hover,
.btn-next:hover {
    background: #cbd1d2;
    color: #f9f9f9;
}
```

```
.btn-prev {
    left: 6em;
}
```

```
.btn-next {
    right: 6em;
```

```

}
.gridView li {
    border: 1px solid #DFDFDF;
    float: left;
    height: 300px;
    margin: 0 0 13px 13px;
    padding: 0 0 10px 13px;
    width: 189px;
    background-color: #fff;
}
.js .gridView li {
    height: auto;
}
.gridView li button{
    width:75px;
}
.gridView li input{
    border-radius:15px;
    border:solid 1px #DFDFDF;
    padding: 10px;
    width:25px;
    text-align:center;
}
.gridView li img{
    padding-top: 10px;
}
#map{
    width:650px;
    margin:auto;
}
#filter{
    max-width: 200px;
    height: 60em;
}
#filter form{

```

```

        width: 200px;
        border:none;
    }
    #Product{
        border: 0;
        font: inherit;
        margin: 0;
        padding: 0;
        vertical-align: baseline;
        display: block;
    }
    #checkout{
        display: table;
    }
    #content {
        font-size:1.0em;
        padding-left:8%;
        padding-right:8%;
        padding-top:5px;
        padding-bottom:10px;
        background-color:#F9F8F9;
    }
    #main {
        display: table;
    }
    #main .responsive{
        margin-top: 0;
        margin-right: auto;
        margin-bottom: 0;
        margin-left: auto;
    }
    #Catagorys li{
        padding-left: 10px;
        border-bottom:1px solid;
        border-color: #91DC5A;

```

```

        text-decoration: none;
        color: #000;
        list-style: none;
    }
    #Catagorys ul{
        padding-left: 0;
        min-width: 250px;
    }
    ul, li{
        list-style: none;
    }
    #Catagorys a{
        text-decoration: none;
    }
    #Catagorys li: hover{
        text-decoration: underline;
    }
    .img img: focus {
        opacity: 0.5;
        filter: alpha(opacity=50);
    }
    #itemDesc{
        Border: 1px solid #DFDFDF;
        width: 400px;
        padding: 20px;
        margin-top: 80px;
    }
    #slider {
        padding-left: 75px;
        padding-right: 75px;
    }
    #content1 img{
        padding-left: 2%;
        padding-right: 2%;
    }

```

```

 slideshow-container img {
    margin: 13px;
    border-radius: 5px;
    height: 400px;
}

#find img {
    border: 0px none;
}

#find img:hover {
    transform: rotateY(360deg);
    transition: all 1s ease 0s;
}

#faq{
    display: block;
}

#contact {
    margin: auto;
    padding: 10px;
    display: table;
}

#title {
    padding: 10px;
    clear: right;
    width: 200px;
    padding-left: 50px;
}

#title select {
    width: 100px;
    height: 30px;
    border-color: #000;
    border: 10px;
}

#fname {

```

```

        Padding: 10px;
        width:200px;
        padding-left: 50px;
    }
    #fname input {
        Width:100px;
        Height:30px;
        color:#7e7e6b;
        border-color:#000;
        border:10px;
    }
    #sname {
        Padding: 10px;
        width:200px;
        float: right;
        margin-top:-75px;
        padding-right: 50px;
    }
    #sname input {
        Width:100px;
        Height:30px;
        border-color:#000;
        border-bottom-color:#262626;
        border:10px;
    }
    #email {
        Padding: 10px;
        width:200px;
        padding-left: 50px;
    }
    #email input {
        Width:100px;
        Height:30px;
        border-color:#000;
        border-bottom-color:#262626;

```



```

        border:10px;
    }
    #phone {
        Padding: 10px;
        width:200px;
        float: right;
        margin-top:-75px;
        padding-right: 50px;
    }
    #phone input {
        Width:100px;
        Height:30px;
        border-color:#000;
        border-bottom-color:#262626;
        border:10px;
    }
    #subject {
        Padding: 10px;
        width:650px;
        padding-left: 50px;
    }
    #message {
        Padding: 10px;
        width:650px;
        padding-left: 50px;
    }
    #message textarea{
        Width:350px;
        Height:100px;
        border-color:#000;
        border-bottom-color:#262626;
        border:10px;
        resize: vertical;
    }
    div.img {

```

```
border: 1px solid #ccc;
}
```

```
div.img:hover {
border: 1px solid #777;
}
```

```
div.img img {
}
```

```
div.desc {
padding: 15px;
text-align: center;
}
```

```
.responsive {
padding: 0 6px;
float: left;
}
```

```
@media only screen and (max-width: 700px){
.responsive {
margin: 6px 0;
}
}
```

```
@media only screen and (max-width: 500px){
.responsive {
width: 100%;
}
}
```

```
.clearfix:after {
content: "";
display: table;
```

```

clear: both;
}
.center {
    max-width: 900px;
    text-align: center;
    margin: auto;
    display: table;
}
.center1 {
    max-width: 170px;
    text-align: center;
    margin: auto;
}
.center2 {
    max-width: 900px;
    text-align: center;
    margin: auto;
    display: table;
}
.pagination {
    z-index: 21;
    box-sizing: content-box;
    height: 50px;
    clear: both;
}
.pagination a {
    color: black;
    float: left;
    padding: 8px 16px;
    text-decoration: none;
    transition: background-color .3s;
}

.pagination a.active1 {
    background-color: #91DC5A;

```

```

    color: white;
}
.pagination a:hover:not(.active1) {background-color: #ddd;}
footer {
    background-color:#0D0936;
    color:#FFFFFF;
    text-decoration:none;
    clear:both;
}

footer ul {
    margin-top: 1px;
    margin-right: auto;
    margin-bottom: 0px;
    margin-left: auto;
    padding:10px;
    letter-spacing:1px;
    display:table;
}

#sub li{
    display:block;
    color:#FFFFFF;
    border-bottom: 2px solid;
    border-color:#0D0936;
}

#sub li a{
    text-decoration:none;
    color:#FFFFFF;
}

#sub li:hover {
    border-color:#FFFFFF;
}

```

```

#bottom {
    margin-left:550px;
    padding:10px;
}

.Enquiry {
    width: 60%;
    border-radius:5px;
    border: 1px solid #DFDFDF;
}

.Enquiry p {
    font-size: 1.4rem;
    padding: 10px;
}

#find {
    float:right;
    padding:10px;
}

#find img {
    margin-left:2px;
    margin-right:2px;
}

```

Index.html

```

<!doctype html>
<html>
  <head>
    <meta charset="utf-8">
    <title>FCEPH</title>
    <link href="css/style.css" rel="stylesheet" type="text/css" />

    <script>
      // Get the modal
      var modal = document.getElementById('ido1');

```

```

// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
  if (event.target == modal) {
    modal.style.display = "none";
  }
}
</script>
</head>

<body>
  <div class="utility">
    <div class="utility_wrapper">
      <ul class="utility_nav1">
        <li class="utility_option"><a href="help.html" class="utility_option_link"><span> Help</span></a></li>
      </ul>
      <ul class="utility_nav2">
        <li class="utility_option"><a href="#" class="utility_option_link"
onclick="document.getElementById('ido1').style.display='block'"><span> Sign in/Register</span></a></li>
        <div id="ido1" class="modal">
          <form class="modal-content animate" action="account.html">
            <div class="imgcontainer">
              <span onclick="document.getElementById('ido1').style.display='none'" class="close"
title="Close Modal">&times;</span>
            </div>

            <div class="container">
              <label><b>Email</b></label>
              <input type="email" placeholder="Enter Email" name="uname" required>

              <label><b>Password</b></label>
              <input type="password" placeholder="Enter Password" name="psw" required>

              <button type="submit">Login</button>

```

```

        <input type="checkbox" checked="checked"> Remember me
        <span class="reg"><a href="signup.html">New Customer?</a></span>
    </div>

    <div class="container" style="background-color:#f1f1f1">
        <button type="button" onclick="document.getElementById('id01').style.display='none'"
class="cancelbtn">Cancel</button>
        <span class="psw"><a href="#">Forgot password?</a></span>
    </div>
</form>
</div>
</ul>
</div>

</div><!--End of utility-->
<div id="wrapper">

    <header>
        <ul>
            <li id="h1"><a href="index.html"></a></li>
            <!--This will be our logo which will be a link to the home page-->

        </ul>
    </header> <!--End of header-->

    <nav>

        <ul>

            <div class="drop" style="float:left;"><li ><a href="groceries.html">Groceries</a>

                <div class="dropdown-content1" style="left:0;">

```

```

        <a href="groceries.html" style="float:left">All Groceries</a>
                                <a href="#" style="float:right" ></a>
        <a href="freshfood.html" style="Clear: left">Fresh Food</a>
        <a href="bakery.html" style="Clear: left">Bakery</a>
                                <a href="foodcupboard.html"
style="Clear: left">Food Cupboard</a>
                                <a href="ghousehold.html"
style="Clear: left">Household</a>

    </div>
</li></div>
<div class="drop" style="float:left;"><li><a href="clothing.html">Clothing</a>
    <div class="dropdown-content1" style="left:0;">

        <a href="clothing.html" style="float:left">All Clothing </a>
                                <a href="#" style="float:right"
style="Clear: both"></a>
        <a href="woman.html" style="Clear: left">Women</a>
        <a href="man.html" style="Clear: left">Men</a>
                                <a href="kids.html" style="Clear:
left">Kids</a>
                                <a href="babyc.html" style="Clear:
left">Baby</a>

    </div>
</li></div>
<div class="drop" style="float:left;"><li><a href="electronics.html">Electronics</a>
    <div class="dropdown-content1" style="left:0;">

        <a href="electronics.html" style="float:left">All Electronics</a>
                                <a href="#" style="float:right"
style="Clear: both"></a>
        <a href="#" style="Clear: left">Household Appliances</a>
        <a href="#" style="Clear: left">Heating & Cooling</a>

```



```

left">Laptop & PCs</a>

left">Personal Electrical</a>

</div>
</li></div>
<div class="drop" style="float:left;"><li><a href="pharmacy.html">Pharmacy</a>
  <div class="dropdown-content1" style="left:0;">

    <a href="#" style="float:left">All Pharmacy</a>
    <a href="#" style="float:right"
style="Clear: both"></a>
    <a href="#" style="Clear: left">Health & Pharmacy</a>
    <a href="#" style="Clear: left">Beauty & Skincare</a>

    <a href="#" style="Clear:
left">Fragrance</a>

    <a href="#" style="Clear: left">Baby &
Child</a>

  </div>
</li></div>
<div class="drop" style="float:left;"><li><a href="household.html">Home & Furniture</a>
  <div class="dropdown-content1" style="left:0;">

    <a href="household.html" style="float:left">All Home & Furniture</a>
    <a href="#" style="float:right"
style="Clear: both"></a>
    <a href="#" style="Clear: left">Living Room</a>
    <a href="#" style="Clear: left">Bedroom</a>

    <a href="#" style="Clear: left">Home
Accessories</a>

    <a href="#" style="Clear:
left">Lighting</a>

  </div>

```

```

        </li></div>
<div class="drop" style="float:left;"><li><a href="clubcard.html">Clubcard</a>
    </li></div>

</ul>

</nav><!--End of navigation-->
<div id="intro" style="background-color:#F9F8F9;">
    <div class="slideshow-container">
        <div class="mySlides fade">
            
            <div class="text">Clothes for .....</div>
        </div>

        <div class="mySlides fade">
            
            <div class="text">Furnish your house with our</div>
        </div>

        <div class="mySlides fade">
            
            <div class="text">Fresh Gorceries</div>
        </div>

        <div class="mySlides fade">
            
            <div class="text">Electronics </div>
        </div>

        <a class="prev" onclick="plusSlides(-1)">#10094;</a>
        <a class="next" onclick="plusSlides(1)">#10095;</a>
    </div>
    <br>

    <div style="text-align:center">

```

```

        <span class="dot" onclick="currentSlide(1)"></span>
        <span class="dot" onclick="currentSlide(2)"></span>
        <span class="dot" onclick="currentSlide(3)"></span>
        <span class="dot" onclick="currentSlide(4)"></span>

    </div>
    <!--Slider of pictures about different products-->
<script>
var slideIndex = 1;
showSlides(slideIndex);

function plusSlides(n) {
    showSlides(slideIndex += n);
}

function currentSlide(n) {
    showSlides(slideIndex = n);
}

var slideIndex = 0;
showSlides();

function showSlides() {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    slideIndex++;
    if (slideIndex > slides.length) {slideIndex = 1}
    slides[slideIndex-1].style.display = "block";
    setTimeout(showSlides, 5000); // Change image every 5 seconds
}
</script>

    </div><!--End of intro-->

    <div id="content" >

```

```

<h2 style="text-align:center; color:#91DC5A;"> More from FCEPH </h2>

    <div class="center">
        <div class="responsive">
            <div class="img">
                
                <div class="desc">Add a description of the image here</div>
            </div></div>

            <div class="responsive">
                <div class="img">
                    
                    <div class="desc">Add a description of the image here</div>
                </div></div>

                <div class="responsive">
                    <div class="img">
                        
                        <div class="desc">Add a description of the image here</div>
                    </div></div>

                </div>

```

```

</div><!--End of content-->

```

```

<footer>

```

```

<ul>
    <li>
        <h4>FCEPH Help & FAQ</h4>
        <ul id="sub">
            <li><a href="contact.html">Help Centre</a></li>
            <li><a href="contact.html#a">Contact Us</a></li>
        </ul>
    </li>
</ul>

```

```

</footer><!--End of footer-->

```

```
<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All Rights Reserved</div>
```

```
    <div id="find">Follow us: <a href="https://plus.google.com/"></a>
```

```
    <a href="https://facebook.com/"></a>
```

```
    <a href="https://twitter.com/"></a>
```

```
    <a href="https://youtube.com/"></a></div>
```

```
    <!--Youtube, Facebook, Twitter and other links-->
```

```
</div> <!--End of wrapper-->
```

```
</body>
```

```
</html>
```

item.html

```
<!doctype html>
```

```
<html>
```

```
  <head>
```

```
    <meta charset="utf-8">
```

```
    <title>Item | FCEHP</title>
```

```
    <link href="css/style.css" rel="stylesheet" type="text/css" />
```

```
    <script> function Drop1() {
```

```
      document.getElementById("myDropdown").classList.toggle("show");
```

```
    }
```

```
    function Drop2() {
```

```
      document.getElementById("myDropdown2").classList.toggle("show");
```

```
    }
```

```
    function Drop3() {
```

```
      document.getElementById("myDropdown3").classList.toggle("show");
```

```
    }
```

```
    function Drop4() {
```

```
      document.getElementById("myDropdown4").classList.toggle("show");
```

```
    }
```

```
    function Drop5() {
```

```
      document.getElementById("myDropdown5").classList.toggle("show");
```

```
    }
```

```

function Drop6() {
    document.getElementById("myDropdown6").classList.toggle("show");
}
function Drop7() {
    document.getElementById("myDropdown7").classList.toggle("show");
}
function Drop8() {
    document.getElementById("myDropdown8").classList.toggle("show");
}

// Close the dropdown menu if the user clicks outside of it
window.onclick = function (event) {
    if (!event.target.matches('.dropbtn')) {

        var dropdowns = document.getElementsByClassName("dropdown-content");
        var i;
        for (i = 0; i < dropdowns.length; i++) {
            var openDropdown = dropdowns[i];
            if (openDropdown.classList.contains('show')) {
                openDropdown.classList.remove('show');
            }
        }
    }
}
</script>

<script src="basket.js"></script>

</head>

<body>
<div class="utility">
    <div class="utility_wrapper">
        <ul class="utility_nav2">
            <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

```

```

        <li class="utility_option"><a onclick="document.getElementById('ido1').style.display = 'block'"
class="utility_option_link"><span> Your Basket</span></a></li>

```

```

        <div id="ido1" class="modal">

            <form class="modal-content animate" action="delivery.html">

                <div class="imgcontainer">

                    <span onclick="document.getElementById('ido1').style.display = 'none'" class="close"
title="Close Modal">&times;</span>

                </div>

```

```

        <div class="container">

```

```

            <div style="width:350px; margin:auto;">

```

```

                <table cellpadding="4" cellspacing="4" border="1">

```

```

                    <tr>

```

```

                        <td valign="top">

```

```

                            <table cellpadding="4" cellspacing="4" id="orderedProductsTbl">

```

```

                                <thead>

```

```

                                    <tr>

```

```

                                        <td>

```

```

                                            Name

```

```

                                        </td>

```

```

                                        <td>

```

```

                                            Description

```

```

                                        </td>

```

```

                                        <td>

```

```

                                            Quantity

```

```

                                        </td>

```

```

                                        <td>

```

```

                                            Price

```

```

                                        </td>

```

```

                                    </tr>

```

```

                                </thead>

```

```

                            <tbody id="orderedProductsTblBody">

```

```

                        </tbody>

```

```

        <tfoot>
            <tr>
                <td colspan="4" align="right" id="cart_total">

            </td>
        </tr>
    </tfoot>
</table>
</td>
</tr>
</table>

                                </div>
</div>

<div class="container" style="background-color:#f1f1f1">
    <button type="button" onclick="document.getElementById('id01').style.display = 'none'"
class="cancelbtn">Cancel</button>
    <span class="psw" style="margin-top:-20px;"><button> Checkout</button></span>
</div>
</form>
</div>
</ul>
</div>
</div>
<div id="wrapper">
    <header>
        <ul>
            <a href="index.html"></a>
        </ul>

    </header>

    <nav>
        <ul>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="groceries.html">Groceries</a></li>

```



```

        <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
    </ul>

</nav><!--End of navigation-->

<div id="subnav">

    <ul>

        <li><div class="dropdown">
            <a onclick="Drop1()" class="dropbtn">Fresh Food</a>
            <div id="myDropdown" class="dropdown-content">
                <a href="freshfood.html">All Fresh Food</a>
                <a href="fruit.html">Fresh Fruit & Veg</a>
                <a href="salads.html">Salads</a>
                <a href="dips.html">Coleslaw & Dips</a>
                <a href="milk.html">Milk, Eggs, Cheese & Butter</a>
                <a href="yoghurts.html">Yoghurts</a>
                <a href="dairyfree.html">Dairy Alternatives</a>
                <a href="freshmeat.html">Fresh Meat & Poultry</a>
                <a href="fish.html">Fish & Seafood</a>
                <a href="cookedmeat.html">Cooked Meats & Sandwich Fillers</a>
            </div></div></li>

        <li><div class="dropdown">
            <a onclick="Drop2()" class="dropbtn">Bakery</a>
            <div id="myDropdownn2" class="dropdown-content">
                <a href="bakery.html">All Bakery</a>
                <a href="bread.html">Bread & Rolls</a>
                <a href="wraps.html">Wraps, Naan & Pittas</a>
                <a href="pancake.html">Pancake</a>
            </div></div></li>
    </ul>

```

```

    <a href="muffins.html">Muffins & Crumpets</a>
    <a href="croissants.html">Croissants & Brioche</a>
    <a href="scones.html">Scones & Teacake</a>
    <a href="donut.html">Doughnuts & Cookies</a>
    <a href="cake.html">Cake & Pies</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop3()" class="dropbtn">Frozen Food</a>
  <div id="myDropdown3" class="dropdown-content">
    <a href="frozenfood.html">All Frozen Food</a>
    <a href="fmeat.html">Frozen Meat & Poultry</a>
    <a href="ffish.html">Frozen Fish & Seafood</a>
    <a href="ice.html">Ice Cream, Ice Lollies & Frozen Yoghurt</a>
    <a href="fdesserts.html">Frozen Desserts</a>
    <a href="fpizza.html">Frozen Pizza</a>
    <a href="fchips.html">Frozen Chips & Potatoes</a>
    <a href="fpudding.html">Frozen Puddings</a>
    <a href="fpies.html">Frozen Pies</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop4()" class="dropbtn">Food Cupboard</a>
  <div id="myDropdown4" class="dropdown-content">
    <a href="foodcupboard.html">All Food Cupboard</a>
    <a href="tins.html">Tins, Cans & Packets</a>
    <a href="biscuits.html">Biscuits</a>
    <a href="crisps.html">Crisps, Snacks & Nuts</a>
    <a href="chocolate.html">Chocolate</a>
    <a href="sweets.html">Sweets, Mints & Chewing Gum</a>
    <a href="cereal.html">Cereal</a>
    <a href="cooking.html">Cooking Ingredients</a>
    <a href="pasta.html">Spaghetti, Pasta, Rice & Noodles</a>
    <a href="baking.html">Home Baking</a>
    <a href="jam.html">Jams & Spreads</a>
  </div></div></li>
<li><div class="dropdown">

```

```

<a onclick="Drop5()" class="dropbtn">Drinks</a>
<div id="myDropdown5" class="dropdown-content">
  <a href="drinks.html">All Drinks</a>
  <a href="fizzy.html">Fizzy Drinks</a>
  <a href="juice.html">Juice & Smoothies</a>
  <a href="squash.html">Squash</a>
  <a href="kdrink.html">Kids</a>
  <a href="water.html">Bottled Water</a>
  <a href="energy.html">Sports & Energy Drinks</a>
  <a href="milkshake.html">Milkshake</a>
  <a href="tea.html">Tea</a>
  <a href="coffee.html">Coffee</a>
  <a href="wine.html">Wine</a>
  <a href="beer.html">Beer & Cider</a>
</div></div></li>
<li><div class="dropdown">
  <a onclick="Drop6()" class="dropbtn">Household</a>
  <div id="myDropdown6" class="dropdown-content">
    <a href="ghousehold.html">All Household</a>
    <a href="laundry.html">Laundry</a>
    <a href="toiletr.html">Toilet Roll</a>
    <a href="kitchenr.html">Kitchen Roll</a>
    <a href="tissues.html">Tissues</a>
    <a href="cleaning.html">Cleaning</a>
    <a href="dishwasher.html">Dishwasher</a>
    <a href="air.html">Air Fresheners</a>
    <a href="gstorage.html">Food Storage</a>
    <a href="lightbulb.html">Lightbulbs</a>
    <a href="batteries.html">Batteries</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop7()" class="dropbtn">Baby</a>
  <div id="myDropdown7" class="dropdown-content">
    <a href="baby.html">All Baby</a>
    <a href="nappies.html">Nappies & Pants</a>

```

```

        <a href="bwipes.html">Baby & Toddler Wipes</a>
        <a href="btoilet.html">Baby & Toddler Toiletries</a>
        <a href="bhealth.html">Baby & Toddler Healthcare</a>
        <a href="bmilk.html">Baby & Toddler Milk</a>
        <a href="bfood.html">Baby & Toddler Food</a>
        <a href="bfeed.html">Feeding Accessories</a>
        <a href="bsteril.html">Sterilisers & Sterilants</a>
        <a href="bsooth.html">Soothers & Teethers</a>
        <a href="blaundry.html">Baby Laundry</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop8()" class="dropbtn">Pets</a>
    <div id="myDropdown8" class="dropdown-content">
        <a href="pets.html">All Pets</a>
        <a href="cat.html">Cat & Kitten Food, Treats & Accessories</a>
        <a href="dog.html">Dog & Puppy Food, Treats & Accessories</a>
        <a href="animal.html">Small Animal, Fish & Bird</a>
    </div></div></li>
</ul>

</div><!--End of subnavigation-->

<div id="content">

    <div id="intro1">
        <ul class="breadcrumb">
            <li><a href="groceries.html">Groceries</a></li>
            <li><a href="freshfood.html">Fresh Foods</a></li>
            <li><a href="fruit.html">Fresh Fruit</a></li>
        </ul>

    </div><!--End of intro-->

    <div id="main">
        <div id="item" style="float:left">

```

```

        <h2 style="float: left">Red Seedless Grapes 500g</h2><br>
        
        <div >
            <p>£1.75</p>
            <input type="text" value="1" name="quantity"/>
        </div>

    </div>
    <div id="itemDesc" style="float:right" width="400">
        <p>Country of Origin

        Grown in Brazil, Chile, Egypt, Greece, India, Israel,
Italy, Lebanon,

        Morocco, Namibia, Peru, Portugal, South Africa,
Spain, USA, Zambia

        <br><br>
        Size
        500gg</p>

    </div><div style="width:100;"><button type="submit">Add</button></div>
</div>
</div><!--End of content-->
<footer>

    <ul>
        <li>
            <h4>FCEPH Help & FAQ</h4>
            <ul id="sub">
                <li><a href="contact.html">Help Centre</a></li>
                <li><a href="map.html">Store Locator</a></li>
                <li><a href="contact.html#a">Contact Us</a></li>
            </ul>
        </li>
    </ul>

```

```

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All Rights
Reserved</div>

    <div id="find">Follow us: <a href="https://plus.google.com/"></a>

        <a href="https://facebook.com/"></a>

        <a href="https://twitter.com/"></a>

        <a href="https://youtube.com/"></a></div>

</div> <!--End of wrapper-->

</body>
</html>

```

Groceries.html

```

<!doctype html>

<html>

  <head>

    <meta charset="utf-8">

    <title>Groceries | FCEPH</title>

    <link href="css/style.css" rel="stylesheet" type="text/css" />

    <script> function Drop1() {
      document.getElementById("myDropdown").classList.toggle("show");
    }

    function Drop2() {
      document.getElementById("myDropdown2").classList.toggle("show");
    }

    function Drop3() {
      document.getElementById("myDropdown3").classList.toggle("show");
    }

    function Drop4() {
      document.getElementById("myDropdown4").classList.toggle("show");
    }

    function Drop5() {
      document.getElementById("myDropdown5").classList.toggle("show");
    }

```

```

    }

    function Drop6() {
        document.getElementById("myDropdown6").classList.toggle("show");
    }

    function Drop7() {
        document.getElementById("myDropdown7").classList.toggle("show");
    }

    function Drop8() {
        document.getElementById("myDropdown8").classList.toggle("show");
    }

    // Close the dropdown menu if the user clicks outside of it
    window.onclick = function(event) {
        if (!event.target.matches('.dropbtn')) {

            var dropdowns = document.getElementsByClassName("dropdown-content");
            var i;
            for (i = 0; i < dropdowns.length; i++) {
                var openDropdown = dropdowns[i];
                if (openDropdown.classList.contains('show')) {
                    openDropdown.classList.remove('show');
                }
            }
        }
    }
}
</script>
</head>

<body>
    <div class="utility">
        <div class="utility_wrapper">
            <ul class="utility_nav2">

                <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

```

```

        <li class="utility_option"><a onclick="document.getElementById('ido1').style.display = 'block'"
class="utility_option_link"><span> Your Basket</span></a></li>

```

```

        <div id="ido1" class="modal">

            <form class="modal-content animate" action="delivery.html">

                <div class="imgcontainer">

                    <span onclick="document.getElementById('ido1').style.display = 'none'" class="close"
title="Close Modal">&times;</span>

                </div>

```

```

        <div class="container">

```

```

            <div style="width:350px; margin:auto;">

```

```

                <table cellpadding="4" cellspacing="4" border="1">

```

```

                    <tr>

```

```

                        <td valign="top">

```

```

                            <table cellpadding="4" cellspacing="4" id="orderedProductsTbl">

```

```

                                <thead>

```

```

                                    <tr>

```

```

                                        <td>

```

```

                                            Name

```

```

                                        </td>

```

```

                                        <td>

```

```

                                            Description

```

```

                                        </td>

```

```

                                        <td>

```

```

                                            Quantity

```

```

                                        </td>

```

```

                                        <td>

```

```

                                            Price

```

```

                                        </td>

```

```

                                    </tr>

```

```

                                </thead>

```

```

                            <tbody id="orderedProductsTblBody">

```

```

                        </tbody>

```



```

        <tfoot>
        <tr>
            <td colspan="4" align="right" id="cart_total">

        </td>
        </tr>
        </tfoot>
    </table>
</td>
</tr>
</table>

</div>

</div>

<div class="container" style="background-color:#f1f1f1">
    <button type="button" onclick="document.getElementById('id01').style.display = 'none'"
class="cancelbtn">Cancel</button>
    <span class="psw" style="margin-top:-20px;"><button> Checkout</button></span>
</div>
</form>
</div>
</ul>
</div>
</div>
<div id="wrapper">
    <header>
        <ul>
            <a href="index.html"></a>
        </ul>

    </header>

    <nav>
        <ul>

```

```

        <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="groceries.html">Groceries</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
    </ul>
</nav><!--End of navigation-->
<div id="subnav">

<ul>

<li><div class="dropdown">
    <a onclick="Drop1()" class="dropbtn">Fresh Food</a>
    <div id="myDropdown" class="dropdown-content">
        <a href="freshfood.html">All Fresh Food</a>
        <a href="fruit.html">Fresh Fruit & Veg</a>
        <a href="salads.html">Salads</a>
        <a href="dips.html">Coleslaw & Dips</a>
        <a href="milk.html">Milk, Eggs, Cheese & Butter</a>
        <a href="yoghurts.html">Yoghurts</a>
        <a href="dairyfree.html">Dairy Alternatives</a>
        <a href="freshmeat.html">Fresh Meat & Poultry</a>
        <a href="fish.html">Fish & Seafood</a>
        <a href="cookedmeat.html">Cooked Meats & Sandwich Fillers</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop2()" class="dropbtn">Bakery</a>
    <div id="myDropdown2" class="dropdown-content">
        <a href="bakery.html">All Bakery</a>
        <a href="bread.html">Bread & Rolls</a>

```

```

Pittas</a>
    <a href="pancake.html">Pancake</a>
    <a href="muffins.html">Muffins &
Crumpets</a>
    <a href="croissants.html">Croissants
& Brioche</a>
    <a href="scones.html">Scones &
Teacake</a>
    <a href="donut.html">Doughnuts &
Cookies</a>
    <a href="cake.html">Cake & Pies</a>
</div></div></li>
<li><div class="dropdown">
    <a onclick="Drop3()" class="dropbtn">Frozen Food</a>
    <div id="myDropdown3" class="dropdown-content">
        <a href="frozenfood.html">All Frozen Food</a>
        <a href="fmeat.html">Frozen Meat &
Poultry</a>
        <a href="ffish.html">Frozen Fish &
Seafood</a>
        <a href="ice.html">Ice Cream, Ice Lollies & Frozen Yoghurt</a>
        <a href="fdesserts.html">Frozen Desserts</a>
        <a href="fpizza.html">Frozen
Pizza</a>
        <a href="fchips.html">Frozen Chips &
Potatoes</a>
        <a href="fpudding.html">Frozen
Puddings</a>
        <a href="fpies.html">Frozen Pies</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop4()" class="dropbtn">Food Cupboard</a>
    <div id="myDropdown4" class="dropdown-content">
        <a href="foodcupboard.html">All Food Cupboard</a>
        <a href="tins.html">Tins, Cans & Packets</a>
        <a href="biscuits.html">Biscuits</a>
        <a href="crisps.html">Crisps, Snacks & Nuts</a>

```

```

        <a href="chocolate.html">Chocolate</a>
        <a href="sweets.html">Sweets, Mints & Chewing Gum</a>
        <a href="cereal.html">Cereal</a>
        <a href="cooking.html">Cooking Ingredients</a>
        <a href="pasta.html">Spaghetti, Pasta, Rice & Noodles</a>
        <a href="baking.html">Home Baking</a>
        <a href="jam.html">Jams & Spreads</a>
    </div></div></li>

<li><div class="dropdown">
    <a onclick="Drop5()" class="dropbtn">Drinks</a>
    <div id="myDropdown5" class="dropdown-content">
        <a href="drinks.html">All Drinks</a>
        <a href="fizzy.html">Fizzy Drinks</a>
        <a href="juice.html">Juice &
Smoothies</a>
        <a href="squash.html">Squash</a>
        <a href="kdrink.html">Kids</a>
        <a href="water.html">Bottled Water</a>
        <a href="energy.html">Sports &
Energy Drinks</a>
        <a
href="milkshake.html">Milkshake</a>
        <a href="tea.html">Tea</a>
        <a href="coffee.html">Coffee</a>
        <a href="wine.html">Wine</a>
        <a href="beer.html">Beer & Cider</a>
    </div></div></li>

<li><div class="dropdown">
    <a onclick="Drop6()" class="dropbtn">Household</a>
    <div id="myDropdown6" class="dropdown-content">
        <a href="ghousehold.html">All Household</a>
        <a href="laundry.html">Laundry</a>
        <a href="toiletr.html">Toilet Roll</a>
        <a href="kitchenr.html">Kitchen Roll</a>
        <a href="tissues.html">Tissues</a>

```

```

        <a href="cleaning.html">Cleaning</a>
        <a href="dishwasher.html">Dishwasher</a>
        <a href="air.html">Air Fresheners</a>
        <a href="gstorage.html">Food Storage</a>
        <a href="lightbulb.html">Lightbulbs</a>
    <a
href="batteries.html">Batteries</a>
    </div></div></li>
    <li><div class="dropdown">
        <a onclick="Drop7()" class="dropbtn">Baby</a>
        <div id="myDropdown7" class="dropdown-content">
            <a href="baby.html">All Baby</a>
            <a href="nappies.html">Nappies & Pants</a>
            <a href="bwipes.html">Baby & Toddler Wipes</a>
            <a href="btoilet.html">Baby &
Toddler Toiletries</a>
            <a href="bhealth.html">Baby &
Toddler Healthcare</a>
            <a href="bmilk.html">Baby & Toddler
Milk</a>
            <a href="bfood.html">Baby &
Toddler Food</a>
            <a href="bfeed.html">Feeding
Accessories</a>
            <a href="bsteril.html">Sterilisers &
Sterilants</a>
            <a href="bsooth.html">Soothers &
Teethers</a>
            <a href="blaundry.html">Baby
Laundry</a>
        </div></div></li>
    <li><div class="dropdown">
        <a onclick="Drop8()" class="dropbtn">Pets</a>
        <div id="myDropdown8" class="dropdown-content">
            <a href="pets.html">All Pets</a>
            <a href="cat.html">Cat & Kitten Food, Treats & Accessories</a>
            <a href="dog.html">Dog & Puppy Food, Treats & Accessories</a>

```

```

Fish & Bird</a>
    </div></div></li>
</ul>

</div><!--End of subnavigation-->

<div id="content">

    <div id="intro1">

        <h2>Groceries</h2>

        <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut consectetur arcu eget est
ornare, at commodo purus blandit.

        Ut magna risus, ultricies sed ex in, aliquet iaculis lectus. In non maximus ligula, sit amet
tincidunt elit. </p>

    </div><!--End of intro-->

    <div id="main">

        <div class="responsive">

            <div class="img">

                <a target="_blank" href="#">

                </a>

                <div class="desc">Now offers fresh groceries delivered twice weekly</div>

            </div>

        </div>

        <div class="responsive" style="float:right" style="margin-top:-10px">

            <div class="img">

                <a target="_blank" href="#">

                </a>

                <div class="desc">Balanced diet based on raw organic <br>vegetables</div>

            </div>

        </div>

        <div class="responsive" style="float:right">

```

```

<div class="img">
  <a target="_blank" href="#">
    
  </a>
  <div class="desc">Wicker basket with assorted organic <br>vegetables and fruits isolated
on white</div>
</div>
</div>
</div>
</div><!--End of content-->
<footer>

<ul>
  <li>
    <h4>FCEPH Help & FAQ</h4>
    <ul id="sub">
      <li><a href="contact.html">Help Centre</a></li>
      <li><a href="map.html">Store Locator</a></li>
      <li><a href="contact.html#a">Contact Us</a></li>
    </ul>
  </li>
</ul>

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All
Rights Reserved</div>

<div id="find">Follow us: <a href="https://plus.google.com/"></a>

  <a href="https://facebook.com/"></a>

  <a href="https://twitter.com/"></a>

  <a href="https://youtube.com/"></a></div>

</div> <!--End of wrapper-->
</body>

```

```
</html>
```

freshfood.html

```
<!doctype html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<title>Fresh Food | FCEPH</title>
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" />
```

```
<script> function Drop1() {
```

```
    document.getElementById("myDropdown").classList.toggle("show");
```

```
}
```

```
function Drop2() {
```

```
    document.getElementById("myDropdown1").classList.toggle("show");
```

```
}
```

```
function Drop3() {
```

```
    document.getElementById("myDropdown2").classList.toggle("show");
```

```
}
```

```
function Drop4() {
```

```
    document.getElementById("myDropdown3").classList.toggle("show");
```

```
}
```

```
function Drop5() {
```

```
    document.getElementById("myDropdown4").classList.toggle("show");
```

```
}
```

```
function Drop6() {
```

```
    document.getElementById("myDropdown5").classList.toggle("show");
```

```
}
```

```
function Drop7() {
```

```
    document.getElementById("myDropdown6").classList.toggle("show");
```

```
}
```

```
function Drop8() {
```

```
    document.getElementById("myDropdown7").classList.toggle("show");
```

```
}
```

```
// Close the dropdown menu if the user clicks outside of it
```

```
window.onclick = function (event) {
```



```

if (!event.target.matches('.dropbtn')) {

    var dropdowns = document.getElementsByClassName("dropdown-content");
    var i;
    for (i = 0; i < dropdowns.length; i++) {
        var openDropdown = dropdowns[i];
        if (openDropdown.classList.contains('show')) {
            openDropdown.classList.remove('show');
        }
    }
}
}
</script>
</head>

<body>

<div class="utility">
    <div class="utility_wrapper">
        <ul class="utility_nav2">
            <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

            <li class="utility_option"><a
onclick="document.getElementById('id01').style.display = 'block'" class="utility_option_link"><span> Your Basket</span></a></li>

        </ul>

        <div id="id01" class="modal">
            <form class="modal-content animate" action="delivery.html">
                <div class="imgcontainer">
                    <span onclick="document.getElementById('id01').style.display = 'none'" class="close"
title="Close Modal">&times;</span>
                </div>

                <div class="container">

                    <div style="width:350px; margin:auto;">

                        <table cellpadding="4" cellspacing="4" border="1">
                            <tr>

```

```

<td valign="top">
  <table cellpadding="4" cellspacing="4" id="orderedProductsTbl">
    <thead>
      <tr>
        <td>
          Name
        </td>
        <td>
          Description
        </td>
        <td>
          Quantity
        </td>
        <td>
          Price
        </td>
      </tr>
    </thead>
    <tbody id="orderedProductsTblBody">

    </tbody>
    <tfoot>
      <tr>
        <td colspan="4" align="right" id="cart_total">

        </td>
      </tr>
    </tfoot>
  </table>
</td>
</tr>
</table>

</div>

```

```

        <div class="container" style="background-color:#f1f1f1">
            <button type="button" onclick="document.getElementById('id01').style.display = 'none'"
class="cancelbtn">Cancel</button>
            <span class="psw" style="margin-top:-20px;"><button> Checkout</button></span>
        </div>
    </form>
</div>
</ul>
</div>
</div>
<div id="wrapper">
    <header>
        <ul>
            <a href="index.html"></a>
        </ul>

    </header>

    <nav>
        <ul>
            <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="groceries.html">Groceries</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
        </ul>
    </nav><!--End of navigation-->
    <div id="subnav">

        <ul>

```

```

<li><div class="dropdown">
  <a onclick="Drop1()" class="dropbtn">Fresh Food</a>
  <div id="myDropdown" class="dropdown-content">
    <a href="freshfood.html">All Fresh Food</a>
    <a href="fruit.html">Fresh Fruit & Veg</a>
    <a href="salads.html">Salads</a>
    <a href="dips.html">Coleslaw & Dips</a>
    <a href="milk.html">Milk, Eggs, Cheese & Butter</a>
    <a href="yoghurts.html">Yoghurts</a>
    <a href="dairyfree.html">Dairy Alternatives</a>
    <a href="freshmeat.html">Fresh Meat & Poultry</a>
    <a href="fish.html">Fish & Seafood</a>
    <a href="cookedmeat.html">Cooked Meats & Sandwich Fillers</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop2()" class="dropbtn">Bakery</a>
  <div id="myDropdownn1" class="dropdown-content">
    <a href="bakery.html">All Bakery</a>
    <a href="bread.html">Bread & Rolls</a>
    <a href="wraps.html">Wraps, Naan & Pittas</a>
    <a href="pancake.html">Pancake</a>
    <a href="muffins.html">Muffins & Crumpets</a>
    <a href="croissants.html">Croissants & Brioche</a>
    <a href="scones.html">Scones & Teacake</a>
    <a href="donut.html">Doughnuts & Cookies</a>
    <a href="cake.html">Cake & Pies</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop3()" class="dropbtn">Frozen Food</a>
  <div id="myDropdownn3" class="dropdown-content">
    <a href="frozenfood.html">All Frozen Food</a>
    <a href="fmeat.html">Frozen Meat & Poultry</a>
    <a href="ffish.html">Frozen Fish & Seafood</a>
    <a href="ice.html">Ice Cream, Ice Lollies & Frozen Yoghurt</a>
    <a href="fdesserts.html">Frozen Desserts</a>
  </div></div>

```

```

    <a href="fpizza.html">Frozen Pizza</a>
    <a href="fchips.html">Frozen Chips & Potatoes</a>
    <a href="fpudding.html">Frozen Puddings</a>
    <a href="fpies.html">Frozen Pies</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop4()" class="dropbtn">Food Cupboard</a>
  <div id="myDropdown4" class="dropdown-content">
    <a href="foodcupboard.html">All Food Cupboard</a>
    <a href="tins.html">Tins, Cans & Packets</a>
    <a href="biscuits.html">Biscuits</a>
    <a href="crisps.html">Crisps, Snacks & Nuts</a>
    <a href="chocolate.html">Chocolate</a>
    <a href="sweets.html">Sweets, Mints & Chewing Gum</a>
    <a href="cereal.html">Cereal</a>
    <a href="cooking.html">Cooking Ingredients</a>
    <a href="pasta.html">Spaghetti, Pasta, Rice & Noodles</a>
    <a href="baking.html">Home Baking</a>
    <a href="jam.html">Jams & Spreads</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop5()" class="dropbtn">Drinks</a>
  <div id="myDropdown4" class="dropdown-content">
    <a href="drinks.html">All Drinks</a>
    <a href="fizzy.html">Fizzy Drinks</a>
    <a href="juice.html">Juice & Smoothies</a>
    <a href="squash.html">Squash</a>
    <a href="kdrink.html">Kids</a>
    <a href="water.html">Bottled Water</a>
    <a href="energy.html">Sports & Energy Drinks</a>
    <a href="tea.html">Tea</a>
    <a href="coffee.html">Coffee</a>
    <a href="wine.html">Wine</a>
    <a href="beer.html">Beer & Cider</a>
  </div></div></li>

```

```

<li><div class="dropdown">
  <a onclick="Drop6()" class="dropbtn">Household</a>
  <div id="myDropdown5" class="dropdown-content">
    <a href="ghousehold.html">All Household</a>
    <a href="laundry.html">Laundry</a>
    <a href="toiletr.html">Toilet Roll</a>
    <a href="kitchenr.html">Kitchen Roll</a>
    <a href="tissues.html">Tissues</a>
    <a href="cleaning.html">Cleaning</a>
    <a href="dishwasher.html">Dishwasher</a>
    <a href="air.html">Air Fresheners</a>
    <a href="gstorage.html">Food Storage</a>
    <a href="lightbulb.html">Lightbulbs</a>
    <a href="batteries.html">Batteries</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop7()" class="dropbtn">Baby</a>
  <div id="myDropdown6" class="dropdown-content">
    <a href="baby.html">All Baby</a>
    <a href="nappies.html">Nappies & Pants</a>
    <a href="bwipes.html">Baby & Toddler Wipes</a>
    <a href="btoilet.html">Baby & Toddler Toiletries</a>
    <a href="bhealth.html">Baby & Toddler Healthcare</a>
    <a href="bmilk.html">Baby & Toddler Milk</a>
    <a href="bfood.html">Baby & Toddler Food</a>
    <a href="bfeed.html">Feeding Accessories</a>
    <a href="bsteril.html">Sterilisers & Sterilants</a>
    <a href="bsooth.html">Soothers & Teethers</a>
    <a href="blaundry.html">Baby Laundry</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop8()" class="dropbtn">Pets</a>
  <div id="myDropdown7" class="dropdown-content">
    <a href="pets.html">All Pets</a>
    <a href="cat.html">Cat & Kitten Food, Treats & Accessories</a>

```

```

        <a href="dog.html">Dog & Puppy Food, Treats & Accessories</a>
        <a href="animal.html">Small Animal, Fish & Bird</a>
    </div></div></li>
</ul>

</div><!--End of subnavigation-->

<div id="content">

    <div id="intro1">

        <h2>Fresh Foods</h2>

        <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut consectetur arcu eget est
        ornare, at commodo purus blandit.

        Ut magna risus, ultricies sed ex in, aliquet iaculis lectus. In non maximus ligula, sit amet
        tincidunt elit. </p>

        <ul class="breadcrumb">
            <li><a href="groceries.html">Groceries</a></li>
            <li>Fresh Foods</li>

        </ul>

    </div><!--End of intro-->

    <div id="main">

        <div id="Catagorys" style="float:left" width="300">

            <ul >

                <a href="fruit.html"><li id="list">
                    <h4>Fresh Fruit & Veg</h4>
                </li></a>

                <a href="salads.html"><li id="list">
                    <h4>Salads</h4>
                </li></a>

                <a href="dips.html"><li id="list">
                    <h4>Coleslaw & Dips</h4>
                </li></a>
            </ul>
        </div>
    </div>

```

```

<a href="milk.html"><li id="list">
    <h4>Milk, Eggs, Cheese & Butter</h4>
</li></a>
<a href="yoghurts.html"><li id="list">
    <h4>Yoghurts</h4>
</li></a>
<a href="dairyfree.html"><li id="list">
    <h4>Dairy Alternatives</h4>
</li></a>
<a href="freshmeat.html"><li id="list">
    <h4>Fresh Meat & Poultry</h4>
</li></a>
<a href="fish.html"><li id="list">
    <h4>Fish & Seafood</h4>
</li></a>
<a href="cookedmeat.html"><li id="list">
    <h4>Cooked Meats & Sandwich Fillers</h4>
</li></a>
</ul>
</div>
<div id="Info" style="float:right">
<div class="responsive">
<div class="img">
    <a target="_blank" href="#">
        
    </a>
    <div class="desc">Add a description of the image here</div>
</div>
</div><br/>
<div class="responsive">
<div class="img">
    <a target="_blank" href="#">
        
    </a>
    <div class="desc">Add a description of the image here</div>

```



```

    </div>
</div>
<div class="responsive">
    <div class="img">
        <a target="_blank" href="#">
            
        </a>
        <div class="desc">Add a description of the image here</div>
    </div>
</div>
</div>
</div>
</div><!--End of content-->
<footer>

```

```

<ul>
    <li>
        <h4>FCEPH Help & FAQ</h4>
        <ul id="sub">
            <li><a href="contact.html">Help Centre</a></li>
            <li><a href="map.html">Store Locator</a></li>
            <li><a href="contact.html#a">Contact Us</a></li>
        </ul>
    </li>
</ul>

```

```

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All
Rights Reserved</div>

<div id="find">Follow us: <a href="https://plus.google.com/"></a>

    <a href="https://facebook.com/"></a>

    <a href="https://twitter.com/"></a>

```

```
        <a href="https://youtube.com/"></a></div>
```

```
    </div> <!--End of wrapper-->
```

```
</body>
```

```
</html>
```

fruit.html

```
<!doctype html>
```

```
<html>
```

```
    <head>
```

```
        <meta charset="utf-8">
```

```
        <title>Fresh Fruit & Veg | FCEPH</title>
```

```
        <link href="css/style.css" rel="stylesheet" type="text/css" />
```

```
    <script> function Drop1() {
```

```
        document.getElementById("myDropdown").classList.toggle("show");
```

```
    }
```

```
    function Drop2() {
```

```
        document.getElementById("myDropdown2").classList.toggle("show");
```

```
    }
```

```
    function Drop3() {
```

```
        document.getElementById("myDropdown3").classList.toggle("show");
```

```
    }
```

```
    function Drop4() {
```

```
        document.getElementById("myDropdown4").classList.toggle("show");
```

```
    }
```

```
    function Drop5() {
```

```
        document.getElementById("myDropdown5").classList.toggle("show");
```

```
    }
```

```
    function Drop6() {
```

```
        document.getElementById("myDropdown6").classList.toggle("show");
```

```
    }
```

```
    function Drop7() {
```

```
        document.getElementById("myDropdown7").classList.toggle("show");
```

```
    }
```

```
    function Drop8() {
```

```

    document.getElementById("myDropdown8").classList.toggle("show");
}

```

```

// Close the dropdown menu if the user clicks outside of it

```

```

window.onclick = function (event) {
    if (!event.target.matches('.dropbtn')) {

        var dropdowns = document.getElementsByClassName("dropdown-content");
        var i;
        for (i = 0; i < dropdowns.length; i++) {
            var openDropdown = dropdowns[i];
            if (openDropdown.classList.contains('show')) {
                openDropdown.classList.remove('show');
            }
        }
    }
}
</script>

```

```

<script src="basket.js"></script>

```

```

</head>

```

```

<body>

```

```

    <div class="utility">

```

```

        <div class="utility_wrapper">

```

```

            <ul class="utility_nav1">

```

```

                <li class="utility_option"><a href="map.html" class="utility_option_link"><span> Store
Locator</span></a></li>

```

```

            </ul>

```

```

            <ul class="utility_nav2">

```

```

                <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

```

```

                <li class="utility_option"><a onclick="document.getElementById('id01').style.display = 'block'"
class="utility_option_link"><span> Your Basket</span></a></li>

```

```

<div id="ido1" class="modal">
  <form class="modal-content animate" action="delivery.html">
    <div class="imgcontainer">
      <span onclick="document.getElementById('ido1').style.display = 'none'" class="close"
title="Close Modal">&times;</span>
    </div>

```

```

<div class="container">
  <div style="width:350px; margin:auto;">

```

```

<table cellpadding="4" cellspacing="4" border="1">
  <tr>
    <td valign="top">
      <table cellpadding="4" cellspacing="4" id="orderedProductsTbl">
        <thead>
          <tr>
            <td>
              Name
            </td>
            <td>
              Description
            </td>
            <td>
              Quantity
            </td>
            <td>
              Price
            </td>
          </tr>
        </thead>
        <tbody id="orderedProductsTblBody">

        </tbody>
        <tfoot>
          <tr>
            <td colspan="4" align="right" id="cart_total">

```

```

        </td>
      </tr>
    </tfoot>
  </table>
</td>
</tr>
</table>

</div>

</div>

<div class="container" style="background-color:#f1f1f1">
  <button type="button" onclick="document.getElementById('id01').style.display = 'none'"
class="cancelbtn">Cancel</button>
  <span class="psw" style="margin-top:-20px;"><button> Checkout</button></span>
</div>
</form>
</div>
</ul>
</div>
</div>
<div id="wrapper">
  <header>
    <ul>
      <a href="index.html"></a>
    </ul>
  </header>

  <nav>
    <ul>
      <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="groceries.html">Groceries</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>

```

```

        <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>

        <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
    </ul>
</nav><!--End of navigation-->
<div id="subnav">

<ul>

    <li><div class="dropdown">
        <a onclick="Drop1()" class="dropbtn">Fresh Food</a>
        <div id="myDropdown" class="dropdown-content">
            <a href="freshfood.html">All Fresh Food</a>
            <a href="fruit.html">Fresh Fruit & Veg</a>
            <a href="salads.html">Salads</a>
            <a href="dips.html">Coleslaw & Dips</a>
            <a href="milk.html">Milk, Eggs, Cheese & Butter</a>
            <a href="yoghurts.html">Yoghurts</a>
            <a href="dairyfree.html">Dairy Alternatives</a>
            <a href="freshmeat.html">Fresh Meat & Poultry</a>
            <a href="fish.html">Fish & Seafood</a>
            <a href="cookedmeat.html">Cooked Meats & Sandwich Fillers</a>
        </div></div></li>
    <li><div class="dropdown">
        <a onclick="Drop2()" class="dropbtn">Bakery</a>
        <div id="myDropdown2" class="dropdown-content">
            <a href="bakery.html">All Bakery</a>
            <a href="bread.html">Bread & Rolls</a>
            <a href="wraps.html">Wraps, Naan & Pittas</a>
            <a href="pancake.html">Pancake</a>
            <a href="muffins.html">Muffins & Crumpets</a>

```

```

        <a href="croissants.html">Croissants & Brioche</a>
        <a href="scones.html">Scones & Teacake</a>
        <a href="donut.html">Doughnuts & Cookies</a>
        <a href="cake.html">Cake & Pies</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop3()" class="dropbtn">Frozen Food</a>
    <div id="myDropdown3" class="dropdown-content">
        <a href="frozenfood.html">All Frozen Food</a>
        <a href="fmeat.html">Frozen Meat & Poultry</a>
        <a href="ffish.html">Frozen Fish & Seafood</a>
        <a href="ice.html">Ice Cream, Ice Lollies & Frozen Yoghurt</a>
        <a href="fdesserts.html">Frozen Desserts</a>
        <a href="fpizza.html">Frozen Pizza</a>
        <a href="fchips.html">Frozen Chips & Potatoes</a>
        <a href="fpudding.html">Frozen Puddings</a>
        <a href="fpies.html">Frozen Pies</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop4()" class="dropbtn">Food Cupboard</a>
    <div id="myDropdown4" class="dropdown-content">
        <a href="foodcupboard.html">All Food Cupboard</a>
        <a href="tins.html">Tins, Cans & Packets</a>
        <a href="biscuits.html">Biscuits</a>
        <a href="crisps.html">Crisps, Snacks & Nuts</a>
        <a href="chocolate.html">Chocolate</a>
        <a href="sweets.html">Sweets, Mints & Chewing Gum</a>
        <a href="cereal.html">Cereal</a>
        <a href="cooking.html">Cooking Ingredients</a>
        <a href="pasta.html">Spaghetti, Pasta, Rice & Noodles</a>
        <a href="baking.html">Home Baking</a>
        <a href="jam.html">Jams & Spreads</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop5()" class="dropbtn">Drinks</a>

```

```

<div id="myDropdown5" class="dropdown-content">
  <a href="drinks.html">All Drinks</a>
  <a href="fizzy.html">Fizzy Drinks</a>
  <a href="juice.html">Juice & Smoothies</a>
  <a href="squash.html">Squash</a>
  <a href="kdrink.html">Kids</a>
  <a href="water.html">Bottled Water</a>
  <a href="energy.html">Sports & Energy Drinks</a>
  <a href="milkshake.html">Milkshake</a>
  <a href="tea.html">Tea</a>
  <a href="coffee.html">Coffee</a>
  <a href="wine.html">Wine</a>
  <a href="beer.html">Beer & Cider</a>
</div></div></li>
<li><div class="dropdown">
  <a onclick="Drop6()" class="dropbtn">Household</a>
  <div id="myDropdown6" class="dropdown-content">
    <a href="ghousehold.html">All Household</a>
    <a href="laundry.html">Laundry</a>
    <a href="toiletr.html">Toilet Roll</a>
    <a href="kitchenr.html">Kitchen Roll</a>
    <a href="tissues.html">Tissues</a>
    <a href="cleaning.html">Cleaning</a>
    <a href="dishwasher.html">Dishwasher</a>
    <a href="air.html">Air Fresheners</a>
    <a href="gstorage.html">Food Storage</a>
    <a href="lightbulb.html">Lightbulbs</a>
    <a href="batteries.html">Batteries</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop7()" class="dropbtn">Baby</a>
  <div id="myDropdown7" class="dropdown-content">
    <a href="baby.html">All Baby</a>
    <a href="nappies.html">Nappies & Pants</a>
    <a href="bwipes.html">Baby & Toddler Wipes</a>

```



```

        <a href="btoilet.html">Baby & Toddler Toiletries</a>
        <a href="bhealth.html">Baby & Toddler Healthcare</a>
        <a href="bmilk.html">Baby & Toddler Milk</a>
        <a href="bfood.html">Baby & Toddler Food</a>
        <a href="bfeed.html">Feeding Accessories</a>
        <a href="bsteril.html">Sterilisers & Sterilants</a>
        <a href="bsooth.html">Soothers & Teethers</a>
        <a href="blaundry.html">Baby Laundry</a>
    </div></div></li>
<li><div class="dropdown">
    <a onclick="Drop8()" class="dropbtn">Pets</a>
    <div id="myDropdown8" class="dropdown-content">
        <a href="pets.html">All Pets</a>
        <a href="cat.html">Cat & Kitten Food, Treats & Accessories</a>
        <a href="dog.html">Dog & Puppy Food, Treats & Accessories</a>
        <a href="animal.html">Small Animal, Fish & Bird</a>
    </div></div></li>
</ul>

</div><!--End of subnavigation-->

<div id="content">

    <div id="intro1">

        <h2 style="color:#91DC5A;">Fresh Fruit & Veg</h2>
        <ul class="breadcrumb">
            <li><a href="groceries.html">Groceries</a></li>
            <li><a href="freshfood.html">Fresh Foods</a></li>
            <li>Fresh Fruit & Veg</li>
        </ul>
    </div><!--End of intro-->

    <div id="main">
        <div id="Product">
            <ul class="gridView">

```

```

<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p id="name" style="color:#000">Loose Banana</p>
        <p id="desc"
style="color:#000">£0.75</p></a>
        <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Loose Banana',
'100g', 1, 0.75)">Add</button>
    </div>
</li>

    <li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p id="name" style="color:#000">Red Seedless Grapes 500g</p>
            <p id="desc"
style="color:#000">£1.75</p></a>
            <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Red Seedless
Grapes', '500g', 1, 1.75)">Add</button>
        </div>
    </li><li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p id="name" style="color:#000">Asparagus Spears 250g</p>
            <p id="desc"
style="color:#000">£1.50</p></a>
            <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Asparagus
Spears', '250g', 1, 1.50)">Add</button>
        </div>
    </li><li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p id="name" style="color:#000">Mushrooms 300g</p>
            <p id="desc"
style="color:#000">£1.75</p></a>

```

```

        <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Mushrooms',
'300g', 1, 1.75)">Add</button>

    </div>

</li><li class="gridItem">

    <a href="item.html" style="text-decoration:none" style="color:#000">

    <div id="productContent">

        <p id="name" style="color:#000">Apples Loose</p>

        <p id="desc"
style="color:#000">£2.00</p></a>

        <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Apples Loose',
'100g', 1, 2.00)">Add</button>

    </div>

</li><li class="gridItem">

    <a href="item.html" style="text-decoration:none" style="color:#000">

    <div id="productContent">

        <p id="name" style="color:#000">Raspberries 150g</p>

        <p id="desc"
style="color:#000">£2.00</p></a>

        <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Raspberries',
'150g', 1, 2.00)">Add</button>

    </div>

</li><li class="gridItem">

    <a href="item.html" style="text-decoration:none" style="color:#000">

    <div id="productContent">

        <p id="name" style="color:#000">Sliced Strawberries 400g</p>

        <p id="desc"
style="color:#000">£2.00</p></a>

        <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Sliced
Strawberries', '400g', 1, 2.00)">Add</button>

    </div>

</li><li class="gridItem">

    <a href="item.html" style="text-decoration:none" style="color:#000">

    <div id="productContent">

        <p id="name" style="color:#000">Red & White Seedless Grapes 500g</p>

```

```

<p id="desc"
style="color:#000">£2.00</p></a>

    <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Red & White
Seedless Grapes', '500g', 1, 2.00)">Add</button>

    </div>

</li><li class="gridItem">

    <a href="item.html" style="text-decoration:none" style="color:#000">

    <div id="productContent">

        <p id="name" style="color:#000">Easy Peeler Loose</p>

        <p id="desc"
style="color:#000">£2.50</p></a>

        <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Easy Peeler
Loose', '100g', 1, 2.50)">Add</button>

        </div>

    </li><li class="gridItem">

        <a href="item.html" style="text-decoration:none" style="color:#000">

        <div id="productContent">

            <p id="name" style="color:#000">Plum Punnet 400g</p>

            <p id="desc"
style="color:#000">£2.50</p></a>

            <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Plum Punnet',
'400g', 1, 2.50)">Add</button>

            </div>

        </li><li class="gridItem">

            <a href="item.html" style="text-decoration:none" style="color:#000">

            <div id="productContent">

                <p id="name" style="color:#000">Grapefruit</p>

                <p id="desc"
style="color:#000">£0.50</p></a>

                <button type="submit" style="margin-left:50px;" onclick="AddtoCart('Grapefruit', '100g',
1, 0.50)">Add</button>

                </div>

            </li>

        </ul>

    </div>

```

```

</div>
<div class="center1">
  <div class="pagination" >
    <a href="#">&laquo;</a>
    <a class="active1" href="#">1</a>
    <a href="#">&raquo;</a></div>
  </div>
</div><!--End of content-->
<footer>

<ul>
  <li>
    <h4>FCEPH Help & FAQ</h4>
    <ul id="sub">
      <li><a href="contact.html">Help Centre</a></li>
      <li><a href="map.html">Store Locator</a></li>
      <li><a href="contact.html#a">Contact Us</a></li>
    </ul>
  </li>
</ul>

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All
Rights Reserved</div>

<div id="find">Follow us: <a href="https://plus.google.com/"></a>

  <a href="https://facebook.com/"></a>

  <a href="https://twitter.com/"></a>

  <a href="https://youtube.com/"></a></div>

</div> <!--End of wrapper-->

</body>
</html>

```

basket.js

```
//create array that will hold all ordered products
var shoppingCart = [];

//this function manipulates DOM and displays content of our shopping cart
function displayShoppingCart(){
    var orderedProductsTblBody=document.getElementById("orderedProductsTblBody");
    //ensure we delete all previously added rows from ordered products table
    while(orderedProductsTblBody.rows.length>o) {
        orderedProductsTblBody.deleteRow(o);
    }

    //variable to hold total price of shopping cart
    var cart_total_price=0;
    //iterate over array of objects
    for(var product in shoppingCart){
        //add new row
        var row=orderedProductsTblBody.insertRow();
        //create three cells for product properties
        var cellName = row.insertCell(0);
        var cellDescription = row.insertCell(1);
        var cellQuantity = row.insertCell(2);
        var cellPrice = row.insertCell(3);
        cellPrice.align="right";
        //fill cells with values from current product object of our array
        cellName.innerHTML = shoppingCart[product].Name;
        cellDescription.innerHTML = shoppingCart[product].Description;
        cellQuantity.innerHTML = shoppingCart[product].Quantity;
        cellPrice.innerHTML = shoppingCart[product].Price;
        cart_total_price+=shoppingCart[product].Price;
    }
    //fill total cost of our shopping cart
    document.getElementById("cart_total").innerHTML=cart_total_price;
}
```

```

function AddtoCart(name,description,quantity,price){
    //Below we create JavaScript Object that will hold three properties you have mentioned:
    Name,Description and Price
    var singleProduct = {};
    //Fill the product object with data
    singleProduct.Name=name;
    singleProduct.Description=description;
        singleProduct.Quantity=quantity;
    singleProduct.Price=price;
    //Add newly created product to our shopping cart
    shoppingCart.push(singleProduct);
    //call display function to show on screen
    displayShoppingCart();

}

```

clubcard.html - JenniferComp

```

<!doctype html>
<html>
<head>
    <meta charset="utf-8">
    <title>Clubcard | FCEPH</title>
    <link href="css/style.css" rel="stylesheet" type="text/css" />
    <script> function Drop1() {
        document.getElementById("myDropdown").classList.toggle("show");
    }

        function Drop2() {
            document.getElementById("myDropdown2").classList.toggle("show");
        }

            function Drop3() {

```

```

        document.getElementById("myDropdown3").classList.toggle("show");
    }

    function Drop4() {
        document.getElementById("myDropdown4").classList.toggle("show");
    }

    function Drop5() {
        document.getElementById("myDropdown5").classList.toggle("show");
    }

    // Close the dropdown menu if the user clicks outside of it
    window.onclick = function(event) {
        if (!event.target.matches('.dropbtn')) {

            var dropdowns = document.getElementsByClassName("dropdown-content");
            var i;
            for (i = 0; i < dropdowns.length; i++) {
                var openDropdown = dropdowns[i];
                if (openDropdown.classList.contains('show')) {
                    openDropdown.classList.remove('show');
                }
            }
        }
    }
}
</script>
</head>

<body>
    <div class="utility">
        <div class="utility_wrapper">
            <ul class="utility_nav2">
                <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

                <li class="utility_option"><a href="basket.html" class="utility_option_link"><span> Your Basket</span></a></li>
            </ul>

```



```

</div>
</div>
<div id="wrapper">
  <header>
    <ul>
      <a href="index.html"></a>
    </ul>

  </header>

  <nav>
    <ul>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="groceries.html">Groceries</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>
      <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="clubcard.html">Clubcard</a></li>
    </ul>
  </nav><!--End of navigation-->

  <div id="content">

    <div id="main">

      <br></br>

      <div class="responsive" style="margin-left:20%;" >
        <div class="img">
          
        </div>
      </div>

      <h1 style="margin-top:50px; text-align:center;
color:#91DC5A; display:inline-block;">What you gain from ClubPoints</h1><br></br>

```

```

        <div class="center">
        <div class="responsive" >

<div class="img">
    <a target="_blank" href="#">
        
    </a>
    <div class="desc">Buy tickets to the London Zoo</div>
</div>
</div>

        <div class="responsive" >

<div class="img">
    <a target="_blank" href="#">
        
    </a>
    <div class="desc">Use points in restaurant</div>
</div>
</div>

        <div class="responsive">

<div class="img">
    <a target="_blank" href="#">
        
    </a>
    <div class="desc">Subscribe to magazines</div>
</div>
</div>

        </div>
        <br></br>

        <div id="checkout" style="margin:auto; clear:both;"
width=150>

        <a href="signup.html"><button> Don't have a club card?</button></a>
        </div>

    </div>
</div><!--End of content-->

```

```

<footer>

<ul>
  <li>
    <h4>FCEPH Help & FAQ</h4>
    <ul id="sub">
      <li><a href="contact.html">Help Centre</a></li>
      <li><a href="contact.html#a">Contact Us</a></li>
    </ul>
  </li>
</ul>

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All Rights
Reserved</div>

  <div id="find">Follow us: <a href="https://plus.google.com/"></a>

  <a href="https://facebook.com/"></a>

  <a href="https://twitter.com/"></a>

  <a href="https://youtube.com/"></a></div>

  <!--Youtube, Facebook, Twitter and other links-->
</div> <!--End of wrapper-->

</body>
</html>

```

signup.html - JenniferComp

```

<div id="intro">

</div><!--End of intro-->

  <div id="content" >

    <h3 style="color:#91DC5A;">Register</h3>

    <form action="clubcard1.html" style="width:550px; background:#fff; margin:auto; border: 2px
solid #ccc; border-radius: 5px; padding:15px">

```

```

<label><b>Title</b></label><br>
<select style="width:300px; height:30px; border: 1px solid
#ccc;" name="title">
    <option value="1"> Please Select</option>
    <option
value="2"> Miss</option>
    <option value="3"> Mr</option>
    <option value="4"> Mrs</option>
    <option value="5"> Ms</option>
</select><br>
<label><b>First Name</b></label><br>
<input style="width:300px; height:30px; border: 1px solid
#ccc;" type="text" name="fname" required><br>
<label><b>Last Name</b></label><br>
<input style="width:300px; height:30px; border: 1px solid
#ccc;" type="text" name="sname" required><br>
<label><b>Email Address</b></label><br>
<input style="width:350px; height:30px; border: 1px solid
#ccc;" type="email" name="email" required><br>
<label><b>Password</b></label><br>
<input style="width:300px; height:30px;" type="password"
name="psw" required><br>
<label><b>Confirm Password</b></label><br>
<input style="width:300px; height:30px; " type="password"
name="psw" required><br>
<label><b>Postcode</b></label><br>
<input style="width:300px; height:30px; border: 1px solid
#ccc;" type="text" name="pst" required><br>
<br><br>
<div class="reg" style="background:#fff; padding:10px;
border: 1px solid #ccc;">
    <h3>Terms and condition</h3>
    <p>Welcome to our FCEPH. If you create an account and use this website,
    you are agreeing to comply with and
    be bound by the following terms and conditions of use,

```

policy govern FCEPH's relationship with you in relation
any part of these terms and conditions, please do not use
which together with our privacy
to this website. If you disagree with
our website.</p>

<input type="checkbox" > I agree with the terms and conditions
</div>

<button type="submit">Register</button></form>

</div><!--End of content-->

<footer>

<h4>FCEPH Help & FAQ</h4>

<ul id="sub">

Help Centre

Store Locator

Contact Us

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">©FCEHP 2017 All Rights Reserved</div>

<div id="find">Follow us:

</div>

<!--Youtube, Facebook, Twitter and other links-->

</div> <!--End of wrapper-->

</body>

</html>

```
<!doctype html>
```

<head>

<title>Clubcard | FCEPH</title>

```
<script> function Drop1() {
```

}

```
document.getElementById("myDropdown2").classList.toggle("show");
```

}

```
document.getElementById("myDropdown3").classList.toggle("show");
```

}

```
document.getElementById("myDropdown4").classList.toggle("show");
```

}

```
document.getElementById("myDropdown5").classList.toggle("show");
```

}

```
window.onclick = function(event) {
```

```
var dropdowns = document.getElementsByClassName("dropdown-content");
```

```
for (i = 0; i < dropdowns.length; i++) {
```

```
if (openDropdown.classList.contains('show')) {
```

```
openDropdown.classList.remove('show');
```

}

}

```

    }
  }</script>
</head>

<body>
  <div class="utility">
    <div class="utility_wrapper">
      <ul class="utility_nav2">
        <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>
        <li class="utility_option"><a href="basket.html" class="utility_option_link"><span> Your Basket</span></a></li>
      </ul>
    </div>
  </div>
  <div id="wrapper">
    <header>
      <ul>
        <a href="index.html"></a>
      </ul>
    </header>

    <nav>
      <ul>
        <li style="margin-left: 10px; margin-right: 10px;"><a href="groceries.html">Groceries</a></li>
        <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>
        <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>
        <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>
        <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>
        <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="clubcard.html">Clubcard</a></li>
      </ul>

```

```

</nav><!--End of navigation-->

<div id="content">

    <div id="main">

        <br></br>

        <div class="responsive" style="margin-left:20%;" >

            <div class="img">

            </div>

        </div>

        <h1 style="margin-top:50px; text-align:center;
color:#91DC5A; display:inline-block;">Gain points</h1><br></br>

        <div id="Product" style="width: 908px; margin:auto;">

            <ul class="gridView">

                <li class="gridItem" style="height: 250px;">

                    <div id="productContent">

                        <p id="name" style="color:#000">Loose Banana</p>

                        <p id="desc"
style="color:#91DC5A">5 points</p>

                    </div>

                </li>

                <li class="gridItem" style="height: 250px;">

                    <div id="productContent">

                        <p id="name" style="color:#000">Kitsound Arena Wireless Bluetooth
Headphones</p>

                        <p id="desc"
style="color:#91DC5A">100 points</p>

                    </div>

                </li>

                <li class="gridItem" style="height: 250px;">

```



```

        <div id="productContent">
            <p id="name" style="color:#000">Ambrosia Original Rice Pudding Pot 120g</p>
            <p id="desc"
style="color:#91DC5A">20 points</p>
        </div>
    </li>
    <li class="gridItem" style="height: 250px;">
        
        <div id="productContent">
            <p id="name" style="color:#000">Stainless Steel Cutlery Holder</p>
            <p id="desc"
style="color:#91DC5A">30 points</p>
        </div>
    </li>
    <li class="gridItem" style="height: 250px;">
        
        <div id="productContent">
            <p id="name" style="color:#000">Napolina Spaghetti 500g</p>
            <p id="desc"
style="color:#91DC5A">20 points</p>
        </div>
    </li>
    <li class="gridItem" style="height: 250px;">
        
        <div id="productContent">
            <p id="name" style="color:#000">Pom-Bear Original Potato Snack 6x15g</p>
            <p id="desc"
style="color:#91DC5A">20 points</p>
        </div>
    </li>
    <li class="gridItem" style="height: 250px;">
        
        <div id="productContent">
            <p id="name" style="color:#000">Carex Antibacterial Handwash 250ml</p>
            <p id="desc"
style="color:#91DC5A">10 points</p>

```

```

</div>

</li>

<li class="gridItem" style="height: 250px;">

  <div id="productContent">

    <p id="name" style="color:#000">Air Wick Plug In Air Freshener Refill 17ml</p>

    <p id="desc"

style="color:#91DC5A">30 points</p>

    </div>

  </li>

</ul>

</div>

<h1 style="margin-top:50px; text-align:center;

color:#91DC5A; display:inline-block;">What you gain from ClubPoints</h1><br></br>

<div class="center">

  <div class="responsive" >

    <div class="img">

      <a target="_blank" href="#">

      </a>

      <div class="desc">Buy tickets to the London Zoo</div>

    </div>

  </div>

  <div class="responsive" >

    <div class="img">

      <a target="_blank" href="#">

      </a>

      <div class="desc">Use points in restaurant</div>

    </div>

  </div>

  <div class="responsive" >

    <div class="img">

      <a target="_blank" href="#">

```

```

        
    </a>
    <div class="desc">Subscribe to magazines</div>
</div>
</div>

        </div>
        <br></br>

        <div id="checkout" style="margin:auto; clear:both;"
width=150>
        <a href="signup.html"><button> Don't have a club card?</button></a>
        </div>

    </div>
</div><!--End of content-->
<footer>

    <ul>
    <li>
        <h4>FCEPH Help & FAQ</h4>
        <ul id="sub">
            <li><a href="contact.html">Help Centre</a></li>
            <li><a href="contact.html#a">Contact Us</a></li>
        </ul>
    </li>
    </ul>

    </footer><!--End of footer-->
<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All Rights
Reserved</div>

    <div id="find">Follow us: <a href="https://plus.google.com/"></a>

    <a href="https://facebook.com/"></a>

    <a href="https://twitter.com/"></a>

```

```
<a href="https://youtube.com/"></a></div>
```

```
<!--Youtube, Facebook, Twitter and other links-->
```

```
</div> <!--End of wrapper-->
```

```
</body>
```

```
</html>
```

payment.html - NazirComp

```
<!DOCTYPE html>
```

```
<!--
```

To change this license header, choose License Headers in Project Properties.

To change this template file, choose Tools | Templates

and open the template in the editor.

```
-->
```

```
<html>
```

```
<head>
```

```
<title>TODO supply a title</title>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
</head>
```

```
<body>
```

```
<h1>Payment Details</h1>
```

```
<p>A browser without support for JavaScript will show the text written inside the noscript element.</p>
```

```
<script src="components/webcomponentsjs/webcomponents-lite.js"></script>
```

```
<link rel="import" href="components/paper-input/paper-input.html">
```

```
<link rel="import" href="components/iron-icons/iron-icons/iron-icons.html">
```

```
<link rel="import" href="components/paper-input-container/paper-input-container.html">
```

```
<link rel="import" href="components/input/input.html">
```

```
<link rel="import" href="components/ssn-input/ssn-input.html">
```

```
<link rel="import" href="components/paper-input-error/paper-input-error.html">
```

```
<link rel="import" href="components/label/label.html">
```

```

<link rel="import" href="components/paper-input-container/paper-input-container.html">
<link rel="import" href="components/ssn-validator/ssn-validator.html">
<style>
  paper-input {
    max-width: 400px;
    margin: auto;
  }
  iron-icon, div[suffix] {
    color: hsl(0, 0%, 50%);
    margin-right: 12px;
  }
</style>

```

```

<paper-input label="First Name"></paper-input>
<paper-input label="Last Name"></paper-input>
<paper-input label="Card Number">
</paper-input>
  <paper-input label="Issue Date">
  </paper-input>
<paper-input label="Expiry Date">
  </paper-input>
<paper-input label="Security Number">
  </paper-input>

<paper-input label="Password">
  </paper-input>

```

```

</body>
</html>

```

```

devlivery.html
<!doctype html>

```

```

<html>
  <head>
    <meta charset="utf-8">
    <title>Delivery | FCEPH</title>
    <link href="css/style.css" rel="stylesheet" type="text/css" />

  </head>

  <body>
    <div class="utility">
      <div class="utility_wrapper">
        <ul class="utility_nav1">
          <li class="utility_option"><a href="contact.html" class="utility_option_link"><span> Help</span></a></li>
        </ul>
        <ul class="utility_nav2">
          <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>
          <li class="utility_option"><a href="#" class="utility_option_link"><span> Your Basket</span></a></li>
        </ul>
      </div>
    </div><!--End of utility-->

    <div id="wrapper">

      <header>
        <ul>
          <li id="h1"><a href="index.html"></a></li>
          <!--This will be our logo which will be a link to the home page-->

        </ul>
      </header> <!--End of header-->

```

<nav>

Groceries

Clothing

Electronics

Pharmacy

Home & Furniture

Clubcard

</nav><!--End of navigation-->

<div id="content" >

<div id="intro">

<h3>Delivery</h3>

</div><!--End of intro-->

<div class="calendar">

<header>

<h2> April</h2>

</header>

<table style="margin-left:400px;">

<thead>

```

<tr>

        <td>Mo</td>
        <td>Tu</td>
        <td>We</td>
        <td>Th</td>
        <td>Fr</td>
        <td>Sa</td>
        <td>Su</td>

</tr>

</thead>

<tbody>

    <tr>

        <td class="prev-month">26</td>
        <td class="prev-month">27</td>
        <td class="prev-month">28</td>
        <td class="prev-month">29</td>
        <td class="prev-month">30</td>
        <td class="prev-month">31</td>
        <td class="prev-month">1</td>

    </tr>

    <tr>

        <td class="prev-month">2</td>
        <td class="prev-month">3</td>
        <td class="prev-month">4</td>
        <td class="prev-month">5</td>
        <td class="prev-month">6</td>
        <td class="prev-month">7</td>
        <td class="prev-month">8</td>

    </tr>

    <tr>

```



```

        <td class="prev-month">9</td>
        <td class="prev-month">10</td>
        <td class="prev-month">11</td>
        <td class="prev-month">12</td>
        <td>13</td>
        <td>14</td>
        <td>15</td>
    </tr>
    <tr>
        <td>16</td>
        <td>17</td>
        <td>18</td>
        <td>19</td>
        <td>20</td>
        <td>21</td>
        <td>22</td>
    </tr>
    <tr>
        <td>23</td>
        <td>24</td>
        <td>25</td>
        <td>26</td>
        <td>27</td>
        <td>28</td>
        <td>29</td>
    </tr>
    <tr>
        <td>30</td>
        <td class="next-month">1</td>
        <td class="next-month">2</td>
        <td class="next-month">3</td>
        <td class="next-month">4</td>
        <td class="next-month">5</td>
        <td class="next-month">6</td>

```

```

        </tr>

    </tbody>

</table>

</div> <!-- end calendar -->

<script>
    var list = document.querySelector('tbody');
list.addEventListener('click', function(ev) {
    if (ev.target.tagName === 'TD') {
        ev.target.classList.toggle('checked');
    }
    }, false);

</script>
<div id="checkout" style="float:right;" width=100>
    <a href="checkout.html"><button> Checkout</button></a>
</div>

</div><!--End of content-->

<footer>

<ul>
    <li>
        <h4>FCEPH Help & FAQ</h4>
        <ul id="sub">
            <li><a href="contact.html">Help Centre</a></li>
            <li><a href="map.html">Store Locator</a></li>
            <li><a href="contact.html#a">Contact Us</a></li>
        </ul>
    </li>
</ul>

</footer><!--End of footer-->

```

```

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All Rights Reserved</div>

    <div id="find">Follow us: <a href="https://plus.google.com/"></a>

        <a href="https://facebook.com/"></a>

        <a href="https://twitter.com/"></a>

        <a href="https://youtube.com/"></a></div>

    <!--Youtube, Facebook, Twitter and other links-->

</div> <!--End of wrapper-->

</body>
</html>

```

checkout.html

```

<!doctype html>
<html>
    <head>
        <meta charset="utf-8">
        <title>Checkout | FCEPH</title>
        <link href="css/style.css" rel="stylesheet" type="text/css" />
        <style>
            #confirm{
                border: 1px solid #DFDFDF;
                border-radius: 5px;
                padding: 20px;
                width: 400px;
                margin: auto;
            }
        </style>
    </head>

    <body>
        <div class="utility">
            <div class="utility_wrapper">
                <ul class="utility_nav1">

```

```
        <li class="utility_option"><a href="contact.html"
class="utility_option_link"><span>
Help</span></a></li>
```

```
</ul>
```

```
<ul class="utility_nav2">
```

```
    <li class="utility_option"><a href="account.html" class="utility_option_link"><span>  Your
Account</span></a></li>
```

```
    <li class="utility_option"><a href="basket.html" class="utility_option_link"><span>  Your Basket</span></a></li>
```

```
</ul>
```

```
</div>
```

```
</div><!--End of utility-->
```

```
<div id="wrapper">
```

```
<header>
```

```
<ul>
```

```
    <li id="h1"><a href="index.html"></a></li>
```

```
    <!--This will be our logo which will be a link to the home page-->
```

```
</ul>
```

```
</header> <!--End of header-->
```

```
<nav>
```

```
<ul>
```

```
    <li><a href="groceries.html">Groceries</a></li>
```

```
    <li><a href="clothing.html">Clothing</a></li>
```

```
    <li><a href="electronics.html">Electronics</a></li>
```

```
    <li><a href="pharmacy.html">Pharmacy</a></li>
```

```
    <li><a href="household.html">Home & Furniture</a></li>
```

```
    <li><a href="clubcard.html">Clubcard</a></li>
```


</nav><!--End of navigation-->

<div id="content" >

<h3>Checkout</h3>

<div id="confirm" style="background:#fff;">

<div>Order No:33659194</div>

<div><p>Your order has been confirmed. Thank you for shopping at
FCEPH</p></div>

</div>

<div id="checkout" style="float:right;" width=100>

<button>Continue Shopping</button>

</div>

</div><!--End of content-->

<footer>

<h4>FCEPH Help & FAQ</h4>

<ul id="sub">

Help Centre

Contact Us

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">©FCEHP 2017 All Rights
Reserved</div>

<div id="find">Follow us:


```

        <a href="https://twitter.com/"></a>

        <a href="https://youtube.com/"></a></div>

        <!--Youtube, Facebook, Twitter and other links-->

    </div> <!--End of wrapper-->

</body>
</html>

```

Asos-suppliers.html - AnisComp

```
<!doctype html>
```

```
<html>
```

```
  <head>
```

```
    <meta charset="utf-8">
```

```
    <title>ASOS Suppliers | FCEPH</title>
```

```
    <link href="css/style.css" rel="stylesheet" type="text/css" />
```

```
  <script> function Drop1() {
```

```
    document.getElementById("myDropdown").classList.toggle("show");
```

```
  }
```

```
  function Drop2() {
```

```
    document.getElementById("myDropdown2").classList.toggle("show");
```

```
  }
```

```
  function Drop3() {
```

```
    document.getElementById("myDropdown3").classList.toggle("show");
```

```
  }
```

```
  function Drop4() {
```

```
    document.getElementById("myDropdown4").classList.toggle("show");
```

```
  }
```

```
  function Drop5() {
```

```
    document.getElementById("myDropdown5").classList.toggle("show");
```

```
  }
```

```
  function Drop6() {
```

```
    document.getElementById("myDropdown6").classList.toggle("show");
```

```
  }
```

```
  function Drop7() {
```

```

        document.getElementById("myDropdown7").classList.toggle("show");
    }
    function Drop8() {
        document.getElementById("myDropdown8").classList.toggle("show");
    }

    // Close the dropdown menu if the user clicks outside of it
    window.onclick = function (event) {
        if (!event.target.matches('.dropbtn')) {

            var dropdowns = document.getElementsByClassName("dropdown-content");
            var i;
            for (i = 0; i < dropdowns.length; i++) {
                var openDropdown = dropdowns[i];
                if (openDropdown.classList.contains('show')) {
                    openDropdown.classList.remove('show');
                }
            }
        }
    }
}
</script>
<script>
    function add() {
        aBasket.append(document.getElementById("iimg").value,
document.getElementById("idesc").value,
            document.getElementById("iquant").value, document.getElementById("iprice").value);
    }
</script>
<script src="basket.js"></script>
</head>

<body>
    <div class="utility">
        <div class="utility_wrapper">
            <ul class="utility_nav1">

```

```

        <li class="utility_option"><a href="map.html" class="utility_option_link"><span> Store
Locator</span></a></li>

    </ul>

    <ul class="utility_nav2">
        <li class="utility_option"><div id="search1">
            <ul>
                <li><input id="to" type="text" name="to" placeholder="Search Products"></input></li>
                <li><div id="img1"><a href="#"></a></div></li>
            </ul>
        </div><!--End of search--></li>

        <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

        <li class="utility_option"><a href="basket.html" class="utility_option_link"><span> Your Basket</span></a></li>
    </ul>
</div>
</div>
<div id="wrapper">
    <header>
        <ul>
            <a href="index.html"></a>
        </ul>

    </header>

    <nav>
        <ul>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="groceries.html">Groceries</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>

```



```

        <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>
        <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
        <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="supplier.html">Suppliers</a></li>
    </ul>
</nav><!--End of navigation-->
<div id="subnav">

<ul>

    <li><div class="dropdown">
        <a onclick="Drop1()" class="dropbtn">Groceries</a>
        <div id="myDropdown" class="dropdown-content">
            <a href="ocado-supplier.html">Ocado</a>
        </div></div></li>
    <li><div class="dropdown">
        <a onclick="Drop2()" class="dropbtn">Clothing</a>
        <div id="myDropdown1" class="dropdown-content">
            <a href="asos-suppliers.html">ASOS</a>

                                </div></div></li>

    <li><div class="dropdown">
        <a onclick="Drop3()" class="dropbtn">Electronic</a>
        <div id="myDropdown3" class="dropdown-content">
            <a href="frozenfood.html">All Frozen Food</a>
                                <a href="fmeat.html">Frozen Meat &
Poultry</a>
                                <a href="ffish.html">Frozen Fish &
Seafood</a>
            <a href="ice.html">Ice Cream, Ice Lollies & Frozen Yoghurt</a>
            <a href="fdesserts.html">Frozen Desserts</a>
                                <a href="fpizza.html">Frozen
Pizza</a>
                                <a href="fchips.html">Frozen Chips &
Potatoes</a>

```

Puddings

Frozen

Frozen Pies

</div></div>

<div class="dropdown">

Pharmacy

<div id="myDropdown4" class="dropdown-content">

All Food Cupboard

Tins, Cans & Packets

Biscuits

Crisps, Snacks & Nuts

Chocolate

Sweets, Mints & Chewing Gum

Cereal

Cooking Ingredients

Spaghetti, Pasta, Rice & Noodles

Home Baking

Jams & Spreads

</div></div>

<div class="dropdown">

House & Furniture

<div id="myDropdown4" class="dropdown-content">

All Drinks

Fizzy Drinks

Juice &

Smoothies

Squash

Kids

Bottled Water

Sports &

Energy Drinks

Milkshake

Tea

Coffee

Wine

Beer & Cider

</div></div>

</div><!--End of subnavigation-->

<div id="content">

<div id="intro1">

<h2>Clothing</h2>

<p>FCEPH</p>

<ul class="breadcrumb">

Suppliers

Clothing

Asos

</div><!--End of intro-->

<div id="main">

<div id="filter" style="float:left">

<form>

<h3>Filter</h3>

<label>Sort By: </label>

<select name="searchdropdown">

<option value="1"> Price - Low to High</option>

<option value="2"> Price - High to Low</option>

<option value="3"> Product Name - A - Z</option>

<option value="4"> Product Name - Z - A</option>

<option value="5"> Top Seller</option>

</select>

</form>

<div id="filterb"><label>Department</label></div>

```

<ul>
  <a href="asos-suppliers.html"><li id="list">
    <h4>Jackets & Coats</h4>
  </li></a>
  <a href="asos-suppliers.html"><li id="list">
    <h4>Shoes, Boots & Trainers</h4>
  </li></a>
  <a href="asos-suppliers.html"><li id="list">
    <h4>Jeans</h4>
  </li></a>
  <a href="asos-suppliers.html"><li id="list">
    <h4>Shirts</h4>
  </li></a>
  <a href="asos-suppliers.html"><li id="list">
    <h4>Accessories</h4>
  </li></a>
</ul>
</div>
<div id="Product" >
  <ul class="gridView">
    <li class="gridItem">
      <a href="item.html" style="text-decoration:none" style="color:#000">
      <div id="productContent">
        <p id="idesc" style="color:#000">River Island Slim Jeans In Dark
Wash<br>£30.00</p>
        <h3 id="iprice"></h3></a>
        <input id="iquant" type="text" value="1" name="quantity"/>
        <button type="submit" onClick="add()">Add</button>
      </div>
    </li>
    <li class="gridItem">
      <a href="item.html" style="text-decoration:none" style="color:#000">

```

```

        <div id="productContent">
            <p style="color:#000">Religion Patched Denim in Super Skinny Fit With
Stretch<br>£60.00<br></p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
    <li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">Washed Bomber Jacket With Borg Collar in
Khahi<br>£55.00<br></p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
    <li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">F.C.E.P.H Parka Jacket <br> £55.00</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
    <li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">F.C.E.P.H Chelsea Boots<br> £35.00</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>

```

```

        <button type="submit">Add</button>
    </div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">D-Struct Brogue Boots<br>£17.50</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">adidas Originals Tubular Invader STR Trainers in Green
BB8391<br> £60.00</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">Military Canvas Backpack<br> £22.00</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
<li class="gridItem">

```

```

        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">Baseball Cap In Brown <br> £3.50</p>
            <h3></h3></a>
        <input type="text" value="1" name="quantity"/>
        <button type="submit">Add</button>
    </div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">Jack & Jones All Over Print Shirt<br> £28.00</p>
        <h3></h3></a>
    <input type="text" value="1" name="quantity"/>
    <button type="submit">Add</button>
</div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">Denim Pleated Skirt In Washed Black<br> £14.00</p>
        <h3></h3></a>
    <input type="text" value="1" name="quantity"/>
    <button type="submit">Add</button>
</div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">Ruffle Front Animal Print A Line Mini Skirt<br>£18.00</p>
        <h3></h3></a>
    <input type="text" value="1" name="quantity"/>

```

```

        <button type="submit">Add</button>
    </div>
</li>
</ul>
</div>

</div>
<div class="center1">
    <div class="pagination" >
        <a href="#">&laquo;</a>
        <a class="active1" href="#">1</a>
        <a href="#">&raquo;</a></div>
    </div>
</div><!--End of content-->
<footer>

<ul>
    <li>
        <h4>FCEPH Help & FAQ</h4>
        <ul id="sub">
            <li><a href="contact.html">Help Centre</a></li>
            <li><a href="contact.html#a">Contact Us</a></li>
        </ul>
    </li>
</ul>

</footer><!--End of footer-->

<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All
Rights Reserved</div>

<div id="find">Follow us: <a href="https://plus.google.com/"></a>

    <a href="https://facebook.com/"></a>

    <a href="https://twitter.com/"></a>

```



```

        <a href="https://youtube.com/"></a></div>

</div> <!--End of wrapper-->

</body>

</html>

```

ocado-supplier.html - AnisComp

```

<!doctype html>

<html>

<head>

<meta charset="utf-8">

<title>Ocado Suppliers | FCEPH</title>

<link href="css/style.css" rel="stylesheet" type="text/css" />


<script> function Drop1() {
    document.getElementById("myDropdown").classList.toggle("show");
}

function Drop2() {
    document.getElementById("myDropdown2").classList.toggle("show");
}

function Drop3() {
    document.getElementById("myDropdown3").classList.toggle("show");
}

function Drop4() {
    document.getElementById("myDropdown4").classList.toggle("show");
}

function Drop5() {
    document.getElementById("myDropdown5").classList.toggle("show");
}

function Drop6() {
    document.getElementById("myDropdown6").classList.toggle("show");
}

function Drop7() {
    document.getElementById("myDropdown7").classList.toggle("show");
}

function Drop8() {

```

```

        document.getElementById("myDropdown8").classList.toggle("show");
    }

    // Close the dropdown menu if the user clicks outside of it
    window.onclick = function (event) {
        if (!event.target.matches('.dropbtn')) {

            var dropdowns = document.getElementsByClassName("dropdown-content");
            var i;
            for (i = 0; i < dropdowns.length; i++) {
                var openDropdown = dropdowns[i];
                if (openDropdown.classList.contains('show')) {
                    openDropdown.classList.remove('show');
                }
            }
        }
    }
}
</script>
<script>
    function add() {
        aBasket.append(document.getElementById("iimg").value,
            document.getElementById("idesc").value,
                document.getElementById("iquant").value, document.getElementById("iprice").value);
    }
</script>
<script src="basket.js"></script>
</head>

<body>
    <div class="utility">
        <div class="utility_wrapper">
            <ul class="utility_nav1">
                <li class="utility_option"><a href="map.html" class="utility_option_link"><span> Store
Locator</span></a></li>
            </ul>

```

```

<ul class="utility_nav2">
  <li class="utility_option"><div id="search1">
    <ul>
      <li><input id="to" type="text" name="to" placeholder="Search Products"></input></li>
      <li><div id="img1"><a href="#"></a></div></li>
    </ul>
  </div><!--End of search--></li>

  <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

  <li class="utility_option"><a href="basket.html" class="utility_option_link"><span> Your Basket</span></a></li>
</ul>
</div>
</div>
<div id="wrapper">
  <header>
    <ul>
      <a href="index.html"></a>
    </ul>
  </header>

  <nav>
    <ul>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="groceries.html">Groceries</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>
      <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
      <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="supplier.html">Suppliers</a></li>

```

```

</ul>
</nav><!--End of navigation-->
<div id="subnav">

<ul>

<li><div class="dropdown">
  <a onclick="Drop1()" class="dropbtn">Groceries</a>
  <div id="myDropdown" class="dropdown-content">
    <a href="ocado-supplier.html">Ocado</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop2()" class="dropbtn">Clothing</a>
  <div id="myDropdown1" class="dropdown-content">
    <a href="asos-suppliers.html">ASOS</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop3()" class="dropbtn">Electronic</a>
  <div id="myDropdown3" class="dropdown-content">
    <a href="frozenfood.html">All Frozen Food</a>
    <a href="fmeat.html">Frozen Meat &
Poultry</a>
    <a href="ffish.html">Frozen Fish &
Seafood</a>
    <a href="ice.html">Ice Cream, Ice Lollies & Frozen Yoghurt</a>
    <a href="fdesserts.html">Frozen Desserts</a>
    <a href="fpizza.html">Frozen
Pizza</a>
    <a href="fchips.html">Frozen Chips &
Potatoes</a>
    <a href="fpudding.html">Frozen
Puddings</a>
    <a href="fpies.html">Frozen Pies</a>
  </div></div></li>
<li><div class="dropdown">
  <a onclick="Drop4()" class="dropbtn">Pharmacy</a>

```

```

<div id="myDropdown4" class="dropdown-content">
  <a href="foodcupboard.html">All Food Cupboard</a>
  <a href="tins.html">Tins, Cans & Packets</a>
  <a href="biscuits.html">Biscuits</a>
  <a href="crisps.html">Crisps, Snacks & Nuts</a>
  <a href="chocolate.html">Chocolate</a>
  <a href="sweets.html">Sweets, Mints & Chewing Gum</a>
  <a href="cereal.html">Cereal</a>
  <a href="cooking.html">Cooking Ingredients</a>
  <a href="pasta.html">Spaghetti, Pasta, Rice & Noodles</a>
  <a href="baking.html">Home Baking</a>
  <a href="jam.html">Jams & Spreads</a>
</div></div></li>

<li><div class="dropdown">
  <a onclick="Drop5()" class="dropbtn">House & Furniture</a>
  <div id="myDropdown4" class="dropdown-content">
    <a href="drinks.html">All Drinks</a>
    <a href="fizzy.html">Fizzy Drinks</a>
    <a href="juice.html">Juice &
Smoothies</a>
    <a href="squash.html">Squash</a>
    <a href="kdrink.html">Kids</a>
    <a href="water.html">Bottled Water</a>
    <a href="energy.html">Sports &
Energy Drinks</a>
    <a
href="milkshake.html">Milkshake</a>
    <a href="tea.html">Tea</a>
    <a href="coffee.html">Coffee</a>
    <a href="wine.html">Wine</a>
    <a href="beer.html">Beer & Cider</a>
  </div></div></li>

</ul>

```

</div><!--End of subnavigation-->

<div id="content">

<div id="intro1">

<h2>Foods and Groceries</h2>

<p>FCEPH</p>

<ul class="breadcrumb">

Suppliers

Ocado

</div><!--End of intro-->

<div id="main">

<div id="filter" style="float:left">

<form>

<h3>Filter</h3>

<label>Sort By: </label>

<select name="searchdropdown">

<option value="1"> Price - Low to High</option>

<option value="2"> Price - High to Low</option>

<option value="3"> Product Name - A - Z</option>

<option value="4"> Product Name - Z - A</option>

<option value="5"> Top Seller</option>

</select>

</form>

<div id="filterb"><label>Department</label></div>

<li id="list">

<h4>Apple</h4>

<li id="list">

<h4>Pear</h4>


```

<a href="ocado-supplier.html"><li id="list">
    <h4>Banana</h4>
</li></a>
<a href="ocado-supplier.html"><li id="list">
    <h4>Strawberry</h4>
</li></a>
<a href="ocado-supplier.html"><li id="list">
    <h4>Pineapple</h4>
</li></a>
</ul>
</div>
<div id="Product" >
    <ul class="gridView">
        <li class="gridItem">
            <a href="item.html" style="text-decoration:none" style="color:#000">
                <div id="productContent">
                    <p id="idesc" style="color:#000">Tropicana Morning Boost Apple & Pear Juice
750ml<br>£2.00</p>
                    <h3 id="iprice"></h3></a>
                    <input id="iquant" type="text" value="1" name="quantity"/>
                    <button type="submit" onClick="add()">Add</button>
                </div>
            </li>
            <li class="gridItem">
                <a href="item.html" style="text-decoration:none" style="color:#000">
                    <div id="productContent">
                        <p style="color:#000">Cracendale Semi Skimmed milk 2L<br>£1.90<br></p>
                        <h3></h3></a>
                        <input type="text" value="1" name="quantity"/>
                        <button type="submit">Add</button>
                    </div>
                </li>

```

```

<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">Bio-titful organic kefir 500ml<br>£2.95<br></p>
        <h3></h3></a>
    <input type="text" value="1" name="quantity"/>
    <button type="submit">Add</button>
    </div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">F.C.E.P.H Raspberries 150g <br> £2.40</p>
        <h3></h3></a>
    <input type="text" value="1" name="quantity"/>
    <button type="submit">Add</button>
    </div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">F.C.E.P.H Large King Prawns 150g <br> £3.32</p>
        <h3></h3></a>
    <input type="text" value="1" name="quantity"/>
    <button type="submit">Add</button>
    </div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
    <div id="productContent">
        <p style="color:#000">F.C.E.P.H Unwaxed Lemons 4 per pack</p>
        <h3></h3></a>

```



```

        <input type="text" value="1" name="quantity"/>
        <button type="submit">Add</button>
    </div>
</li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">Cook's ingredients Diced Pancetta 2 X 77g <br> £2.49</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">F.C.E.P.H Bananas 10 per pack <br> £1.65</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
<li class="gridItem">
    <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">Lurpak Slightly Salted Spreadable 500g <br> £3.25</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
<li class="gridItem">

```

```

        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">F.C.E.P.H Oragnic Carrot 650g<br> £1.00</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
    <li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">F.C.E.P.H Mini Chicken Breast Fillets 425g<br> £3.40</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
    <li class="gridItem">
        <a href="item.html" style="text-decoration:none" style="color:#000">
        <div id="productContent">
            <p style="color:#000">Fine Asparagus 110g<br>£2.50</p>
            <h3></h3></a>
            <input type="text" value="1" name="quantity"/>
            <button type="submit">Add</button>
        </div>
    </li>
</ul>
</div>

</div>
<div class="center1">
    <div class="pagination" >

```

```

        <a href="#">&laquo;</a>

        <a class="active1" href="#">1</a>

        <a href="#">&raquo;</a></div>

    </div>

</div><!--End of content-->

<footer>

    <ul>

        <li>

            <h4>FCEPH Help & FAQ</h4>

            <ul id="sub">

                <li><a href="contact.html">Help Centre</a></li>

                <li><a href="contact.html#a">Contact Us</a></li>

            </ul>

        </li>

    </ul>

    </footer><!--End of footer-->

    <div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All
    Rights Reserved</div>

    <div id="find">Follow us: <a href="https://plus.google.com/"></a>

        <a href="https://facebook.com/"></a>

        <a href="https://twitter.com/"></a>

        <a href="https://youtube.com/"></a></div>

    </div> <!--End of wrapper-->

</body>

</html>

```

supplier.html - AnisComp

```
<!doctype html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```

<title>Suppliers | FCEPH</title>
<link href="css/style.css" rel="stylesheet" type="text/css" />
<script> function Drop1() {
    document.getElementById("myDropdown").classList.toggle("show");
}

    function Drop2() {
        document.getElementById("myDropdown2").classList.toggle("show");
    }

    function Drop3() {
        document.getElementById("myDropdown3").classList.toggle("show");
    }

    function Drop4() {
        document.getElementById("myDropdown4").classList.toggle("show");
    }

    function Drop5() {
        document.getElementById("myDropdown5").classList.toggle("show");
    }

    function Drop6() {
        document.getElementById("myDropdown6").classList.toggle("show");
    }

    function Drop7() {
        document.getElementById("myDropdown7").classList.toggle("show");
    }

// Close the dropdown menu if the user clicks outside of it
window.onclick = function(event) {
    if (!event.target.matches('.dropbtn')) {

        var dropdowns = document.getElementsByClassName("dropdown-content");
        var i;
        for (i = 0; i < dropdowns.length; i++) {
            var openDropdown = dropdowns[i];
            if (openDropdown.classList.contains('show')) {
                openDropdown.classList.remove('show');
            }
        }
    }
}

```

```

    }
    }
  }</script>
</head>

<body>
  <div class="utility">
    <div class="utility_wrapper">
      <ul class="utility_nav1">
        <li class="utility_option"><a href="contact.html" class="utility_option_link"><span> Store
Locator</span></a></li>
      </ul>
      <ul class="utility_nav2">
        <li class="utility_option"><div id="search1">
          <ul>
            <li><input id="to" type="text" name="to" placeholder="Search Products"
onclick="myFunction()" onkeyup="filterFunction()"></input></li>
            <li><div id="img1"><a href="#"></a></div></li>
          </ul>
          <div id="dr" class="droo"><a
href="#">Apples</a>
          <a
href="#">Base</a>
          <a
href="#">Coleslaw</a>
          <a
href="#">Contact</a>
          <a
href="#">Custom</a>
          <a
href="#">Support</a>
          <a
href="#">Tools</a>
        </div>
      </li>
    </ul>
  </div><!--End of search--></li>

```

```

        <li class="utility_option"><a href="account.html" class="utility_option_link"><span> Your
Account</span></a></li>

        <li class="utility_option"><a href="basket.html" class="utility_option_link"><span> Your Basket</span></a></li>
    </ul>
</div>
</div>
<div id="wrapper">
    <header>
        <ul>
            <a href="index.html"></a>
        </ul>

    </header>

    <nav>
        <ul>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="groceries.html">Groceries</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="clothing.html">Clothing</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a
href="electronics.html">Electronics</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a
href="pharmacy.html">Pharmacy</a></li>
            <li style="margin-left: 10px margin-right: 10px;"><a href="household.html">Home &
Furniture</a></li>
            <li style="margin-left: 10px; margin-right: 10px;"><a href="clubcard.html">Clubcard</a></li>
            <li class="active" style="margin-left: 10px; margin-right: 10px;"><a
href="supplier.html">Suppliers</a></li>
        </ul>
    </nav><!--End of navigation-->
    <div id="subnav">

        <ul>

            <li><div class="dropdown">
                <a onclick="Drop1()" class="dropbtn">Groceries</a>

```

```

        <div id="myDropdown" class="dropdown-content">
            <a href="ocado-supplier.html">Ocado</a>
        </div></div></li>
    <li><div class="dropdown">
        <a onclick="Drop2()" class="dropbtn">Clothing</a>
        <div id="myDropdown2" class="dropdown-content">
            <a href="asos-suppliers.html">ASOS</a>
            </div></div></li>

    <li><div class="dropdown">
        <a onclick="Drop3()" class="dropbtn">Electronics</a>
        <div id="myDropdown3" class="dropdown-content">
            <a href="cookingd.html">All Cooking & Dining</a>
            <a href="hbaking.html">Baking</a>
            <a href="utensil.html">Kitchen
                Utensils</a>
            <a href="cutlery.html">Cutlery</a>
            <a href="glass.html">Glassware</a>
            <a href="pots.html">Pots & Pans</a>
            <a href="bins.html">Kitchen Bins</a>
            <a
                href="tableware.html">Tableware</a>
            </div></div></li>

    <li><div class="dropdown">
        <a onclick="Drop4()" class="dropbtn">Pharmacy</a>
        <div id="myDropdown4" class="dropdown-content">
            <a href="bathroom.html">All Bathroom</a>
            <a href="bathacc.html">Bathroom Accessories</a>
            <a href="bathwcab.html">Bathroom
                Wall Cabinets</a>
            <a href="bathscab.html">Bathroom
                Standing Cabinets</a>
            <a href="toilets.html">Toilet
                Seats</a>
            <a href="bathtowel.html">Bathroom
                Towels</a>
            <a href="bathmir.html">Bathroom
                Mirrors</a>

```

```

Bins & Baskets</a>
<a href="laundrybin.html">Laundry

<a
href="showercurtain.html">Shower Curtains & Shower Rails</a>

</div></div></li>

<li><div class="dropdown">
  <a onclick="Drop5()" class="dropbtn">Home & Furniture</a>
  <div id="myDropdown5" class="dropdown-content">
    <a href="homeacc.html">All Home Accessories</a>
    <a href="candles.html">Candles & Home Fragrance</a>
    <a href="light.html">Lighting</a>
    <a href="mirror.html">Mirrors</a>
    <a href="wall.html">Wall Art</a>
    <a href="photo.html">Photo Frames</a>
    <a href="store.html">Storage</a>
    <a href="vase.html">Vases &
Bowls</a>
    <a href="clock.html">Clocks</a>
    <a href="orna.html">Ornaments</a>
    <a href="artificial.html">Artificial Flowers & PLants</a>
  </div></div></li>

</ul>

</div><!--End of subnavigation-->

<div id="content">

  <div id="intro1">

    <h2>Suppliers</h2>

    <p>As a Rental shop which function on selling Foods (Groceries), Electronics, Clothing, Pharmacy and House & Furniture. What we need to be able run this shop sucessfully are the product to go with each categories and that can only be achieved by combining a deal with mutal companies or organization to supply you the products need. They can also be refired as the Suppliers.</p>

    <p>This are some of the suppliers: </p>

```



```

<ul class="breadcrumb">
  <li><a href="supplier.html">Suppliers</a></li>
</ul>
<div id="main">
  <div class="responsive" style="float:left" style="margin-top:-10px">
    <div class="img">
      <a target="_blank" href="ocado-supplier.html">
        
      </a>
      <div class="desc">For fresh Food and Groceries</div>
    </div>
  </div>
  <div class="responsive" style="float:right">
    <div class="img">
      <a target="_blank" href="asos-suppliers.html">
        
      </a>
      <div class="desc">For all the designer clothes!</div>
    </div>
  </div>
  <div class="responsive" style="float:right">
    <div class="img">
      <a target="_blank" href="#">
        
      </a>
      <div class="desc">Add a description of the image here</div>
    </div>
  </div>
  <div class="responsive" style="float:right">
    <div class="img">
      <a target="_blank" href="#">
        
      </a>
      <div class="desc">Add a description of the image here</div>
    </div>
  </div>

```

```

    </div>
</div>
<div class="responsive" style="float:right">
    <div class="img">
        <a target="_blank" href="#">
            
        </a>
        <div class="desc">Add a description of the image here</div>
    </div>
</div>
</div>
</div><!--End of content-->
<footer>

<ul>
<li>
    <h4>FCEPH Help & FAQ</h4>
    <ul id="sub">
        <li><a href="contact.html">Help Centre</a></li>
        <li><a href="map.html">Store Locator</a></li>
        <li><a href="contact.html#a">Contact Us</a></li>
    </ul>
</li>
</ul>

</footer><!--End of footer-->
<div id="copy" style="padding-top:15px; float:left; padding-left:15px">&copy;FCEHP 2017 All Rights
Reserved</div>

    <div id="find">Follow us: <a href="https://plus.google.com/"></a>

    <a href="https://facebook.com/"></a>

    <a href="https://twitter.com/"></a>

    <a href="https://youtube.com/"></a></div>

```

```
</div> <!--End of wrapper-->  
</body>  
</html>
```