Flip - Floplar


FFF G 1 Bit saklanger -JK FF -SR FF -SR FF -T FF


D -> Milsolen kenner

D Filip Filopiu


Bile (SET)


(t)






TFF [Taggle (tersine fevir ne)]






A suck - - - - -





Ana Ugdo FI



Tutocolur

$$S_{\text{girls}} = S_{\text{girls}} = S_{\text$$


$$Q(E) = 0$$
 $1/2$
 $SR = 00$ $Q(EH) = E = 0$ $1/2$
 $SR = 10$ $1/1 = 0$
 $SR = 11$ $1/1 = 0 = Q(E)$

$$O(e)=1$$
 ise
 $SR=00$ $O(e+1)=tenims=2$
 $SR=01$ $U=0$
 $SR=10$ $U=1$
 $SR=11$ $U=O(e)=1$

Ardisil devre analiz gomenlent once analiz incelene OFF (Durum suklama bir intent) ve devre Giristarina alt boole fonks gonlan devreye bakanat gozulir.

(2) PF(dur. s. b.) gefis fonk, kullenbak bir sonnakidurum fonzsiyonu elde ediliyor.

(3) Daran Fisloss dustarelar



$$D_{0} = x_{1} = x_{2} = x_{3} (\overline{0_{1} \theta_{2}})$$

$$D_{1} = x_{1} = x_{2} = x_{3} (\overline{0_{1} \theta_{2}})$$

$$Z = \overline{0_{1} \theta_{0}}$$

OT- DIGHT

					الم الم الم الم حر الم حر الم	:'1)
Simplesel [Jun t	N FF 3	5 isla-i	×- 0	(×= 1+	Silvs 1
90	Φ. Ο	9 50	5-1 _D	\$ 0,0 0,0	1 1	5, bs 2
91	0	1 10	1 1		4 1	1 1
42	1	0 10	1 1	10	11	1
93	1 1	100	10	00	10	0

	7	1	
3	√= □	メニー	2-1
90	95	93	1
41	42	97	1
dz	23	42	1
92	10	221	0

