Data Communication and Computer Network BLM3051



Dr. Öğr. Üyesi Furkan ÇAKMAK

Lecture Information

- Course Hours: Tuesday 09:00 11:50
- All courses will be face 2 face.
- For announcements: https://avesis.yildiz.edu.tr/fcakmak/dokumanlar
 - OBS Course/Bulk Messaging System
 - Google Classroom Class Code: b5ggwqk
 - You can ask your questions via Google Classroom
 - Zoom Personal Room:
 - https://us04web.zoom.us/j/3752287039?pwd=TTFKNittZWJTUEhHREovckl0VTVYUT09
 - Meeting ID: 375 228 7039
 - Passcode: 5AXMNd
- For your questions and consultations about the course, make an appointment AT LEAST 1
 (ONE) DAY BEFORE via the link below.
 - https://fcakmak.simplybook.it/v2/
 - No appointment will be made by e-mail.
 - Please be at the above mentioned Zoom room at the appointment time.

Lecture Information Form - Weekly Subjects

Hafta	Tarih	Konular
1	20.02.2024	Introduction to Data Communication Standards Used on Data Communication, Architectural models
2	27.02.2024	OSI Reference Model , Layers and Their Functions, Signaling and Signal Encoding
3	05.03.2024	Parallel and Serial Transmission, Communication Media and Their Technical Specs., Multiplexing (TDM, FDM)
4	12.03.2024	Error Detection and Error Correction Techniques, Data Link Control Techniques, Flow Control
5	19.03.2024	Asynchronous and Synchronous Data Link Protocols (BSC, HDLC)
6	26.03.2024	LAN Technologies Continued, IEEE 802.4, 802.5, 802.11
7	02.04.2024	Connectionless and Connection Oriented Services, Switching
8	09.04.2024	Tatil - Ramazan Bayramı Arifesi
9	16.04.2024	1. Ara Sınav
10	23.04.2024	Tatil - 23 Nisan Ulusal Egemenlik ve Çocuk Bayramı
11	30.04.2024	Static and Dynamic Routing, Congestion in the Network Layer, Its Causes and Solutions
12	07.05.2024	IP (Internetworking Protocol), ICMP, BOOTP, DHCP
13	14.05.2024	2. Ara Sınav 1911
14	21.05.2024	UDP (User Datagram Protocol), TCP (Transmisson Control Protocol)

Lecture Information Form- Coursebook

BLM3051 Data Communication and Computer Network - 1

Coursebooks 1 Introduction to Data Communications & Networking, Behrouz Foruzan 2 Computer Networks 2e, Andrew S. Tanenbaum 3 Data Networks:Concepts, Theory and Practice, Uyless D.Black 4 Routing & Switching: Time of convergence, Puzmanova

1911

Lecture Information Form- Evaluation


	Method VIK UN; #	Impact (%)
	Midterms 2	40
	Quizs -	-
Evaluation	Homeworks -	-
Evaluation System	Projects 1	20
Jaysteili	Semester Project -	-
	Laboratory -	-
	Other -	-
	Final Exam 1	40

What is Communication?

- Sharing information/data
- Telecommunication (Tele -> far *Greek)
- Communication Aim: Trafic data
- Telephone, Television, vb.
 - Ses, video, resim
- Computer
 - Medium/Media -> 0/1
- Protocol Stack: Software and Hardware

What is Communication? - Con't

- Humanity History: 200k
- Sumerians: B.C 4000
- «Verba volant, scripta manent»
- Copper Cable
 - Telegraph: 1837-1838
 - Telephone: 1876













Essentials of Data Communication

- Message
- Sender
- Receiver
- Medium
- Protocol










Data Communication



Data Comm. Features

- Delivery
- Accuracy
- Timeliness



Dr. Öğr. Üyesi Furkan ÇAKMAK


Pros of Computer Network


- Resource Sharing
- Info/Data Sharing
- Load Sharing / Balancing
- Reliability
- Econmony
- Efficient communication between in different places











Evaluation Criteria for Computer Networks


- Performance
 - Transmit time
 - Response time
- QoS
 - Circuit-switched (Synchronous) → Bit rate, Min Error Rate, Transmission Rate
 - Packet-switched (Asynchronous) → Maximum Packet Size, Mean Packet Transfer Rate, Mean Packet Error Rate, Jitter, Mean Packet Transmit Delay
- Reliability/Availability
 - MTBF Mean Time Between Failure
 - Restoring Time
 - 5-9 → 99,999%
- Security
- Scaleable
- Adaptable
 - Software, Hardware

Network Standards

- De Jure
 - ISO (International Organization for Standardization)
 - ITU (The International Telegraph and Telephone Consultative Committee)
 - IEEE (The Institute of Electrical and Electronics Engineers)
 - ETSI (The European Telecommunications Standards Institute)
 - EIA (Energy Information Administration)
 - TIA (Telecommunications Industry Association)
 - ANSI (American National Standards Institute)
 - TSE (Türk Standartları Enstitüsü)
 - IETF (Internet Engineering Task Force)
- De Facto
 - QWERTY keyboards
 - VHS video format
 - PDF document type
 - Buttons on men's shirts are on the right, buttons on women's shirts are on the left.

Computer Network (CN)

- ARPANET (1970s)
- Classification of CN
 - Technique of Tranmission
 - Broadcast
 - Peer to peer P2P
 - Network Dimension
 - PAN-Personal Area Network (< 10m)
 - LAN-Local Area Network (< 100m-200m)
 - CAN-Campus Area Network (< 1-5km)
 - MAN-Metropolitan Area Network (< 10-50km)
 - RAN-Regional Area Network (< 100-200km)
 - WAN- Wide Area Network (< 1000km)
 - Bit Rate




Topology

- Bus
- Star
- Tree
- Ring
- Mesh
- Hybrid




Bus Topology

BLM3051
Data
Communication
and Computer
Network - 1



Dr. Öğr. Üyesi Furkan ÇAKMAK

Star Topology



Tree Topology



Ring Topology


BLM3051
Data
Communication
and Computer
Network - 1



Dr. Öğr. Üyesi Furkan ÇAKMAK


Mesh Topology

BLM3051
Data
Communication
and Computer
Network - 1



Dr. Öğr. Üyesi Furkan ÇAKMAK

Hybrid Topology



Transmission Model

- Simplex
 - Mouse
 - Bar Code Reader
- Half-Duplex
 - Radio
- Duplex
 - LAN



Addressing Model

- Broadcast
 - TV
- Multicast
 - Stream Video
- Anycast
 - DNS
- Unicast
 - Letter



Data Flow Density, Bit Rate, Throughput

- Symmetric
- Asymmetric
- bps (bit-ps), Bps (Byte-ps)
 - Kilo (k), Mega (M), Giga (G), Tera (T), Peta (P), Exa (E), Zetta (Z) ve Yotta (Y)
- Throughput
- Response time
- Jitter

BLM3051 Data Communication and Computer Network - 1


OSI Reference Model

- ISO 1984
- De Jure
- Features
 - Open
 - Flexible
 - Robust
 - Interoperable
 - Easy to explain
 - Easy to understand
- 7-layers
- Never applied / Ideal Model

N.7	Application Layer		
6	Presentation Layer		
5	Session Layer		
4	Transport Layer		
3	Network Layer		
2	Data Link Layer		
1	Physical Layer		

OSI Reference Model - Con't

BLM3051 Data Communication and Computer Network - 1



Dr. Öğr. Üyesi Furkan ÇAKMAK

- Each layers add a header package.
- Only second layer (Data link) add a trailer end of the package.
 - Error control
- Encapsulation

Katman 7 Katman 6				115	H6	Data7	
Katman 5 Katman 4			H4	H5	Data	Data6	
Katman 3		Н3	111	I	Data4		
Katman 2	H2	Data3 19 T2			T2		
Katman 1		010001110100					



OSI - Physical Layer

BLM3051
Data
Communication
and Computer
Network - 1

- Responsible for trasmitting bit arrays between peers.
- General functions of the Physical Layer;
 - Electromechanic
 - Direction of the package
 - Determining magnitudes of signals
 - Amplitude, Wavelength, Frequency
 - Initiation and termination of the physical connection.

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer

1911

OSI - Data Link Layer

- Extract/divide frames from the messages.
- Send frames to receiver side in an order.
- Using acknowledgment (ACK) info;
 - · In case of an error,
 - In case of not receive the package,
 - Re-transmission
- Add header and trailer data to frames.
 - To determine the starting and ending points of the frame.
- Header includes;
 - Sender address,
 - Receiver address,
 - Order info
- Trailer includes;
 - A code (to check errors)

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer

OSI - Data Link Layer - Con't

- General functions of the Data Link Layer;
 - Node to node error free delivery
 - Addressing (in header part)
 - MAC Address
 - Access Control
 - Flow Control
 - Error Handling
 - Synchronization
- In Local Area Network (LAN)
 - DLL divides into 2 different layers;
 - LLC (Logical Link Control)
 - MAC (Media Access Control)
- Communication at the data link layer is in the same network.

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer

OSI - Network Layer

- Network layer is responsible for;
 - Efficiently and accurately forwarding the packet
 - From source to destination over different network links.
- Communication at the network layer is in the different network
 - Router (3rd level devices)
- Switching
 - Connection oriented
 - like telephone infrastructure system
- Routing
 - Determining the path between sender and receiver
 - Connectionless
 - Delivering packages
 - In DLL, data transfer occurs between nodes

OSI - Network Layer - Con't

- Address must be different from DLL's addresses.
 - Logical Address
- Data transfer occurs between the source and the destination.
- General functions of the Network Layer;
 - Source to Destination packet delivery
 - Logical addressing
 - Routing
 - Address transformation
 - Between logical and physical addresses
 - Multiplexing
 - Multiple physical connections on a single newtwork connection at the same time

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer

OSI - Transport Layer

- Responsible for the transmission of data
 - from source to destination
- Network layer responsible for delivering data
- Transport layer responsible for delivering packages
 - data = package[]
- Data transmission is between applications, not computers.
- An additional addressing mechanism is required
 - to distinguish the applications from each other.
 - Service Access Point SAP
 - Ports, Sockets
- Transport layer divides the incoming information into pieces (<u>segment</u>) in sizes supported by the infrastructure.
 - Segmentation
 - Sequence number
 - Re-assembly

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer

OSI - Transport Layer - Con't

- There are two types of services.
 - Connectionless
 - Like post services
 - Connection oriented
 - Like phone services
 - Establish connection
 - Data transmission
 - Terminate connection
 - More control over the data to be transferred
- General functions of the Transport Layer;
 - Data transmission between source and destionation nodes
 - To provide data flow between applications with the help of service points
 - Segmentation & Re-assembling
 - Ensuring connection control
 - Connectionless | Connection oriented

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer
1	Physical Layer

OSI - Session Layer

- This layer is responsible for ensuring continuity.
 - Synchronization
- Choosing connection type
 - Half-duplex
 - Duplex
- Session data transfering
 - Password
 - Logon verification
- Sessions can be split into sub-sessions to ensure the reliability of the connection
- Sub-sessions are provided with checkpoint information.

7	Application Layer
6	Presentation Layer
5	Session Layer
4	Transport Layer
3	Network Layer
2	Data Link Layer
1	Physical Layer

OSI - Session Layer - Con't

BLM3051
Data
Communication
and Computer
Network - 1

- General functions of the Session Layer;
 - Managing the session
 - Communication control
 - if it is half-duplex
 - Ensuring synchronization
 - Gracefull close

7	Application Layer		
6	Presentation Layer		
5	Session Layer		
4	Transport Layer		
3	Network Layer		
2	Data Link Layer		
1	Physical Layer		

1911

OSI - Presentation Layer

BLM3051 Data Communication and Computer Network - 1

- General functions of the Presentation Layer;
 - Provides interoperability by eliminating possible differences in information representation between devices during data communication
 - Abstract data syntax
 - Encryption & Decryption
 - Compression & Decompression

7	Application Layer	
6	Presentation Layer	
5	Session Layer	
4	Transport Layer	
3	Network Layer	
2	Data Link Layer	
1	Physical Layer	

1911

OSI - Application Layer

- User Interfaces
 - Electronical mail (e-mail)
 - File transfering
 - Remote desktop control
 - Internet explorer
 - vb.



7	Application Layer	
6	Presentation Layer	
5	Session Layer	
4	Transport Layer	
3	Network Layer	
2	Data Link Layer	
1	Physical Layer	

Other Network Models

OSI Modeli	TCP/IP Modeli	DNA
Uygulama Katmanı		Ağ Uygulama
Sunu Katmanı	Uygulama Katmanı	Son Kullanıcı
Oturum Katmanı		Oturum
Taşıma Katmanı	Taşıma Katmanı	Ağ Servisleri
Ağ Katmanı	Internet Katmanı	Taşıma Katmanı
Veri Bağı Katmanı	Ağ Erişim Katmanı	Veri Bağı Katmanı
Fiziksel Katman		Fiziksel Katmanı

Thank you for your listening.

