## **Organisation Queries**

```
1. How many organisations in total?
Query - SELECT COUNT(id)
        AS NumberofOrganisations
        From Organisations
 Result - <100>
QRT - 125ms
2. How many organisations do not have offer_requests?
Query - SELECT organisation_id
        From offer_requests
        Except all
        SELECT organisation_id
        FROM offers
 Result - <>
QRT - 881ms
3. How many organisations have offer_requests?
Query - SELECT count(Distinct offer_request_id)
        AS Organisationwithoffers
        From offers
        GROUP BY organisation_id
 Result - < 2367>
        < 2457>
QRT - 1.929s
4. How many organisations have no offers?
Query - SELECT COUNT(*) AS All_items
               COUNT(offer_request_id) AS offer_id
               COUNT(*) - COUNT(offer_request_id) AS null_offer_request_id_items
        From offers
 Result - < All_items
                      offer_id>
```

```
QRT – 145ms
5. Which organisation has maximum offers and how many offers?
 Query - SELECT (organisation_id, COUNT(offer_request_id))
        From offers
        GROUP BY organisation_id
        ORDER BY COUNT(offer_request_id) desc 1
 Result - < org_0000000000NRI0DFxInc8 COUNT>
                                         32 >
QRT - 36ms
6. Which organisation has minimum offers and how many offers?
Query - SELECT (organisation_id, COUNT(offer_request_id))
        From offers
        GROUP BY organisation_id
        ORDER BY COUNT(offer_request_id) asc
 Result - < org_0000000000NRI0DFxInc8 COUNT>
                                         32 >
QRT - 36ms
7. Which organisation has maximum orders and how many orders?
Query - SELECT (organisation_id, COUNT(selected_offer))
        From orders
        GROUP BY organisation_id
        ORDER BY COUNT(selected_offer) desc
 Result - < org_0000000000NRIODFxInc8 COUNT>
        <
                                         32 >
QRT - 36ms
```

< 260404 260404>

8. Which organisation has minimum orders and how many orders?

```
From orders
        GROUP BY organisation_id
        ORDER BY COUNT(selected_offer) asc
 Result - < org_0000000000WRI0DFx1ncG COUNT>
                                          1 >
 QRT - 35ms
9. Which organisation has the maximum total amount of offers and what is the amount?
Query - SELECT organisation_id, COUNT(selected_offer_request_id)) AS number of offer
        From offers
        GROUP BY organisation_id
        ORDER BY COUNT(selected_offer) desc limit 1
 Result - < organisation_id numberofoffer>
        < org_0000000000WR10DExInc6 10915 >
  QRT - 170ms
10. Which organisation has the maximum total amount of orders and what is the amount?
Query – SELECT organisation_id, COUNT(selected_offer)) AS order accepted,
        SUM(total_amount) AS total_sum
        From orders
        GROUP BY organisation_id
        ORDER BY COUNT(selected_offer) desc limit 1
 Result - <
                 organisation_id
                                         order accepted
                                                             total_sum>
        < org_0000000000WR10DFx1nc8
                                               32
                                                              123713>
  QRT - 205ms
```

Query - SELECT (organisation\_id, COUNT(selected\_offer))