



Graded Quiz: Data Wrangling

Graded Quiz • 10 min

Due Sep 6, 12:29 PM IST

Graded Quiz: Data Wrangling

TOTAL POINTS 5

1. What task do the following lines of code perform?

1 point

```
1 avg=df['bore'].mean(axis=0)
2 df['bore'].replace(np.nan, avg, inplace= True)
3
```

- ☒ calculate the mean value for the 'bore' column and replace all the NaN values of that column by the mean value
- ☐ nothing; because the parameter **inplace** is not set to true
- ☐ 'horsepower'

2. Consider the dataframe df; convert the column df["city-mpg"] to df["city-L/100km"] by dividing 235 by each element in the column 'city-mpg'.

1 point

- ☒

```
1 df['city-L/100km'] = 235/df["city-mpg"]
2
```
- ☐

```
1 df['city-L/100km'] = df["city-mpg"].div(235)
2
```



Graded Quiz: Data Wrangling

Graded Quiz • 10 min

Due Sep 6, 12:29 PM IST

3. How would you cast the column **"losses"** to an integer?

1 point



```
1 df[["losses"]]=df[["losses"]].astype("int")  
2
```



```
1 df[["losses"]].astype("int")  
2
```

4. The following code is an example of:

1 point

```
1 df['length'] = df['length']/df['length'].max()  
2
```



simple feature scaling



min-max scaling



z-score



Graded Quiz: Data Wrangling

Graded Quiz • 10 min

Due Sep 6, 12:29 PM IST

5. Consider the two columns 'horsepower', and 'horsepower-binned'; from the dataframe **df**; how many categories are there in the 'horsepower-binned' column?

1 point

	horsepower	horsepower-binned
0	111.0	Medium
1	111.0	Medium
2	154.0	Medium
3	102.0	Medium
4	115.0	Medium
5	110.0	Medium
6	110.0	Medium
7	110.0	Medium
8	140.0	Medium
9	101.0	Low
10	101.0	Low
11	121.0	Medium
12	121.0	Medium
13	121.0	Medium
14	182.0	High
15	182.0	High



Graded Quiz: Data Wrangling

Graded Quiz • 10 min

Due Sep 6, 12:29 PM IST

3	102.0	Medium
4	115.0	Medium
5	110.0	Medium
6	110.0	Medium
7	110.0	Medium
8	140.0	Medium
9	101.0	Low
10	101.0	Low
11	121.0	Medium
12	121.0	Medium
13	121.0	Medium
14	182.0	High
15	182.0	High
16	182.0	High
17	48.0	Low
18	70.0	Low
19	70.0	Low

3