- 21 When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1, ..., x_r)$, where r is the number of predictors, which of the following statements will be true?
 - a) $\beta_0, \beta_1, ..., \beta_r$ are the **regression coefficients**.
 - b) Linear regression is about determining the **best predicted weights** by using the **method of ordinary least squares**.
 - **C)** E is the random interval
 - d) Both and b

Ans: c) E is the random interval

22)

What indicates that you have a **perfect fit** in linear regression?

- a) The value $R^2 < 1$, which corresponds to SSR = 0
- b) The value $R^2 = 0$, which corresponds to SSR = 1
- c) The value $R^2 > 0$, which corresponds to SSR = 1
- d) The value $R^2 = 1$, which corresponds to SSR = 0

Ans: d) The value
$$R^2 = 1$$
, which corresponds to $SSR = 0$

23)


In simple linear regression, the value of **what** shows the point where the estimated regression line crosses the *y* axis?

- a) Y
- b) B0
- c) B1
- d) F

Ans: a) Y

24)

Check out these four linear regression plots:



Which one represents an **underfitted** model?

- a) The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

25)

There are five basic steps when you're implementing linear regression:

- a. Check the results of model fitting to know whether the model is satisfactory.
- **b.** Provide data to work with, and eventually do appropriate transformations.
- **c.** Apply the model for predictions.
- **d.** Import the packages and classes that you need.
- **e.** Create a regression model and fit it with existing data.

However, those steps are currently listed in the wrong order. What's the correct order?

a)	e, c, a, b, d
,	e, d, b, a, c
	d, e, c, b, a d, b, e, a, c
u)	u, o, e, a, c
Ans:	b) e, d, b, a, c
26) W	high of the following are entioned normatous to Lincoup composion in earlist learn?
	hich of the following are optional parameters to LinearRegression in scikit-learn?
a) b)	Fit _intercept
c)	normalize
d)	copy_X
e) f)	n_jobs reshape
,	
	Ans: b) fit_intercept
	nile working with scikit-learn, in which type of regression do you need to transform the array of to include nonlinear terms such as x^2 ?
a)Mult	iple linear regression
b) Sim	ple linear regression
c) Poly	nomial regression
Ans:	c) Polynominal regression
28) Yo	ou should choose statsmodels over scikit-learn when:
A)You	want graphical representations of your data.
b) You	're working with nonlinear terms.
c) You	need more detailed results.
	need to include optional parameters.
Ans:	c) You need more detailed results
compre	is a fundamental package for scientific computing with Python. It offers chensive mathematical functions, random number generators, linear algebra routines, Fourier rms, and more. It provides a high-level syntax that makes it accessible and productive.
a) Pano	das
b) Nun	npy
c) State	smodel
d) scip Ans: b	y O Numpy
	is a Python data visualization library based on Matplotlib. It provides a high-level ce for drawing attractive and informative statistical graphics that allow you to explore and

understand your data. It integrates closely with pandas data structures.

- a) Bokeh
- b) Seaborn
- c) Matplotlib
- d) Dash

Ans: c) Matplotlib