

Listly User Manual

Entropic Labs Listly v1.3

Aidan Low, Li Xiaotian, Kenji Tan

1 Setting Up

This section will go through how to set-up your Entropic Labs listly (v1.3) account.

1.1 What you need

A computer running Windows, macOS or Linux, with Python 3.10 or newer installed. If you do not have it, get it from python.org - on Windows, tick "Add Python to PATH" on the first screen of the installer. You do not need to install anything else. listly has no app to download, and users only need a web browser.

1.2 Starting listly

Unzip the listly folder somewhere you can find it, then:

Windows	Double-click *start.bat*
macOS and Linux	Open a terminal in the listly folder and run:
	chmod +x start.sh
	./start.sh

chmod +x start.sh is only needed the first time, after that just *./start.sh* is needed. The start script does everything for you: it finds Python, installs the three libraries listly needs, runs first-time setup if this is a fresh copy, starts the server, and opens your browser. If Python is missing, it tells you where to get it and stops, rather than failing with an error.

1.3 Setup questions

The first time you run it, listly asks four questions. Press Enter to accept the default shown in brackets.

1. Your company or team name.

This appears at the top of the app.

2. The manager account.

A username, then a password typed twice. This is the account you will log in with, and it can create everyone else's accounts later. The password must be at least 8 characters. It is NOT saved anywhere - listly stores only a one-way hash of it, so write it down somewhere safe.

3. Where to store finished checklists.

Answer no to keep everything on this computer, which needs no setup and works completely. Answer yes if you have a Supabase project ready (see 1.4).

4. Which port to use.

5000 should be used; change it only if something else on your computer already uses it.

Your answers are written to config.txt, which you can edit in any text editor afterwards. To change your password later, run the setup again:

Windows	*python tools_run.py*
macOS and Linux	*python3 tools/first_run.py*

1.4 Connecting Supabase

Supabase lets several computers share the same data. Without it, listly keeps everything in database files on one computer, but every feature still works.

To connect it:

1. In Supabase, open SQL Editor, paste the whole of *supabase_schema.sql* from the listly folder, and run it. This creates the five database tables listly needs. The terminal should say "Success. No rows returned.".

2. In Project Settings, API, copy the Project URL and the service_role key. Use the service_role key, and not the anon key, as that will cause an error for security reasons.

3. Put both into *config.txt* as SUPABASE_URL and SUPABASE_KEY respectively, then restart lastly for it to work.

1.5 Opening listly

The start script opens your browser at:

http://localhost:5000

The terminal window that opened stays open while listly runs. Closing it, or pressing Ctrl+C in it, stops listly.

1.6 Using listly from a phone

Guards use listly on their phones, in the normal browser. There is nothing to install.

Both devices must be on the same Wi-Fi. Find your computer's address on the network:

Windows	*ipconfig* (look for IPv4 Address)
macOS	*ipconfig getifaddr en0*
Linux	*hostname -I*

Then open http://<that address>:5000 on the phone, for example http://100.100.1.1:5000


The first time listly starts, Windows asks whether to allow Python through the firewall. Say yes and tick "Private", or the phone will not be able to connect. On the phone, use your browser's "Add to Home screen" option to make listly open full-screen like an ordinary app.

2 Logging In


Enter the username and password from setup, and press "Log in".

listly signs everyone out whenever the server restarts, so you log in once each time you start it. Anything saved on a device - finished checklists waiting to upload, saved checklists, part-finished answers - survives that and is never lost.

Accounts that have signed in on a device before appear as buttons above the form, so signing back in is one tap and a password.



The first time you use listly on a device, a notice explains that it stores data in your browser. This is what makes it work without internet, and it can be dismissed.




3 Manager and Guard Accounts

listly has two kinds of account.

Guards can do checklists, create checklists for their own use, and change their own settings.

Managers can do all of that, plus: create and deactivate accounts, change what other people are allowed to do, reset passwords, publish checklists to the whole company, set the company logo, and read every submission.


Managers see a "Manage" button on the home screen and guards do not.




4 Doing a Checklist

Press "Do a checklist" on the home screen. listly then takes you through four steps, showing one or two things at a time, with a progress indicator and a Back button on every screen.


Step 1 - Choose a checklist There are four ways to open one: scan a QR code, paste a code someone sent you, pick one your company has published, or pick one you saved earlier.




Step 2 - Answer the items Tap Yes or No, or type the number or text an item asks for. Answers save as you go, so closing the app by accident loses nothing. listly will not let you continue until every item has an answer, and marks in red any you have missed. Text items are optional.



Step 3 - Anything to add? An optional note, for anything unusual. You can leave it empty.



Step 4 - Check and submit Your answers are listed for a final look. If any item is marked No, listly says so here, because a manager will see it.




Afterwards, listly confirms what happened and offers to do the same checklist again, do a different one, or go home. If you had no connection, it says so plainly and explains that the checklist will upload by itself later.

Any checklist you submit from a pasted code is saved to your account automatically, so you do not have to paste it again next time.

5 Answer Types


Each item can ask for one of four kinds of answer: Yes/No, whole numbers, decimals, and text. This can be set by the manager.



6 Manager Functions


6.1 Manage tab

In the “Manage” tab, managers can add a person, see people in their company, and read submissions others have submitted to them.




6.2 Company logo

In Settings, managers see a "Company logo" card. Upload an SVG file or paste SVG text, and that logo appears in the middle of every QR code the company creates. There is one logo for the whole company and every device shows the same one. Uploaded files are cleaned before saving, so a logo cannot carry anything that runs code.



6.3 Company checklists

Publishing happens at the end of "Create a checklist", using "Give it to everyone". To remove one later, open "Do a checklist > Company checklists" and press "Unpublish". Guards see the same list but cannot change it.



7 Settings

Available to everyone.

Appearance


Four themes: System, Light, Dark and Novus. System follows whatever your phone or computer is set to. The choice is saved to your account.

Account

Change your password. This needs a connection, because the password lives on the server.

This device

How many finished checklists are waiting to upload, how many checklists you have saved, how many accounts this device remembers, how much storage is used, which method is used to check your password offline, and the version of listly. There are also buttons to sync now, log out, and remove your account from this device.



8 Working Offline


With no connection you can still open a checklist, answer it, add a note and submit it. Finished checklists are held on the device and uploaded automatically the moment a connection returns.

9 Offline Saving Mechanism

listly saves submissions offline and syncs it when the device goes back online.

10 QR Codes

Every checklist can be shown as a QR code containing the checklist itself, not a web link, so it works with no internet and no server.



11 Security

Password are never stored.

listly keeps a PBKDF2-HMAC-SHA256 hash, calculated over 100,000 rounds with a different random salt for every person. Identical password therefore produce different

hashes, and guessing one is slow. The same calculation runs on the device, which is how logging in works with no connection. Five wrong attempts lock that username for a minute.

Submissions cannot be faked

The name attached to a submission comes from your login, not from anything typed into a form, so nobody can submit work under someone else's name.

The database is closed

Only the listly server can read or write it; the key that browsers could see has no access at all.

However, there are limits. A checklist code is compressed but not signed, so a determined person could edit one. And a phone's owner can always alter what is stored on their own phone before it uploads. No app can prevent that, so listly aims to make tampering detectable rather than impossible.

12 Possible errors

The start script says Python is missing

Install it from python.org, and on Windows tick "Add Python to PATH" during installation.

"Address already in use"

listly is already running in another window, or something else is using port 5000. Close the other window, or change PORT in config.txt.

The phone cannot reach the computer

Check both are on the same Wi-Fi, and that you allowed Python through the firewall. Some school and public networks stop devices talking to each other; using a phone hotspot and connecting the computer to it avoids that.

Login says the password is wrong when it is not

If you are using Supabase, check you used the service_role key and that you ran supabase_schema.sql. With the wrong key listly cannot see the accounts table at all, which looks identical to a wrong password.

Everything looks like an older version

Hard-refresh the page with Ctrl+Shift+R.

You forgot the manager password

Run the setup script again to set a new one.