## **ISPyB Dewar Tracking**

## **LABEL INSTRUCTIONS**

Please print the following three labels and use as follows:

- 1) Dewar Label: affix this label to your dewar which ensures it can be identified at all times at the ESRF
- **2) Outward bound Address label:** To be attached to the outside of your transport container for shipment to the ESRF
- **3) Return bound address label:** The return address for your shipment (Please include this in your shipment, e.g. put it behind the outward bound address or in the transport container)

## 1) DEWAR LABEL: affix this to your DEWAR

·····	
Parcel label	
Shipment name	
Number of parcels	
-	
Proposal number	
Laboratory name	
Laboratory Hame	
Local contact	

ΓΟ :	ESRF Magasin 71 Avenue des Martyrs 38000 Grenoble	Frozen samples in Dry-Shippe for experiments at ESRF
	FRANCE	Not restricted,
	Tel: +33 (0)4 76 88 2733	As per IATA special provision A
	+33 (0)4 76 88 7352 Fax: +33 (0)4 76 88 2347	•
	Parcel label	FRAGILE
	Shipment name	
L	Number of parcels	THIS WAY UP
	Proposal number	
	Beamline	
	Experiment date	
L	Local contact	
	FROM: (Lab-contact sending)	HANDLE WITH CARE DO NOT DROP

TO: (Lab-contact fo	or return)	Frozen samples in Dry-Shipper for experiments at ESRF
Tel:	Fax :	
		Not restricted, As per IATA special provision A1
Parcel label		FRAGILE
Shipment nan		THIS WAY UP
Proposal num	ber	
Courier comp		
Courier accou		
Customs valu	e (€)	HANDLE WITH CARE
Transport val	ue (€)	DO NOT DROP
	FROM:	
ESRF Magasi 71 Avenue de 38000 Grenob FRANCE	s Martyrs +33 (0)4 76 88 735	2



## **CHECK LISTE SPECIALE DRY SHIPPER**

INFORMATIONS GENERALES						
Raison sociale						
Rue						
Code Postal						
Ville						
Pays FRANCE						
•						
Téléphone						
Fax						
E-mail	@					
INFORMATIONS	SPECIFIQUES					
Quelle est la mar	que / référence du dry shipper					
Quelles sont ses	dimensions	cm x cr	m x cm			
Quelle est sa con	tenance maximale	Litres				
Quelle est la duré	e maximale de restitution de froid	Heures				
Le dry shipper vio	e pèse	kg				
Le dry shipper plein pèse kg						
Le temps de repos entre 2 remplissages a été respecté selon les			Oui 🗌	Non 🗌		
instructions du fo	ırnisseur		- C - C - C - C - C - C - C - C - C - C			
Le test de renversement a été validé au moins à 2 reprises (vérification que le trop plein d'azote liquide est retiré)						
Rappel: Un dry s	nipper contient un matériau poreux qui a	absorbe l'azote lic	quide			
Le dry chipper ne contient augune marchandice dengarques (ex.						
matières infectieuses)  Oui  Non			INOII			
S'il contient des matières infectieuses, il porte le marquage						
d'homologation s						
L'emballage porte 2 étiquettes de sens de chargement		Oui 📙	Non			
Le dry shipper est correctement rempli et utilisé selon les instructions			Oui 🗌	Non 🗍		
du fournisseur				- Ш		
Je possède les connaissances techniques nécessaires à la préparation			Oui 🗌	Non 🗍		
pour renvoi de ce dry snipper — — —						
Commentaires						
VALIDATION - Je	e soussigné(e),					
Nom	Prénom					
Certifie que les informations listées ci-dessus sont correctes.						
Date						
Signature						

RISQUES : risque de brûlures par le froid

PRECAUTIONS A PRENDRE : rincer la brûlure à l'eau tiède pendant 15 minutes et recouvrir d'un pansement stérile.

IATA 2005-10 11/08/2005 1/1