
Exercise #4 Group GOLF:

Anish Girija Sivarajan, Md. Shohel Ahamad, Slobodan Kocevski, Veselin Stefanov 01.02.2017

Exercise 1: Text to BPMN:

Answer:



Exercise 2: BPMN to BPEL

Answer:

```
cess>
<!-- Partner Links Section: services -->
<partnerLinks>
      <partnerLink name="sayHelloLang"/>
</partnerLinks>
<sequence>
 <!--Receive the initial request -->
 <receive partnerLink="sayHelloLang"
      portType="com:LanguageSelection"
      operation="SelectLanguage"
      variable="LanguageeRequest"
      createInstance="yes" />
 <sequence>
  <!-- Select which Language database to use -->
  <switch>
   <case condition="English">
   <invoke name="Request English database"/>
   </case>
   <case condition="French">
   <invoke name="Request French database"/>
   </case>
   <case condition="Spanish">
   <invoke name="Request Spanish database"/>
   </case>
  </switch>
  <sequence>
    <invoke name="Receive database result"/>
    <sequence>
     <invoke name="Process"/>
     <!-- Send a response to the client -->
     <reply partnerLink="client"
         portType="com:LanguageSelection"
         operation="SelectLanguage"
         variable="LanguageSelectionResponse"/>
    </sequence>
  </sequence>
 </sequence>
</sequence>
```

```
1 v <process>
       <!-- Partner Links Section: services -->
   3 ▼ <partnerLinks>
           <partnerLink name="sayHelloLang"/>
       </partnerLinks>
   6 V <sequence>
         <receive partnerLink="sayHelloLang"</pre>
                   portType="com:LanguageSelection"
                   operation="SelectLanguage"
                   variable="LanguageeRequest"
                   createInstance="yes" />
           <switch>
            <case condition="English">
              <invoke name="Request English database"/>
             </case>
            <case condition="French">
              <invoke name="Request French database"/>
             </case>
            <case condition="Spanish">
              <invoke name="Request Spanish database"/>
             </case>
            </switch>
            <sequence>
              <invoke name="Receive database result"/>
              <sequence>
                <invoke name="Process"/>
                <reply partnerLink="client"</pre>
                       portType="com:LanguageSelection"
                       operation="SelectLanguage"
                       variable="LanguageSelectionResponse"/>
              </sequence>
            </sequence>
          </sequence>
Line 40, Column 1 - 40 Lines
```