```
import 'package: flutter/material.dart';
       void main() {
         runApp(MyApp());
class MyApp extends Stateless Widget {
  @override
  Widget build (Build Context context) {
    return MaterialApp(
                     home: SignInPage(),)}}
class SignInPage extends Stateful Widget {
  @override
  _SignInPageState create State() => _SignInPageState();
class SignInPageState extends State<SignInPage> {
 String email = '';
 String password = '';
  @override
 Widget build(Build Context context) {
   return Scaffold(
                     appBar: AppBar(
                       title: Text('الدخول تسجيل'),
     body: Padding(
                       padding: EdgeInsets.all(16.0),
       child: Column(
                         mainAxisAlignment:
MainAxisAlignment.center,
         children: <Widget>[
           Text Field(
                             on Changed: (value) {
                set State(() {
                 email = value;
                });
decoration: Input Decoration(label Text: 'الإلكتروني البريد',),
           Text Field(on Changed: (value) {
                set State(() {
                 password = value;
                });},
              obscure Text: true,
       decoration: Input Decoration(label Text: 'المرور كلمة') ),
           Sized Box(height: 20),
           Elevated Button (on Pressed:
              print('المرور كلمة ' $password')},
             child: Text('اللَّهُ وَل تَسْجَيْل'),
  ),
         ],
 }
```