

WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For al0ysi0us.github.io/cookie-stand | Verdict : Semi-compliant

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **al0ysi0us.github.io/cookie-stand** as of February 8, 2021, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.



Website: al0ysi0us.github.io/cookie-stand | **Verdict :** Semi-compliant | **Date:** February 8, 2021

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI**, **design**, **and readability** adjustments (for the visually impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
2	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	-	Fail	0%
	Code snapshots of some failed elements				
	• <h2></h2>				
3	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
	Code snapshots of some successful elements				
	 <h1>Welcome to the Home of Pat's Surprising</h1> 	lly delicious Sa	almon Cookies<	/h1>	
4	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	8	0	100%
5	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	No	0	0	-



Website: al0ysi0us.github.io/cookie-stand | **Verdict :** Semi-compliant | **Date:** February 8, 2021

6	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	No	0	0	-
7	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "arialabel" attribute should be used for that description. Code snapshots of some successful elements	Yes	4	0	100%
	Click here to visit our stor	e!			
	Click here to view Sales of the sales of the	data by the hou	r		
	 Email our Team! 	e9a989482979	e8395908882	b182909d9c9	e9f
	<a href="http://www.fallingfalling.com/" target="]</p></th><th>_blank">Order	Salmon Swa	g Today!		
8	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	-	Fail	0%
	Code snapshots of some failed elements				
	<a href="http://www.fallingfalling.com/" target="</p></th><th>_blank">Order	Salmon Swa	g Today!		
9	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
10	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	7	1	88%



Website: al0ysi0us.github.io/cookie-stand | **Verdict :** Semi-compliant | **Date:** February 8, 2021

Code snapshots of some successful elements

-
-
-
-
-
-
-

Code snapshots of some failed elements

11	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
12	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	No	0	0	-
13	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-



Website: al0ysi0us.github.io/cookie-stand | **Verdict :** Semi-compliant | **Date:** February 8, 2021

14	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
15	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	0	45	0%

Code snapshots of some failed elements

- <h1>Welcome to the Home of Pat's Surprisingly delicious Salmon Cookies</h1>
- Click here to visit our store!
- Click here to view Sales data by the hour
- <h3>Pat's Salmon Cookies</h3>
- Welcome to the digital home of the one and only salmon infused cookie. Here at Pat's
 were just downright shocked that we don't have more competition in this market. We have
 grown!!We just opened up a new location in Lima, were thinking about addin...
- Email our Team!
- <h3>Seattle</h3>
- The home of our flagship store! Just a hop skip and a jump dow the street from the world famous Pike Place Street Market.
- Come on in...Were open everyday 6a-7p
- 206 Colonizer Street Seattle Wa 98118

16	Font sizes should be at least 11px in size in	Yes	Pass	-	100%
	order to stay readable in the majority of font families. This should be verified also when using				
	dynamic units such as REM or percents.				



 $\textbf{Website:} \ al 0 y si 0 us. github. io/cookie-stand \mid \textbf{Verdict:} \ Semi-compliant \mid \textbf{Date:} \\ February 8, 2021$

Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	No	0	0	-
The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
Code snapshots of some successful elements				
 <title>Pat's Salmon Cookies</title> 				
The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
Code snapshots of some successful elements				
content="RyLA3SAbJi1Ha77AhAxrgx5s92SjlCL name="acsbClient" content="false"> <meta cont<="" td=""/> <td>.PkZt7p3Urka ent="https://al</td> <td>l0ysi0us.github.i</td> <td></td> <td></td>	.PkZt7p3Urka ent="https://al	l0ysi0us.github.i		
Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "arialabel" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other	Yes	Pass	-	100%
	order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Code snapshots of some successful elements • <title>Pat's Salmon Cookies</title> The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><head><meta content="false" name="acsbToleontent=" ryla3sabji1ha77ahaxrgx5s92sjiclename="acsbClient"/><meta acsbacebase"="" content="https://amame="/><meta acsbacebase"="" content="https://amame="/><meta< td=""><td>order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Code snapshots of some successful elements • <title>Pat's Salmon Cookies</title> The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><head><meta acsbclient"="" content="false" name="acsbToken"/><meta acsbacebase"="" content="https://acsbace.com/aname="/><meta con<="" td=""/><td>order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Code snapshots of some successful elements • <title>Pat's Salmon Cookies</title> The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><head><meta content="RyLA3SAbJitHa77AhAxrgx5s92SjICLPkZt7p3UrkaWZ6Bq2V6" name="acsbToken"/><r content="false" name="acsbClient"><meta acsbclient"="" content="false"/><meta acsbacebase"="" content="https://al0ysi0us.github.iname="/><meta (also="" <title="" and="" appears="" browser="" code="" content="" current="" describe="" elements="" engine="" exist="" for="" head="" higher}="" in="" maximum-scale="{2" name="" of="" or="" pages)="" result="" screen-reader="" search="" section="" should="" snapshots="" some="" strings.="" successful="" tab="" tag="" that="" the="" title="" users.="" webpage="" yes"="" •=""/>Pat's Salmon Cookies The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><hhere i<="" impairs="" td=""></hhere></html></r></head></html></td></head></html></td></meta<></head></html>	order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Code snapshots of some successful elements • <title>Pat's Salmon Cookies</title> The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><head><meta acsbclient"="" content="false" name="acsbToken"/><meta acsbacebase"="" content="https://acsbace.com/aname="/><meta con<="" td=""/><td>order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Code snapshots of some successful elements • <title>Pat's Salmon Cookies</title> The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><head><meta content="RyLA3SAbJitHa77AhAxrgx5s92SjICLPkZt7p3UrkaWZ6Bq2V6" name="acsbToken"/><r content="false" name="acsbClient"><meta acsbclient"="" content="false"/><meta acsbacebase"="" content="https://al0ysi0us.github.iname="/><meta (also="" <title="" and="" appears="" browser="" code="" content="" current="" describe="" elements="" engine="" exist="" for="" head="" higher}="" in="" maximum-scale="{2" name="" of="" or="" pages)="" result="" screen-reader="" search="" section="" should="" snapshots="" some="" strings.="" successful="" tab="" tag="" that="" the="" title="" users.="" webpage="" yes"="" •=""/>Pat's Salmon Cookies The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><hhere i<="" impairs="" td=""></hhere></html></r></head></html></td></head></html>	order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Code snapshots of some successful elements • <title>Pat's Salmon Cookies</title> The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><head><meta content="RyLA3SAbJitHa77AhAxrgx5s92SjICLPkZt7p3UrkaWZ6Bq2V6" name="acsbToken"/><r content="false" name="acsbClient"><meta acsbclient"="" content="false"/><meta acsbacebase"="" content="https://al0ysi0us.github.iname="/><meta (also="" <title="" and="" appears="" browser="" code="" content="" current="" describe="" elements="" engine="" exist="" for="" head="" higher}="" in="" maximum-scale="{2" name="" of="" or="" pages)="" result="" screen-reader="" search="" section="" should="" snapshots="" some="" strings.="" successful="" tab="" tag="" that="" the="" title="" users.="" webpage="" yes"="" •=""/>Pat's Salmon Cookies The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Code snapshots of some successful elements • <html lang="en"><hhere i<="" impairs="" td=""></hhere></html></r></head></html>	



Website: al0ysi0us.github.io/cookie-stand | **Verdict :** Semi-compliant | **Date:** February 8, 2021

Code snapshots of some successful elements

<main id="container"><section><article><h3>Pat's Salmon Cookies</h3> Welcome to the digital home of the one and only salmon infused cookie. Here at Pat's were ju...

22	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
23	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
24	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
25	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
26	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	-	Fail	0%
27	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
28	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	-



Website: al0ysi0us.github.io/cookie-stand | **Verdict :** Semi-compliant | **Date:** February 8, 2021

29	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
30	Required form fields should include an "aria- required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
31	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
32	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
33	aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
34	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
35	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
36	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
37	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-



 $\textbf{Website:} \ al 0 y si 0 us. github. io/cookie-stand \mid \textbf{Verdict:} \ Semi-compliant \mid \textbf{Date:} \\ February 8, 2021$

38	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
39	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
40	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
41	Visually deleted texts (often used to show a previous price of a sale) should include an "arialabel" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
42	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
43	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
44	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
45	Making use of an accessibility interface helps to ensure that visually impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
46	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-



 $\textbf{Website:} \ al 0 y si 0 us. github. io/cookie-stand \mid \textbf{Verdict:} \ Semi-compliant \mid \textbf{Date:} \\ February 8, 2021$

47	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
48	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
49	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-