

Exercise sheet 4 – OS architecture

Goals:

- Boot procedure and steps
- systemd usage
- User vs. kernel space

Exercise 4.1: Recap boot procedure (theoretical)

- Describe the difference (advantages/disadvantages) between BIOS and UEFI
- What are the advantages of GPT over MBR?
- Is the BIOS compatible with the GPT?

Exercise 4.2: systemd (theoretical)

- What is `systemd` doing?
- What is a default target?
- Can `systemd` start the kernel?
- What is a `systemd <daemon>.service` file?
- Where are the `systemd` config files located on the system?

Exercise 4.3: systemd (practical)

- Run `OS_exercises/sheet_04_os_arch/systemd/installDaemon.sh` to install the daemon `demo_timer_daemon`. Every second, this daemon writes the current time into its log (`/var/log/demo_timer.log`) file.
- Start the daemon.
- Check if the daemon is started. You can additionally check the log file with `tail -f /var/log/demo_timer.log`
- Stop the daemon.
- Activate the daemon for the `multi-user.target`.
- Reboot the VM and check if the daemon is automatically started.
- Deactivate the daemon for the `multi-user.target`.

Exercise 4.4: User vs. kernel space (theoretical)

- Can a process running with root privileges directly access the kernel space?
- How many processes has the kernel space?
- Can a user space process access the memory of another process?
- Can a user space process communicate with a device?
- How can a user space process print something on a console (please consider the different spaces)?
- How is a SVC identified?