data structure theoretical approach

Author One^{1,†}, Author Two¹, Author Three², Author Four^{2,3} and Author Five^{4,*}

- ¹Author one affiliation
- ²Author two affiliation
- ³Author three affiliation
- ⁴Author four affiliation
- [†]These authors contributed equally to this work.

*Corresponding author: Please insert the affiliation correspondence address and email for the corresponding author. The corresponding author should be marked with the relevant number in the author list, as shown in the example.

Abstract

- 2 Run with accordance with significance. The first if these this paper explains about the basic terminologies used in this paper in data structure.
- Better running times will be other constraints, such as memory use which will be paramount. The most appropriate data structures and
- 4 algorithms rather than through hacking removing a few statements by some clever coding. Data structures serve as the basis for abstract data
- 5 types (ADT). "The ADT defines the logical form of the data type. The data structure implements the physical form of the data type." Different
- 6 types of data structures are suited to different kinds of applications, and some are highly specialized to specific tasks. For example, relational
- 7 databases commonly use B-tree indexes for data retrieval, while compiler implementations usually use hash tables to look up identifiers.
- 8 Keywords: Keyword; Keyword2; Keyword3
- This *Genetics* journal template is provided to help you write your work in the correct journal format. Instructions for
- use are provided below. Note that by default line numbers are
- present to aid reviewers and editors in reading and comment-
- 5 ing on your manuscript. To remove line numbers, remove the
- 6 lineno option from the \documentclass declaration.

Guide to using this template in Overleaf

- 8 This template is provided to help you prepare your article for
- 9 submission to GENETICS.

Author affiliations

- For the authors' names, indicate different affiliations with the
- symbols: *, †, ‡, §. After four authors, the symbols double, triple,
- quadruple, and so forth as required.

14 Your abstract

17

18

19

20

21

22 23

24 25

- In addition to the guidelines provided in the example abstract above, your abstract should:
 - provide a synopsis of the entire article;
 - begin with the broad context of the study, followed by specific background for the study;
 - describe the purpose, methods and procedures, core findings and results, and conclusions of the study;
 - emphasize new or important aspects of the research;
 - engage the broad readership of GENETICS and be understandable to a diverse audience (avoid using jargon);
 - be a single paragraph of less than 250 words;

- contain the full name of the organism studied;
- NOT contain citations or abbreviations.

Introduction

Data structures serve as the basis for abstract data types (ADT). "The ADT defines the logical form of the data type. The data structure implements the physical form of the data type."Different types of data structures are suited to different kinds of applications, and some are highly specialized to specific tasks. For example, relational databases commonly use Btree indexes for data retrieval, while compiler implementations usually use hash tables to look up identifiers. Data structures provide a means to manage large amounts of data efficiently for uses such as large databases and internet indexing services. Usually, efficient data structures are key to designing efficient algorithms. Some formal design methods and programming languages emphasize data structures, rather than algorithms, as the key organizing factor in software design. Data structures can be used to organize the storage and retrieval of information stored in both main memory and secondary memory. Data structures are generally based on the ability of a computer to fetch and store data at any place in its memory, specified by a pointer—a bit string, representing a memory address, that can be itself stored in memory and manipulated by the program. Thus, the array and record data structures are based on computing the addresses of data items with arithmetic operations, while the linked data structures are based on storing addresses of data items within the structure itself. Many data structures use both principles, sometimes combined in non-trivial ways (as in XOR linking).[citation needed] The implementation of a

data structure usually requires writing a set of procedures that create and manipulate instances of that structure. The efficiency of a data structure cannot be analyzed separately from those operations. This observation motivates the theoretical concept of an abstract data type, a data structure that is defined indirectly by the operations that may be performed on it, and the mathematical properties of those operations (including their space and time cost).[citation needed]An array is a number of elements in a specific order, typically all of the same type (depending on the language, individual elements may either all be forced to be the same type, or may be of almost any type). Elements are accessed using an integer index to specify which element is required. Typical implementations allocate contiguous memory words for the elements of arrays (but this is not necessity). Arrays may be fixed-length or resizable. A linked list (also just called list) is 15 a linear collection of data elements of any type, called nodes, where each node has itself a value, and points to the next node in the linked list. The principal advantage of a linked list over an array, is that values can always be efficiently inserted and removed without relocating the rest of the list. Certain other operations, 20 such as random access to a certain element, are however slower 21 on lists than on arrays.

Materials and methods

Manuscripts submitted to GENETICS should contain a clear description of the experimental design in sufficient detail so that the experimental analysis could be repeated by another scientist. If the level of detail necessary to explain the protocol goes beyond two paragraphs, give a short description in the main body of the paper and prepare a detailed description for supporting information. For example, details would include indicating how many individuals were used, and if applicable how individuals or groups were combined for analysis. If working with mutants indicate how many independent mutants were isolated. If working with populations indicate how samples were collected and whether they were random with respect to the target population.

6 Statistical analysis

Indicate what statistical analysis has been performed; not just 37 the name of the software and options selected, but the method 38 and model applied. In the case of many genes being examined 39 simultaneously, or many phenotypes, a multiple comparison correction should be used to control the type I error rate, or a rationale for not applying a correction must be provided. The 42 type of correction applied should be clearly stated. It should 43 also be clear whether the p-values reported are raw, or after 44 correction. Corrected p-values are often appropriate, but raw p-values should be available in the supporting materials so that others may perform their own corrections. In large scale data exploration studies (e.g. genome wide expression studies) a clear and complete description of the replication structure must be provided.

Results and discussion

The results and discussion should not be repetitive and give a factual presentation of the data with all tables and figures referenced. The discussion should not summarize the results but provide an interpretation of the results, and should clearly delineate between the findings of the particular study and the possible impact of those findings in a larger context. Authors are encouraged to cite recent work relevant to their interpretations.

Present and discuss results only once, not in both the Results and Discussion sections. It is acceptable to combine results and discussion in order to be succinct.

Additional guidelines

Numbers

In the text, write out numbers nine or less except as part of a date, a fraction or decimal, a percentage, or a unit of measurement. Use Arabic numbers for those larger than nine, except as the first word of a sentence; however, try to avoid starting a sentence with such a number.

Units

67

70

71

73

74

75

77

81

83

84

85

89

91

97

100

101

102

103

104

105

Use abbreviations of the customary units of measurement only when they are preceded by a number: "3 min" but "several minutes". Write "percent" as one word, except when used with a number: "several percent" but "75%." To indicate temperature in centigrade, use $^{\circ}$ (for example, 37 $^{\circ}$); include a letter after the degree symbol only when some other scale is intended (for example, 45 $^{\circ}$ K).

Nomenclature and italicization

Italicize names of organisms even when when the species is not indicated. Italicize the first three letters of the names of restriction enzyme cleavage sites, as in HindIII. Write the names of strains in roman except when incorporating specific genotypic designations. Italicize genotype names and symbols, including all components of alleles, but not when the name of a gene is the same as the name of an enzyme. Do not use "+" to indicate wild type. Carefully distinguish between genotype (italicized) and phenotype (not italicized) in both the writing and the symbolism.

Cross references

Use the \nameref command with the \label command to insert cross-references to section headings. For example, a \label has been defined in the section Materials and methods.

In-text citations

Add citations using the \citep{} command, for example (Neher and Hallatschek 2013) or for multiple citations, (Neher and Hallatschek 2013; Rödelsperger *et al.* 2014; Falush *et al.* 2016)

Examples of article components

The sections below show examples of different header levels, which you can use in the primary sections of the manuscript (Results, Discussion, etc.) to organize your content.

First level section header

Use this level to group two or more closely related headings in a long article.

Second level section header

Second level section text.

Third level section header: Third level section text. These headings may be numbered, but only when the numbers must be cited in the text.

53

55

56

57

Figures and tables

- Figures and Tables should be labelled and referenced in the standard way using the \label{} and \ref{} commands.
- 4 Sample figure
- 5 Figure 1 shows an example figure.

6 Sample table

13

21

22

23

27

28

29

31

32

33

34

35

Table 1 shows an example table. Avoid shading, color type, line drawings, graphics, or other illustrations within tables. Use tables for data only; present drawings, graphics, and illustrations as separate figures. Histograms should not be used to present data that can be captured easily in text or small tables, as they take up much more space.

Tables numbers are given in Arabic numerals. Tables should not be numbered 1A, 1B, etc., but if necessary, interior parts of the table can be labeled A, B, etc. for easy reference in the text.

16 Sample equation

Let $X_1, X_2, ..., X_n$ be a sequence of independent and identically distributed random variables with $E[X_i] = \mu$ and $Var[X_i] = \sigma^2 < \infty$, and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_{i=1}^{n} X_i$$
 (1)

denote their mean. Then as n approaches infinity, the random variables $\sqrt{n}(S_n-\mu)$ converge in distribution to a normal $\mathcal{N}(0,\sigma^2)$.

20 Data availability

The inclusion of a Data Availability Statement is a requirement for articles published in GENETICS. Data Availability Statements provide a standardized format for readers to understand the availability of data underlying the research results described in the article. The statement may refer to original data generated in the course of the study or to third-party data analyzed in the article. The statement should describe and provide means of access, where possible, by linking to the data or providing the required unique identifier.

For example: Strains and plasmids are available upon request. File S1 contains detailed descriptions of all supplemental files. File S2 contains SNP ID numbers and locations. File S3 contains genotypes for each individual. Sequence data are available at GenBank and the accession numbers are listed in File S3. Gene expression data are available at GEO with the accession number: GDS1234. Code used to generate the simulated data can be found at https://figshare.org/record/123456.

Acknowledgments

39 Acknowledgments should be included here.

40 Funding

Funding, including Funder Names and Grant numbers should be included here.

Conflicts of interest

Please either state that you have no conflicts of interest, or list relevant information here. This would cover any situations that might raise any questions of bias in your work and in your article's conclusions, implications, or opinions. Please see https://academic.oup.com/journals/pages/authors/authors_faqs/conflicts of interest.

Literature cited

Falush D, van Dorp L, Lawson D. 2016. A tutorial on how (not) to over-interpret STRUCTURE/ADMIXTURE bar plots. bioRxiv. http://www.biorxiv.org/content/early/2016/07/28/066431.

Neher RA, Hallatschek O. 2013. Genealogies of rapidly adapting populations. Proc Natl Acad Sci. 110:437–442.

Rödelsperger C, Neher RA, Weller AM, Eberhardt G, Witte H, Mayer WE, Dieterich C, Sommer RJ. 2014. Characterization of genetic diversity in the nematode pristionchus pacificus from population-scale resequencing data. Genetics. 196:1153–1165.




Figure 1 Example figure from 10.1534/genetics.114.173807. Please include your figures in the manuscript for the review process. You can upload figures to Overleaf via the Project menu. Images of photographs or paintings can be provided as raster images. Common examples of raster images are .tif/.tiff, .raw, .gif, and .bmp file types. The resolution of raster files is measured by the number of dots or pixels in a given area, referred to as "dpi" or "ppi."

- minimum resolution required for printed images or pictures: 350dpi
- minimum resolution for printed line art: 600dpi (complex or finely drawn line art should be 1200dpi)
- minimum resolution for electronic images (i.e., for onscreen viewing): 72dpi

Images of maps, charts, graphs, and diagrams are best rendered digitally as geometric forms called vector graphics. Common file types are .eps, .ai, and .pdf. Vector images use mathematical relationships between points and the lines connecting them to describe an image. These file types do not use pixels; therefore resolution does not apply to vector images. Label multiple figure parts with A, B, etc. in bolded. Legends should start with a brief title and should be a self-contained description of the content of the figure that provides enough detail to fully understand the data presented. All conventional symbols used to indicate figure data points are available for typesetting; unconventional symbols should not be used. Italicize all mathematical variables (both in the figure legend and figure) , genotypes, and additional symbols that are normally italicized.

Table 1 Sample table

Algorithm	best case ^a	expected
Selection Sort	o(n2)	o(n2)
Merge Sort	o(nlogn)	o(nlogn)
Linear search	o(1)	o(n)

^a This is an example of a footnote in a table. Lowercase, superscript italic letters (a, b, c, etc.) are used by default. You can also use *, **, and *** to indicate conventional levels of statistical significance, explained below the table.