

K-12 Door Security Dataset

Data Codebook, v2025

U.S. K-12 active shooter events and door interactions, 2000-2025

Advanced Law Enforcement Rapid Response Training (ALERRT) Center
Texas State University

The 2000-2025 data collection was funded by the Security Industry Association (SIA).

Overview

This codebook documents version v2025 of the ALERRT Center's K-12 Door Security Dataset. It covers 54 U.S. K-12 active shooter events from 2001 through 2025, their 55 perpetrators, and the 66 doors the perpetrators interacted with in 22 of those events. Events and doors were coded from official records, after-action reports, agency and school contact, and corroborated media. The 2000-2025 data collection was funded by the Security Industry Association (SIA) and first reported in ALERRT's *The Role of Locked Doors and Access Control in School-Based Active Shooter Events* (2026). Later versions will add new years.

File	One row per	Rows
`k12_door_security_events_v2025`	attack	54
`k12_door_security_doors_v2025`	door a perpetrator interacted with	66

The two files link on `case_number`. Each is provided as `.csv`, with missing values blank. Perpetrator-level and victim-location summaries can be built from the events file: the `perp_*_1` and `perp_*_2` columns hold up to two perpetrators per event, and the location columns (`classroom_killed`, `classroom_wound`, and so on) sum to every victim.

Conventions

- **Unknown vs missing.** `unknown` means coders could not determine the value from the available sources. A blank (`NA`) means the field does not apply, such as `door_entry_route` for a door the perpetrator did not pass through, or lockdown procedures where no lockdown occurred.
- **Text values.** Category values are lowercase. Proper nouns and acronyms keep their standard form: school names, school level codes (ES, MS, HS), race and ethnicity, perpetrator sex (M / F), months and weekdays, and firearm makes, models, and calibers.
- **Events file vs doors file.** Each variable lives in one file only; the files share no column except `case_number`. Event-level fields (school, timing, victims, perpetrators, firearms, response) are in the events file, and all door information is in the doors file, one door per row, identified by `case_number` and `door_index`. To analyze doors by an event characteristic such as `school_level_group`, join the events file on `case_number`. The doors file carries the lock and status as coded, plus `door_lock_group` and `door_status_group`, the groupings the 2026 report used.
- **Victims by location.** The `*_wound` / `*_killed` location columns sum to 324 of the 324 victims. Victims whose location could not be determined, including one wounded at Edmund Burke and two at Perry High, are counted in `unknown_wound` and `unknown_killed`.
- **Lockdown timing.** 41 events had a lockdown. Of those, 6 (14.6%) are coded `yes` for `lockdown_after` and 13 (31.7%) are `yes` or `likely yes`, matching the report.

Events file: `k12_door_security_events_v2025`

One row per attack, 69 variables. The dictionary documents repeating fields once per row; the trailing number is the perpetrator (`perp_age_1`, `perp_age_2`) or firearm (`firearm_type_1` to `firearm_type_4`) number.

Identifiers and school

Variable	Type	Missing	Values / Range	Description
`case_number`	numeric	0	1 to 54	Incident identifier (1-54). Primary key; links the events and doors files.

(continued)

Variable	Type	Missing	Values / Range	Description
school_name	text	0	Abundant Life Christian School; Antigo High School; Apalachee High School; Arapahoe High School; Aztec High School; Berrendo Middle School; Campbell County Comprehensive High School; Central Visual and Performing Arts High School; ...	Name of the school where the attack occurred.
school_level	text	0	6-12; ES; HS; JHS; K-12; K3-12; MS	School level as coded: ES, MS, JHS, HS, K-12, 6-12, or K3-12.
school_level_group	factor	0	elementary school; middle / junior high school; high school; other	School level grouped as in the 2026 report: elementary school (ES), middle / junior high school (MS, JHS), high school (HS), or other (K-12, 6-12, K3-12).

Timing

Variable	Type	Missing	Values / Range	Description
event_date	date	0	2001-03-05 to 2025-09-25	Date of the attack (YYYY-MM-DD).
year	numeric	0	2001 to 2025	Calendar year of the attack.
event_time_24	text	0	07:15:00; 07:30:00; 07:32:00; 07:35:00; 07:38:00; 07:51:00; 07:57:00; 08:00:00; ...	Start time of the attack, 24-hour clock (HH:MM:SS).
event_hour_24	numeric	0	7 to 23	Start hour of the attack (0-23), from event_time_24.
month	ordered factor	0	January; February; March; April; May; June; August; September; ...	Month of the attack (ordered factor, January-December).
wday	ordered factor	0	Monday; Tuesday; Wednesday; Thursday; Friday; Saturday	Day of week of the attack (ordered factor, Sunday-Saturday).

Victims

Variable	Type	Missing	Values / Range	Description
killed_on_scene	numeric	0	0 to 24	Victims who died at the scene.
died_later	numeric	0	0 to 3	Victims who died later of their wounds.
total_fatalities	numeric	0	0 to 26	Total killed (killed_on_scene + died_later).
gunfire_wounded	numeric	0	0 to 17	Total wounded by gunfire.
classroom_wound	numeric	0	0 to 15	Wounded in a classroom.
classroom_killed	numeric	0	0 to 24	Killed in a classroom.
hallway_wound	numeric	0	0 to 6	Wounded in a hallway.
hallway_killed	numeric	0	0 to 10	Killed in a hallway.
office_wound	numeric	0	0 to 2	Wounded in an office.
office_killed	numeric	0	0 to 1	Killed in an office.
cafeteria_wound	numeric	0	0 to 2	Wounded in a cafeteria.
cafeteria_killed	numeric	0	0 to 4	Killed in a cafeteria.
gym_wound	numeric	0	0 to 3	Wounded in a gym.
gym_killed	numeric	0	0 to 1	Killed in a gym.
foyer_wound	numeric	0	0 to 0	Wounded in a foyer.
foyer_killed	numeric	0	0 to 1	Killed in a foyer.
openspace_wound	numeric	0	0 to 14	Wounded in an open space.
openspace_killed	numeric	0	0 to 2	Killed in an open space.
outside_wound	numeric	0	0 to 2	Wounded outside the building.

(continued)

Variable	Type	Missing	Values / Range	Description
outside_killed	numeric	0	0 to 1	Killed outside the building.
unknown_wound	numeric	0	0 to 12	Wounded at an unknown location.
unknown_killed	numeric	0	0 to 3	Killed at an unknown location.
other_wound	numeric	0	0 to 4	Wounded at the 'other' location named in other_location.
other_killed	numeric	0	0 to 2	Killed at the 'other' location named in other_location.
other_location	text	48	bathroom; commons area; youth center	Name of the 'other' victim location (bathroom, youth center, commons area).
total_victims	numeric	0	0 to 38	Total victims: total_fatalities + gunfire_wounded.

Perpetrators

Variable	Type	Missing	Values / Range	Description
perp_age_1	numeric	0	12 to 56	Perpetrator age in years.
perp_sex_1	text	0	F; M	Perpetrator sex (M / F), recorded as biological sex as documented in official records. In three events the perpetrator's documented gender identity differed from biological sex; this variable records biological sex in all cases.
perp_race_ethnicity_1	text	0	Asian; Black; Hispanic; Native American; unknown; White; White / Hispanic; White / Native American	Perpetrator race/ethnicity as coded.
perp_relation_1	text	0	current student; former student/staff, or somewhat related to the school; related to community; staff; unrelated	Perpetrator relationship to the school.
perp_age_2	numeric	53	16 to 16	Perpetrator age in years.
perp_sex_2	text	53	F	Perpetrator sex (M / F), recorded as biological sex as documented in official records. In three events the perpetrator's documented gender identity differed from biological sex; this variable records biological sex in all cases.
perp_race_ethnicity_2	text	53	White	Perpetrator race/ethnicity as coded.
perp_relation_2	text	53	current student	Perpetrator relationship to the school.

Firearms

Variable	Type	Missing	Values / Range	Description
firearm_type_1	text	0	handgun; rifle; shotgun	Firearm type (handgun / rifle / shotgun).
firearm_make_1	text	0	Arminius; Beretta; Browning; Bushmaster; Colt; Daniel Defense; Glock; Lead Star; ...	Firearm manufacturer.
firearm_model_1	text	2	0.38; 19; 21; 870; BPS; DD M4 V7; G19; Grunt-15; ...	Firearm model.
firearm_caliber_1	text	2	.22 LR; .22 LR or 9x19mm; .223; .25 ACP; .30-06; .32; .357 Mag; .38 Spl; ...	Firearm caliber or gauge.
firearm_type_2	text	36	handgun; rifle; shotgun	Firearm type (handgun / rifle / shotgun).

(continued)

Variable	Type	Missing	Values / Range	Description
`firearm_make_2`	text	36	Colt; Core; Glock; Kel-Tec; Phoenix; Ruger; SIG Sauer; Smith & Wesson; ...	Firearm manufacturer.
`firearm_model_2`	text	36	20SF; 21; 77 Mark II; Core-15; HP22; Sub 2000; unknown	Firearm model.
`firearm_caliber_2`	text	36	.22 LR; .223; .25; .30-06; .357 Mag; .38 Spl; .45 ACP; 10mm Auto; ...	Firearm caliber or gauge.
`firearm_type_3`	text	48	handgun	Firearm type (handgun / rifle / shotgun).
`firearm_make_3`	text	48	Beretta; Glock; SIG Sauer; Smith & Wesson; Springfield; unknown	Firearm manufacturer.
`firearm_model_3`	text	48	G22; M&P Shield 2.0; M9; P226; unknown; XD9	Firearm model.
`firearm_caliber_3`	text	48	.40 S&W; 9x19mm; unknown	Firearm caliber or gauge.
`firearm_type_4`	text	52	rifle; shotgun	Firearm type (handgun / rifle / shotgun).
`firearm_make_4`	text	52	Izhmash; Ruger	Firearm manufacturer.
`firearm_model_4`	text	52	Saiga 12; unknown	Firearm model.
`firearm_caliber_4`	text	52	.22 LR; 12 ga	Firearm caliber or gauge.

Response, security, and resolution

Variable	Type	Missing	Values / Range	Description
`lockdown`	text	0	no; unknown; yes	Whether a lockdown was called (yes / no / unknown).
`lockdown_procedures`	text	5	hide; lock room; lock room + barricade + evac through windows; lock room + barricade device; lock room + close curtains; lock room + move away; lock room + move away + lights; lock room + move away + security bars + blackout curtain; ...	Lockdown actions taken, as recorded by coders (e.g., lock room + move away). NA where no lockdown applied.
`doors_involved`	text	0	no; yes	Whether the perpetrator interacted with a door during the attack (yes / no). SuccessTech Academy (case 14) is yes with no door recorded: the school had no interior doors, which is treated as equivalent to an unlocked door.
`resolution`	text	0	civilian nonlethal; flee; police lethal; police lethal / suicide after police; police nonlethal; suicide after police; suicide before police; surrendered	How the attack ended: civilian nonlethal (civilian intervention); police lethal; police nonlethal; suicide before police (suicide before police arrived); suicide after police (after police arrived); police lethal / suicide after police; flee (attacker fled); surrendered.
`security_bypass`	text	0	bypassed security; no bypass	Whether the attacker bypassed a security measure (bypassed security / no bypass).
`prepared_bathroom`	text	0	no; yes	Whether the attacker staged or prepared in a bathroom (yes / no).
`attack_start_location`	text	0	bathroom; cafeteria; classroom; foyer; gym; hallway; locker room; office; ...	Location where the attack began.
`early_stop`	text	1	completed event; interrupted/early stop	Whether the attack was interrupted / ended early (interrupted/early stop vs completed event).

(continued)

Variable	Type	Missing	Values / Range	Description
`lockdown_after`	text	0	likely not; likely yes; no; not applicable; unknown; yes	Whether the lockdown was called after the attack was over: yes; likely yes (likely after, given available information); no; likely not (likely called before the attack ended); not applicable (no lockdown, or lockdown status unknown); unknown (lockdown occurred, timing unknown).

Doors file: `k12_door_security_doors_v2025`

One row per door a perpetrator interacted with, 26 variables. `door_lock_group` groups "outside key" and "auto lock outside" as mechanical and "push bar" as exit device; `door_status_group` groups the propped and mag-strip codes as propped / unsecured. `mechanical_breach` marks the 6 secured doors the perpetrator still got through.

Variable	Type	Missing	Values / Range	Description
`case_number`	numeric	0	6 to 53	Incident identifier (1-54). Primary key; links the events and doors files.
`door_index`	numeric	0	1 to 5	Sequential index of the door within the incident (1-5); with case_number, identifies a door.
`door_number`	text	0	111 (hallway to classroom); 111 / 112 B; 112 (hallway to classroom); 1213; 1216; 1231; 1234; 215; ...	Door label as used in the case file (e.g., 'Room N', 'Entry Door', '1216'). An identifier, not a category.
`door_wound`	text	5	0; 1; 10; 2; 3; 4; 5; 6; ...	Number wounded behind or at this door, as coded ('unknown' where undetermined).
`door_killed`	text	5	0; 1; 10; 11; 17; 2; 3; 6; ...	Number killed behind or at this door, as coded ('unknown' where undetermined).
`door_info`	text	1	inset window; metal; metal / half glass; metal / inset window; metal / inset window / safety glass wire mesh; metal / inset window / sidelight; metal / solid glass; metal / solid glass / sidelight; ...	Door construction as coded: material plus any glazing (e.g., wood / inset window / sidelight).
`door_material_1`	text	1	inset window; metal; solid glass; unknown; wood	door_info split into parts: door_material_1 = primary material; _2 and _3 = glazing features. A metal-framed glass door (door_info 'metal / solid glass') has door_material_1 = solid glass, as in the 2026 report's door-construction counts.
`door_material_2`	text	26	half glass; inset window; sidelight	door_info split into parts: door_material_1 = primary material; _2 and _3 = glazing features. A metal-framed glass door (door_info 'metal / solid glass') has door_material_1 = solid glass, as in the 2026 report's door-construction counts.
`door_material_3`	text	59	safety glass wire mesh; sidelight	door_info split into parts: door_material_1 = primary material; _2 and _3 = glazing features. A metal-framed glass door (door_info 'metal / solid glass') has door_material_1 = solid glass, as in the 2026 report's door-construction counts.
`door_glass_type`	text	64	entry rated	Glazing rating where documented (entry rated); blank otherwise.
`door_lock`	text	2	auto lock outside; magnetic / electric; other; outside key; push bar; unknown	Locking mechanism as coded: outside key (locked with a key from the hallway side), auto lock outside (locks automatically when closed), push bar, magnetic / electric, other, or unknown.
`door_lock_group`	text	2	exit device; magnetic / electric; mechanical; other; unknown	door_lock grouped as in the 2026 report: mechanical (outside key, auto lock outside), exit device (push bar), magnetic / electric, other, or unknown.
`door_status`	text	0	locked; propped; unknown; unlocked; unlocked / propped; unlocked / propped mag strip	Door status when the perpetrator reached it, as coded: locked, unlocked, propped, unlocked / propped, unlocked / propped mag strip (a magnet strip over the latch so the door closes without latching), or unknown.
`door_status_group`	text	0	locked; propped / unsecured; unknown; unlocked	door_status grouped as in the 2026 report: locked, unlocked, propped / unsecured (propped, unlocked / propped, unlocked / propped mag strip), or unknown.
`door_breach_attempt`	text	1	breach attempted; no breach attempted; unknown	Whether the perpetrator attempted a mechanical breach of the door (breach attempted / no breach attempted / unknown).

(continued)

Variable	Type	Missing	Values / Range	Description
door_passed_through	text	1	did not pass through; passed through; unknown	Whether the perpetrator got through the door by any means: open, unlocked, propped, or breached. Values: passed through / did not pass through / unknown. About passage, not mechanical defeat (see mechanical_breach).
door_entry_route	text	37	door glass; doorway; sidelight or adjacent glass	How the perpetrator got through the door, for doors passed through (blank otherwise): doorway (through the opening: the door was unlocked, propped, or opened), door glass (broke the glass in the door), sidelight or adjacent glass (broke the glass beside the door), or lock (defeated the lock). In 2000-2025, every secured door the perpetrator got through was entered through glass.
door_shot_door	text	2	door was not shot; door was shot; unknown	Whether the door itself was shot.
door_shot_window	text	2	unknown; window was not shot; window was shot	Whether glazing in or beside the door was shot.
door_attempt_open	text	2	attempted to open; no attempt to open; unknown	Whether the perpetrator tried the door without entering (report Appendix B definition).
door_attempt_persuade	text	2	0; 1; unknown	Whether the perpetrator tried to talk someone into opening the door (1 / 0 / unknown).
door_barricade	text	3	barricaded; no barricade; unknown	Whether occupants barricaded the door (barricaded / no barricade / unknown).
door_barricade_yes	text	60	couch; kiln; nightlock; nightlock + cabinet; security bar	Barricade device used (e.g., couch, kiln, nightlock, security bar).
door_location	text	0	classroom; exterior; hallway; office; other	Door location within the school: classroom, exterior, office, hallway, or other.
mechanical_breach	text	1	mechanically breached; not mechanically breached	Derived: the door was secured (locked or barricaded) and the perpetrator still got through (mechanically breached / not mechanically breached).
door_total_victims	numeric	15	0 to 20	Total victims at this door: door_killed + door_wound (blank when either is unknown).

Citation

Cite the dataset as: ALERRT Center, Texas State University. *K-12 Door Security Dataset*, version v2025 (2000-2025 events). For the 2000-2025 findings, also cite the 2026 report, *The Role of Locked Doors and Access Control in School-Based Active Shooter Events*. Where v2025 differs from the report, v2025 is the authoritative version.

The 2000-2025 data collection was funded by the Security Industry Association (SIA).