
-- File created - Tuesday-April-23-2024

-- DDL for Table CUSTOMER

```
CREATE TABLE "ADMIN"."CUSTOMER"
(  "CUSTOMERID" NUMBER(*,0),
  "PHONE_NUMBER" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP",
  "LICENSE_PLATE" VARCHAR2(10 BYTE) COLLATE "USING_NLS_COMP",
  "VEHICLE_TYPE" VARCHAR2(10 BYTE) COLLATE "USING_NLS_COMP",
  "MAKE" VARCHAR2(30 BYTE) COLLATE "USING_NLS_COMP",
  "MODEL" VARCHAR2(30 BYTE) COLLATE "USING_NLS_COMP",
  "COLOR" VARCHAR2(10 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "DATA" ;
```

-- DDL for Table CUSTOMERPARKING

```
CREATE TABLE "ADMIN"."CUSTOMERPARKING"
(  "PARKING_SPACE_SPACEID" NUMBER(*,0),
  "CUSTOMER_CUSTOMERID" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

-- DDL for Table CUSTOMERTRANSACTIONS

```
CREATE TABLE "ADMIN"."CUSTOMERTRANSACTIONS"
(  "CUSTOMER_CUSTOMERID" NUMBER(*,0),
  "TRANSACTION_TRANSACTIONID" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

-- DDL for Table EMPLOYEE

```
CREATE TABLE "ADMIN"."EMPLOYEE"
(  "EMPLOYEEID" NUMBER(*,0),
  "HOURLYWAGE" NUMBER(2,0),
  "HoursWorked/week" NUMBER(*,0),
  "MANAGERID" NUMBER(*,0),
  "HR_DEPARTMENTID" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
```

```
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

```
-----
-- DDL for Table HR
-----
```

```
CREATE TABLE "ADMIN"."HR"
( "DEPARTMENTID" NUMBER(*,0),
  "PAYROLL" NUMBER(2,0),
  "EMPLOYEEID" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

```
-----
-- DDL for Table PARKING_SPACE
-----
```

```
CREATE TABLE "ADMIN"."PARKING_SPACE"
( "SPACEID" NUMBER(*,0),
  "STATE" VARCHAR2(20 BYTE) COLLATE "USING_NLS_COMP",
  "EMPLOYEE_EMPLOYEEID" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

```
-----
-- DDL for Table SECURITY
-----
```

```
CREATE TABLE "ADMIN"."SECURITY"
( "EMPLOYEEID" NUMBER(*,0),
  "SECURITYID" NUMBER(*,0),
  "AREA" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "DATA" ;
```

```
-----
-- DDL for Table TRANSACTION
-----
```

```
CREATE TABLE "ADMIN"."TRANSACTION"
( "TRANSACTIONID" NUMBER(*,0),
  "CHECKINTIME" DATE,
  "CHECKOUTTIME" DATE,
  "TOTALCOST" NUMBER(2,0),
  "DURATION" NUMBER(*,0),
  "EMPLOYEE_EMPLOYEEID" NUMBER(*,0),
  "PARKING_SPACE_SPACEID" NUMBER(*,0),
```

```

        "PAYMENTRECEIVED" CHAR(1 BYTE) COLLATE "USING_NLS_COMP"
    ) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
    PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
    NOCOMPRESS LOGGING
    STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
    PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
    BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
    TABLESPACE "DATA" ;
-----
-- DDL for Table VALET
-----

CREATE TABLE "ADMIN"."VALET"
(  "EMPLOYEEID" NUMBER(*,0),
   "VALETID" NUMBER(*,0),
   "DLNUMBER" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 10 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "DATA" ;
REM INSERTING into ADMIN.CUSTOMER
SET DEFINE OFF;
REM INSERTING into ADMIN.CUSTOMERPARKING
SET DEFINE OFF;
REM INSERTING into ADMIN.CUSTOMERTRANSACTIONS
SET DEFINE OFF;
REM INSERTING into ADMIN.EMPLOYEE
SET DEFINE OFF;
Insert into ADMIN.EMPLOYEE
(EMPLOYEEID,HOURLYWAGE,"HoursWorked/week",MANAGERID,HR_DEPARTMENTID) values
(5,30,null,null,2);
Insert into ADMIN.EMPLOYEE
(EMPLOYEEID,HOURLYWAGE,"HoursWorked/week",MANAGERID,HR_DEPARTMENTID) values
(6,25,null,null,2);
Insert into ADMIN.EMPLOYEE
(EMPLOYEEID,HOURLYWAGE,"HoursWorked/week",MANAGERID,HR_DEPARTMENTID) values
(8,40,null,null,2);
REM INSERTING into ADMIN.HR
SET DEFINE OFF;
Insert into ADMIN.HR (DEPARTMENTID,PAYROLL,EMPLOYEEID) values (2,2,2);
REM INSERTING into ADMIN.PARKING_SPACE
SET DEFINE OFF;
REM INSERTING into ADMIN.SECURITY
SET DEFINE OFF;
REM INSERTING into ADMIN.TRANSACTION
SET DEFINE OFF;
REM INSERTING into ADMIN.VALET
SET DEFINE OFF;
-----
-- DDL for Index RELATION_10_PK
-----

CREATE UNIQUE INDEX "ADMIN"."RELATION_10_PK" ON "ADMIN"."CUSTOMERTRANSACTIONS"
("CUSTOMER_CUSTOMERID", "TRANSACTION_TRANSACTIONID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;

```

-- DDL for Index VALET_PK

```
CREATE UNIQUE INDEX "ADMIN"."VALET_PK" ON "ADMIN"."VALET" ("EMPLOYEEID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ;
```

-- DDL for Index HR_PK

```
CREATE UNIQUE INDEX "ADMIN"."HR_PK" ON "ADMIN"."HR" ("DEPARTMENTID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

-- DDL for Index RELATION_4_PK

```
CREATE UNIQUE INDEX "ADMIN"."RELATION_4_PK" ON "ADMIN"."CUSTOMERPARKING"
("PARKING_SPACE_SPACEID", "CUSTOMER_CUSTOMERID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

-- DDL for Index VALET_PKV1

```
CREATE UNIQUE INDEX "ADMIN"."VALET_PKV1" ON "ADMIN"."VALET" ("VALETID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ;
```

-- DDL for Index PARKING_SPACE_PK

```
CREATE UNIQUE INDEX "ADMIN"."PARKING_SPACE_PK" ON "ADMIN"."PARKING_SPACE"
("SPACEID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
```

-- DDL for Index CUSTOMER_PK

```
CREATE UNIQUE INDEX "ADMIN"."CUSTOMER_PK" ON "ADMIN"."CUSTOMER" ("CUSTOMERID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ;
```

-- DDL for Index SECURITY_PKV1

```
CREATE UNIQUE INDEX "ADMIN"."SECURITY_PKV1" ON "ADMIN"."SECURITY" ("SECURITYID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
```

```

TABLESPACE "DATA" ;
-----
-- DDL for Index EMPLOYEE_PK
-----

CREATE UNIQUE INDEX "ADMIN"."EMPLOYEE_PK" ON "ADMIN"."EMPLOYEE" ("EMPLOYEEID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
-----
-- DDL for Index TRANSACTION_PK
-----

CREATE UNIQUE INDEX "ADMIN"."TRANSACTION_PK" ON "ADMIN"."TRANSACTION"
("TRANSACTIONID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ;
-----
-- DDL for Index SECURITY_PK
-----

CREATE UNIQUE INDEX "ADMIN"."SECURITY_PK" ON "ADMIN"."SECURITY" ("EMPLOYEEID")
PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ;
-----
-- Constraints for Table PARKING_SPACE
-----

ALTER TABLE "ADMIN"."PARKING_SPACE" MODIFY ("SPACEID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."PARKING_SPACE" MODIFY ("EMPLOYEE_EMPLOYEEID" NOT NULL
ENABLE);
ALTER TABLE "ADMIN"."PARKING_SPACE" ADD CONSTRAINT "PARKING_SPACE_PK" PRIMARY KEY
("SPACEID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ENABLE;
-----
-- Constraints for Table SECURITY
-----

ALTER TABLE "ADMIN"."SECURITY" MODIFY ("EMPLOYEEID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."SECURITY" MODIFY ("SECURITYID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."SECURITY" ADD CONSTRAINT "SECURITY_PK" PRIMARY KEY
("EMPLOYEEID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ENABLE;
ALTER TABLE "ADMIN"."SECURITY" ADD CONSTRAINT "SECURITY_PKV1" UNIQUE
("SECURITYID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ENABLE;
-----
-- Constraints for Table TRANSACTION

```

```

-----
ALTER TABLE "ADMIN"."TRANSACTION" MODIFY ("TRANSACTIONID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."TRANSACTION" MODIFY ("EMPLOYEE_EMPLOYEEID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."TRANSACTION" MODIFY ("PARKING_SPACE_SPACEID" NOT NULL
ENABLE);
ALTER TABLE "ADMIN"."TRANSACTION" MODIFY ("PAYMENTRECEIVED" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."TRANSACTION" ADD CONSTRAINT "TRANSACTION_PK" PRIMARY KEY
("TRANSACTIONID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ENABLE;
-----

```

```

-- Constraints for Table CUSTOMERTRANSACTIONS
-----

```

```

ALTER TABLE "ADMIN"."CUSTOMERTRANSACTIONS" MODIFY ("CUSTOMER_CUSTOMERID" NOT NULL
ENABLE);
ALTER TABLE "ADMIN"."CUSTOMERTRANSACTIONS" MODIFY ("TRANSACTION_TRANSACTIONID"
NOT NULL ENABLE);
ALTER TABLE "ADMIN"."CUSTOMERTRANSACTIONS" ADD CONSTRAINT "RELATION_10_PK"
PRIMARY KEY ("CUSTOMER_CUSTOMERID", "TRANSACTION_TRANSACTIONID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ENABLE;
-----

```

```

-- Constraints for Table CUSTOMER
-----

```

```

ALTER TABLE "ADMIN"."CUSTOMER" MODIFY ("CUSTOMERID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."CUSTOMER" ADD CONSTRAINT "CUSTOMER_PK" PRIMARY KEY
("CUSTOMERID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ENABLE;
-----

```

```

-- Constraints for Table HR
-----

```

```

ALTER TABLE "ADMIN"."HR" MODIFY ("DEPARTMENTID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."HR" ADD CONSTRAINT "HR_PK" PRIMARY KEY ("DEPARTMENTID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ENABLE;
-----

```

```

-- Constraints for Table VALET
-----

```

```

ALTER TABLE "ADMIN"."VALET" MODIFY ("EMPLOYEEID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."VALET" MODIFY ("VALETID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."VALET" ADD CONSTRAINT "VALET_PK" PRIMARY KEY ("EMPLOYEEID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ENABLE;
ALTER TABLE "ADMIN"."VALET" ADD CONSTRAINT "VALET_PKV1" UNIQUE ("VALETID")

```

```

USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "DATA" ENABLE;
-----
-- Constraints for Table EMPLOYEE
-----

ALTER TABLE "ADMIN"."EMPLOYEE" MODIFY ("EMPLOYEEID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."EMPLOYEE" MODIFY ("HR_DEPARTMENTID" NOT NULL ENABLE);
ALTER TABLE "ADMIN"."EMPLOYEE" ADD CONSTRAINT "EMPLOYEE_PK" PRIMARY KEY
("EMPLOYEEID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ENABLE;
-----
-- Constraints for Table CUSTOMERPARKING
-----

ALTER TABLE "ADMIN"."CUSTOMERPARKING" MODIFY ("PARKING_SPACE_SPACEID" NOT NULL
ENABLE);
ALTER TABLE "ADMIN"."CUSTOMERPARKING" MODIFY ("CUSTOMER_CUSTOMERID" NOT NULL
ENABLE);
ALTER TABLE "ADMIN"."CUSTOMERPARKING" ADD CONSTRAINT "RELATION_4_PK" PRIMARY KEY
("PARKING_SPACE_SPACEID", "CUSTOMER_CUSTOMERID")
USING INDEX PCTFREE 10 INITRANS 20 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "DATA" ENABLE;
-----
-- Ref Constraints for Table CUSTOMERPARKING
-----

ALTER TABLE "ADMIN"."CUSTOMERPARKING" ADD CONSTRAINT "RELATION_4_CUSTOMER_FK"
FOREIGN KEY ("CUSTOMER_CUSTOMERID")
REFERENCES "ADMIN"."CUSTOMER" ("CUSTOMERID") ENABLE;
ALTER TABLE "ADMIN"."CUSTOMERPARKING" ADD CONSTRAINT
"RELATION_4_PARKING_SPACE_FK" FOREIGN KEY ("PARKING_SPACE_SPACEID")
REFERENCES "ADMIN"."PARKING_SPACE" ("SPACEID") ENABLE;
-----
-- Ref Constraints for Table CUSTOMERTRANSACTIONS
-----

ALTER TABLE "ADMIN"."CUSTOMERTRANSACTIONS" ADD CONSTRAINT
"RELATION_10_CUSTOMER_FK" FOREIGN KEY ("CUSTOMER_CUSTOMERID")
REFERENCES "ADMIN"."CUSTOMER" ("CUSTOMERID") ENABLE;
ALTER TABLE "ADMIN"."CUSTOMERTRANSACTIONS" ADD CONSTRAINT
"RELATION_10_TRANSACTION_FK" FOREIGN KEY ("TRANSACTION_TRANSACTIONID")
REFERENCES "ADMIN"."TRANSACTION" ("TRANSACTIONID") ENABLE;
-----
-- Ref Constraints for Table EMPLOYEE
-----

ALTER TABLE "ADMIN"."EMPLOYEE" ADD CONSTRAINT "EMPLOYEE_HR_FK" FOREIGN KEY
("HR_DEPARTMENTID")
REFERENCES "ADMIN"."HR" ("DEPARTMENTID") ENABLE;
-----
-- Ref Constraints for Table PARKING_SPACE

```

```
-----  
ALTER TABLE "ADMIN"."PARKING_SPACE" ADD CONSTRAINT "PARKING_SPACE_EMPLOYEE_FK"  
FOREIGN KEY ("EMPLOYEE_EMPLOYEEID")  
REFERENCES "ADMIN"."EMPLOYEE" ("EMPLOYEEID") ENABLE;  
-----
```

```
-- Ref Constraints for Table SECURITY  
-----
```

```
ALTER TABLE "ADMIN"."SECURITY" ADD CONSTRAINT "SECURITY_EMPLOYEE_FK" FOREIGN KEY  
("EMPLOYEEID")  
REFERENCES "ADMIN"."EMPLOYEE" ("EMPLOYEEID") ENABLE;  
-----
```

```
-- Ref Constraints for Table TRANSACTION  
-----
```

```
ALTER TABLE "ADMIN"."TRANSACTION" ADD CONSTRAINT "TRANSACTION_EMPLOYEE_FK"  
FOREIGN KEY ("EMPLOYEE_EMPLOYEEID")  
REFERENCES "ADMIN"."EMPLOYEE" ("EMPLOYEEID") ENABLE;  
ALTER TABLE "ADMIN"."TRANSACTION" ADD CONSTRAINT "TRANSACTION_PARKING_SPACE_FK"  
FOREIGN KEY ("PARKING_SPACE_SPACEID")  
REFERENCES "ADMIN"."PARKING_SPACE" ("SPACEID") ENABLE;  
-----
```

```
-- Ref Constraints for Table VALET  
-----
```

```
ALTER TABLE "ADMIN"."VALET" ADD CONSTRAINT "VALET_EMPLOYEE_FK" FOREIGN KEY  
("EMPLOYEEID")  
REFERENCES "ADMIN"."EMPLOYEE" ("EMPLOYEEID") ENABLE;
```