**NAME: ALISHBA ZAINAB** 


**ROLL NO: 23-BSE-006** 

**SUBMITTED TO: SIR SHOAB** 

LAB3

Task 1

Handling Local and Remote Commit Conflicts (Pull vs Pull --rebase)



```
zaina@alishba MINGW64 ~/lab3cc (main)
$ echo "This line was added locally." >> README.md

zaina@alishba MINGW64 ~/lab3cc (main)
$ cat README.md
this is local commit
This line was added locally.

zaina@alishba MINGW64 ~/lab3cc (main)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it

zaina@alishba MINGW64 ~/lab3cc (main)
$ git commit -m "Local update to README"
[main a403c7d] Local update to README
1 file changed, 2 insertions(+), 1 deletion(-)

zaina@alishba MINGW64 ~/lab3cc (main)
$ |
```

```
$ git push origin main
To github.com:ALISHBAZAINAB/lab3cc.git
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'github.com:ALISHBAZAINAB/lab3cc.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

zaina@alishba MINGW64 ~/lab3cc (main)
$ |
```

```
$ git pull --no-rebase origin main
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 948 bytes | 67.00 KiB/s, done.
From github.com:ALISHBAZAINAB/lab3cc


* branch main -> FETCH_HEAD
625461d.01aec88 main -> origin/main
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

zaina@alishba MINGW64 ~/lab3cc (main|MERGING)
$ ^C

zaina@alishba MINGW64 ~/lab3cc (main|MERGING)
$ |
```


```
aina@alishba MINGW64 ~/lab3cc (main)
git push -u origin main
numerating objects: 10, done.
ounting objects: 100% (10/10), done.
elta compression using up to 4 threads
ompressing objects: 100% (4/4), done.
riting objects: 100% (6/6), 619 bytes | 123.00 KiB/s, done.
otal 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
o github.com:ALISHBAZAINAB/lab3cc.git
    01aec88..62c5f97 main -> main
ranch 'main' set up to track 'origin/main'.

aina@alishba MINGW64 ~/lab3cc (main)
```



Task 2

**Creating and Resolving Merge Conflicts Manually** 



```
aina@alishba MINGW64 ~/lab3cc (main)
$ cat README.md
this line was added again remotely
Another line added remotely (for rebase test).
this is local commit
This line was added locally.
this is remotely added
Another line added locally (for rebase test).
zaina@alishba MINGW64 ~/lab3cc (main)
$ git commit -m "Local conflicting change"
[main 88e52fc] Local conflicting change
 1 file changed, 1 insertion(+)
 aina@alishba MINGW64 ~/lab3cc (main)
$ git push -u origin main
To github.com:ALISHBAZAINAB/lab3cc.git
it github.com:ALISHBAZAIMAB/labscc.git

[rejected] main -> main (fetch first)

error: failed to push some refs to 'github.com:ALISHBAZAINAB/lab3cc.git'

hint: Updates were rejected because the remote contains work that you do not

hint: have locally. This is usually caused by another repository pushing to

hint: the same ref. If you want to integrate the remote changes, use

hint: 'git pull' before pushing again.

hint: See the 'Note about fast-forwards' in 'git push --help' for details.
  aina@alishba MINGW64 ~/lab3cc (main)
```

```
zaina@alishba MINGW64 ~/lab3cc (main)

§ git push -u origin main

To github.com:ALISHBAZAINAB/lab3cc.git

! [rejected] main -> main (fetch first)
error: failed to push some refs to 'github.com:ALISHBAZAINAB/lab3cc.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

zaina@alishba MINGW64 ~/lab3cc (main)

§ git pull --rebase origin main
remote: Enumerating objects: 100% (5/5), done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 964 bytes | 60.00 KiB/s, done.
From github.com:ALISHBAZAINAB/lab3cc

*branch main -> FETCH_HEAD
2539076..lee8847 main -> origin/main
Successfully rebased and updated refs/heads/main.
```


```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 322 bytes | 161.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ALISHBAZAINAB/lab3cc.git
    1ee8847..3b535a0 main -> main
branch 'main' set up to track 'origin/main'.
zaina@alishba MINGW64 ~/lab3cc (main)
```

## Managing Ignored Files with .gitignore and Removing Tracked Files


```
taina@alishba MINGW64 ~/lab3cc (main)
cat README.md
this line was added again remotely
another line added remotely (for rebase test).
this is local commit
This line was added locally again.
This line was updated remotely again.
Another line added locally (for rebase test).
```

```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git commit -m "Local conflicting change"
[main 7677331] Local conflicting change
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 348 bytes | 116.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ALISHBAZAINAB/lab3cc.git
1fff0b5..a959ca0 main -> main
```



Zaina@alishba MINGW64 ~/lab3cc (main)
\$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 236 bytes | 118.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ALISHBAZAINAB/lab3cc.git
a959ca0..8968db0 main -> main



# **Create Temporary Changes and Use git stash**

```
S git commit -m "Changes the README.md file"

[feature-branch b29ab9f] Changes the README.md file

1 file changed, 1 insertion(+), 8 deletions(-)

zaina@alishba MINGW64 ~/lab3cc (feature-branch)

5 git checkout main

error: Your local changes to the following files would be overwritten by checkout:

README.md

Please commit your changes or stash them before you switch branches.

Aborting

5 git stash

warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

Saved working directory and index state WIP on feature-branch: b29ab9f Changes the README.md file

zaina@alishba MINGW64 ~/lab3cc (feature-branch)

Zaina@alishba MINGW64 ~/lab3cc (feature-branch)

5 git checkout main

Switched to branch 'main'

Your branch is up to date with 'origin/main'.
```

```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git checkout feature-branch
Switched to branch 'feature-branch'
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
$
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
$ git status
```

```
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
5 git status
On branch feature-branch
nothing to commit, working tree clean
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
5 |
```

## **Checkout a Specific Commit Using git log**

```
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
$ git log --oneline
b29ab9f (HEAD -> feature-branch) Changes the README.md file
8968db0 (origin/main, origin/HEAD, main) Removed tracked textfiles directory
a959ca0 Added .gitignore to ignore textfiles directory
1fff0b5 Merge branch 'main' of github.com:ALISHBAZAINAB/lab3cc
f50cbd3 Added textfiles directory with three files
7677331 Local conflicting change
23b99a9 Update README.md
3b535a0 Local conflicting change
lee8847 added again remotely
2539076 Second local update to README
84b0ble Update README.md
62c5f97 Resolved merge conflict in README.md
a403c7d Local update to README
01aec88 Update README.md
625461d Initial commit
```

```
$ git checkout main

Switched to branch 'main'

Your branch is up to date with 'origin/main'.

zaina@alishba MINGW64 ~/lab3cc (main)

$ |
```

## Resetting Commits (Soft vs Hard Reset) (With Verification Steps)

```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git commit -m "Second test commit"
[main b51cf5c] Second test commit
1 file changed, 1 insertion(+)

zaina@alishba MINGW64 ~/lab3cc (main)
$
```

```
aina@alishba MINGW64 ~/lab3cc (main)
git log --oneline
51cf5c (HEAD -> main) Second test commit
1db66f Added test line
968db0 (origin/main, origin/HEAD) Removed tracked textfiles directory
959caO Added .gitignore to ignore textfiles directory
fff0b5 Merge branch 'main' of github.com:ALISHBAZAINAB/lab3cc
Ocbd3 Added textfiles directory with three files
677331 Local conflicting change
  99a9 Update README.md
b535aO Local conflicting change
ee8847 added again remotely
539076 Second local update to README
4b0b1e Update README.md
2c5f97 Resolved merge conflict in README.md
403c7d Local update to README
1aec88 Update README.md
25461d Initial commit
```

```
zaina@alishba MINGW64 ~/lab3cc (main)
cat README.md
this line was added again remotely
Another line added remotely (for rebase test).
this is local commit
This line was added locally again.
This line was updated remotely again.
Another line added locally (for rebase test).
This is the first test line.
This is the second test line.
```

```
aina@alishba MINGW64 ~/lab3cc (main)
$ git log --oneline
'Idb66f (HEAD -> main) Added test line
968db0 (origin/main, origin/HEAD) Removed tracked textfiles directory
 959caO Added .gitignore to ignore textfiles directory
.fffOb5 Merge branch 'main' of github.com:ALISHBAZAINAB/lab3cc
 50cbd3 Added textfiles directory with three files
 677331 Local conflicting change
 3b99a9 Update README.md
b535a0 Local conflicting change
 ee8847 added again remotely
 539076 Second local update to README
 4b0b1e Update README.md
 2c5f97 Resolved merge conflict in README.md
403c7d Local update to README
laec88 Update README.md
25461d Initial commit
zaina@alishba MINGW64 ~/lab3cc (main)
```

```
aina@alishba MINGW64 ~/lab3cc (main)

git reset --hard HEAD-1

IEAD is now at 71db66f Added test line

aina@alishba MINGW64 ~/lab3cc (main)
```

```
$ git log --oneline
 1db66f (HEAD -> main) Added test line
 968db0 (origin/main, origin/HEAD) Removed tracked textfiles directory
 959caO Added .gitignore to ignore textfiles directory
 fff0b5 Merge branch 'main' of github.com:ALISHBAZAINAB/lab3cc
 50cbd3 Added textfiles directory with three files
 677331 Local conflicting change
 3b99a9 Update README.md
 b535a0 Local conflicting change
 ee8847 added again remotely
 539076 Second local update to README
 4b0b1e Update README.md
 2c5f97 Resolved merge conflict in README.md
403c7d Local update to README
laec88 Update README.md
 25461d Initial commit
```

## **Amending the Last Commit**

```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git commit -m "Fix log message"
[main 5ec205f] Fix log message
1 file changed, 1 insertion(+)
```

```
[main 8b0c712] Fix log message
Date: Sat Oct 25 17:19:40 2025 +0500
1 file changed, 2 insertions(+)

zaina@alishba MINGW64 ~/lab3cc (main)
```

## Reverting a Commit (Safe Undo on Remote Branch)

```
zaina@alishba MINGW64 ~/lab3cc (main)

$ git push origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.

Delta compression using up to 4 threads
Compressing objects: 100% (8/8), done.

Writing objects: 100% (9/9), 876 bytes | 219.00 KiB/s, done.

Total 9 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 1 local object.

To github.com:ALISHBAZAINAB/lab3cc.git

8968db0..ba917bf main -> main
```

```
[main 25b75ba] Revert "Added temporary text file"

1 file changed, 1 deletion(-)
delete mode 100644 temp.txt

zaina@alishba MINGW64 ~/lab3cc (main)
$ |
```

```
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 257 bytes | 85.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ALISHBAZAINAB/lab3cc.git
ba917bf..25b75ba main -> main
```

### Task 9

## Force Push (With Caution)

```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git checkout -b test-force
Switched to a new branch 'test-force'
```

```
zaina@alishba MINGW64 ~/lab3cc (test-force)
$ git commit -m "Force push test commit"
[test-force 1dfc58f] Force push test commit
1 file changed, 1 insertion(+)
```

```
zaina@alishba MINGW64 ~/lab3cc (test-force)
$ git push origin test-force
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Counting objects: 100% (5/5), done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 335 bytes | 83.00 kiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'test-force' on GitHub by visiting:
remote: https://github.com/ALISHBAZAINAB/lab3cc/pull/new/test-force
remote:
To github.com:ALISHBAZAINAB/lab3cc.git
* [new branch] test-force -> test-force
```


```
zaina@alishba MINGW64 <mark>~/lab3cc (test-force)</mark>
$ git reset --hard HEAD~1
HEAD is now at 25b75ba Revert "Added temporary text file"
```


```
Zaina@alishba MINGW64 ~/lab3cc (test-force)

$ git push origin test-force
To github.com:ALISHBAZAINB/lab3cc.git
| [rejected] test-force -> test-force (non-fast-forward)
error: failed to push some refs to 'github.com:ALISHBAZAINAB/lab3cc.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.


zaina@alishba MINGW64 ~/lab3cc (test-force)
$ git push origin test-force --force
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ALISHBAZAINAB/lab3cc.git
+ 1dfcS8f...25b7Sba test-force -> test-force (forced update)
```


# Running Gitea in GitHub Codespaces via Docker Compose















## **Creating a GitHub Pages Portfolio Site**



```
zaina@alishba MINGW64 ~/lab3cc/portfolio (test-force)
$ echo "<h1>Welcome to My Portfolio</h1>" > index.html

zaina@alishba MINGW64 ~/lab3cc/portfolio (test-force)
$ echo "body { font-family: Arial; text-align: center; }" > style.css

zaina@alishba MINGW64 ~/lab3cc/portfolio (test-force)
$ echo "console.log('Portfolio Loaded');" > script.js

zaina@alishba MINGW64 ~/lab3cc/portfolio (test-force)
$ |
```

```
zaina@alishba MINGW64 ~/lab3cc/portfolio (master)
$ git branch -M main


zaina@alishba MINGW64 ~/lab3cc/portfolio (main)
$ git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 469 bytes | 234.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ALISHBAZAINAB/alishba-zainab.github.io.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.
```


# GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Your site is live at <a href="https://alishbazainab.github.io/alishba-zainab.github.io/">https://alishbazainab.github.io/alishba-zainab.github.io/</a>
Last <a href="https://alishbazainab.github.io/alishba-zainab.github.io/">https://alishbazainab.github.io/alishba-zainab.github.io/</a>
Last <a href="https://alishbazainab.github.io/alishba-zainab.github.io/">https://alishbazainab.github.io/alishba-zainab.github.io/</a>
Last <a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/alishba-zainab.github.io/</a>
Last <a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/alishba-zainab.github.io/</a>
Last <a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/</a>
Last <a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/<a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/<a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/<a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/<a href="https://alishbazainab.github.io/">https://alishbazainab.github.io/<a hr


# Build and deployment





# **Evaluation questions**

## Question 1



```
zaina@alishba MINGW64 ~/lab3cc/portfolio (main)

$ git commit -m "Local edit to README"
[main 071a9d0] Local edit to README
1 file changed, 3 insertions(+)
create mode 100644 README.md

zaina@alishba MINGW64 ~/lab3cc/portfolio (main)
$
```

```
$ git push origin main
To github.com:ALISHBAZAINAB/lab3cc.git
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'github.com:ALISHBAZAINAB/lab3cc.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

zaina@alishba MINGW64 ~/lab3cc (main)
$ |
```

```
$ git pull --no-rebase origin main
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 948 bytes | 67.00 KiB/s, done.
From github.com:ALISHBAZAINAB/lab3cc

* branch main -> FETCH_HEAD
625461d.01aec88 main -> origin/main
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.


zaina@alishba MINGW64 ~/lab3cc (main|MERGING)
$ ^C

zaina@alishba MINGW64 ~/lab3cc (main|MERGING)
$ |
```

```
aina@alishba MINGW64 ~/lab3cc (main)
git push -u origin main
numerating objects: 10, done.
ounting objects: 100% (10/10), done.
elta compression using up to 4 threads
ompressing objects: 100% (4/4), done.
riting objects: 100% (6/6), 619 bytes | 123.00 KiB/s, done.
otal 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
o github.com:ALISHBAZAINAB/lab3cc.git
    Olaec88..62c5f97 main -> main
ranch 'main' set up to track 'origin/main'.

aina@alishba MINGW64 ~/lab3cc (main)
```

## Question 2



## Question 3

```
raina@alishba MINGW64 ~/lab3cc (main)
cat README.md
chis line was added again remotely
another line added remotely (for rebase test).
chis is local commit
chis line was added locally again.
chis line was updated remotely again.
another line added locally (for rebase test).
```

```
zaina@alishba MINGW64 ~/lab3cc (main)
$ git commit -m "Local conflicting change"
[main 7677331] Local conflicting change
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
Zaina@alishba MINGW64 ~/lab3cc (main)
$ git push origin main
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 4 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (12/12), 1.04 KiB | 152.00 KiB/s, done.
Total 12 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To github.com:ALISHBAZAINAB/lab3cc.git
23b99a9..1fff0b5 main -> main
```

```
S git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 348 bytes | 116.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ALISHBAZAINAB/lab3cc.git
1fff0b5..a959ca0 main -> main
```

#### Question 4

```
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
$ git commit -m "Changes the README.md file"
[feature-branch b29ab9f] Changes the README.md file
1 file changed, 1 insertion(+), 8 deletions(-)
```

```
zaina@alishba MINGW64 ~/lab3cc (feature-branch)
$ git checkout main
error: Your local changes to the following files would be overwritten by checkout:
README.md
Please commit your changes or stash them before you switch branches.
Aborting
```

```
S git stash
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
Saved working directory and index state WIP on feature-branch: b29ab9f Changes the README.md file

zaina@alishba MINGW64 ~/lab3cc (feature-branch)

Zaina@alishba MINGW64 ~/lab3cc (feature-branch)

S git checkout main

Switched to branch 'main'

Your branch is up to date with 'origin/main'.

zaina@alishba MINGW64 ~/lab3cc (main)

S git checkout feature-branch

Switched to branch 'feature-branch'

zaina@alishba MINGW64 ~/lab3cc (feature-branch)

S git status

In branch feature-branch

bothing to commit, working tree clean

zaina@alishba MINGW64 ~/lab3cc (feature-branch)
```