

NAME:ALISHBA ZAINAB

ROLL NO:23-BSE-006

SECTION:A

SUBMITTED TO:SIR SHOAIB

CLOUD COMPUTING LAB 13

Repo link: [ALISHBAZAINAB/Lab13](https://github.com/ALISHBAZAINAB/Lab13)

Task 0

```
PS C:\Users\zaina\Lab13> gh codespace create --repo ALISHBAZAINAB/Lab13
✓ Codespaces usage for this repository is paid for by ALISHBAZAINAB
> Choose Machine Type: 2 cores, 8 GB RAM, 32 GB storage
obscure-disco-5g7qr67pqr553w7p
PS C:\Users\zaina\Lab13> gh codespace list
```

NAME	DISPLAY NAME	REPOSITORY	BRANCH	STATE	CREATED AT
fluffy-goggles-x5gwp6gqvw55f6pq7	fluffy goggles	ALISHBAZAINAB/Assignment2	main*	Shutdown	about 9 days ago
potential-acorn-5g7qr67pq5n9jhpvg	potential acorn	ALISHBAZAINAB/LAB9CC	main*	Shutdown	about 2 days ago
zany-waddle-x5gwp6gqwxgfrxp	zany waddle	ALISHBAZAINAB/lab10	main*	Shutdown	about 2 days ago
cuddly-system-jjp576pw574wh5w74	cuddly system	ALISHBAZAINAB/lab11	main*	Shutdown	about 1 day ago
automatic-disco-v6jvr4j7v6j7hx4	automatic disco	ALISHBAZAINAB/cc_assign_2	main*	Shutdown	about 1 day ago
obscure-disco-5g7qr67pqr553w7p	obscure disco	ALISHBAZAINAB/Lab13	main	Available	less than a minute ago

```
PS C:\Users\zaina\Lab13> gh codespace ssh -c obscure-disco-5g7qr67pqr553w7p
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-1030-azure x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.



Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

@ALISHBAZAINAB → /workspaces/Lab13 (main) $ S
```

Task 1

```
@ALISHBAZAINAB → /workspaces/Lab13 (main) $ mkdir -p ~/Lab13
@ALISHBAZAINAB → /workspaces/Lab13 (main) $ cd ~/Lab13
@ALISHBAZAINAB → ~/Lab13 $
```

0



```
unique_id = "AGPASNCIPHNLVD2RID2GY"
}
@ALISHBAZAINAB →~/Lab13 $ terraform output
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
  "unique_id" = "AGPASNCIPHNLVD2RID2GY"
}
@ALISHBAZAINAB →~/Lab13 $
```

User groups (1) Info 🔄 Delete Create group

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.

☐

Group name	Users	Permissions	Creation time
☐ developers	0	Not defined	1 minute ago

Task 2

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS nano - Lab13

GNU nano 7.2 main.tf *

```
value = {
  user_name = aws_iam_user.lb.name
  user_arn = aws_iam_user.lb.arn
  unique_id = aws_iam_user.lb.unique_id
}
}
```

^G Help

^O Write Out

^W Where Is

^K Cut

^T Execute

^C Location

^X Exit

^R Read File

^V Replace

^U Paste

^J Justify

^_ Go To Line

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS bash - Lab13

```
@ALISHBAZAINAB →~/Lab13 $ terraform apply -auto-approve
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
  "unique_id" = "AGPASNCIPHNLVD2RID2GY"
}
user_details = {
  "unique_id" = "AIDASNCIPHNLVKBMXOWBU"
  "user_arn" = "arn:aws:iam::165508234071:user/users/loadbalancer"
  "user_name" = "loadbalancer"
}
@ALISHBAZAINAB →~/Lab13 $
```

```

● @ALISHBAZAINAB → ~/Lab13 $ terraform output
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
  "unique_id" = "AGPASNCIPHNLVD2RID2GY"
}
user_details = {
  "unique_id" = "AIDASNCIPHNLVKBMXOWBU"
  "user_arn" = "arn:aws:iam::165508234071:user/users/loadbalancer"
  "user_name" = "loadbalancer"
}
○ @ALISHBAZAINAB → ~/Lab13 $

```

Users (3) Info Create user

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

	User name	Path	Group	Last activity	MFA	Password age	Console access
☐	Admin	/	0	✓ 11 days ago	-	✓ 11 days	✓ 11 c
☐	lab13	/	0	✓ 7 minutes ago	-	✓ 11 minutes	-
☐	loadbalancer	/users/	1	-	-	-	-

☐	Group name	▲	Users	▼
☐	developers			1

Task 3

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS nano - Lab13 + v [ ] [ ] ... [ ] [ ] [X]
GNU nano 7.2 main.tf *
output "user_details" {
  value = {
    user_name = aws_iam_user.lb.name
    user_arn  = aws_iam_user.lb.arn
  }
}
```



```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS nano - Lab13 + v [ ] [ ] ... | [ ] [ ] X

GNU nano 7.2 main.tf *
provisioner "local-exec" {
  command = "${path.module}/create-login-profile.sh ${aws_iam_user.lb.name} '${var.iam_password}'
}
}

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line

SUGGESTED
Build Wor
Add Co
Describe v
Agent v
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS bash - Lab13 + v [ ] [ ] ... | [ ] [ ] X

@ALISHBAZAINAB →~/Lab13 $ terraform apply -auto-approve -var="iam_password=MySecurePass123!"
Outputs:
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
}
user_details = {
  "user_arn" = "arn:aws:iam::165508234071:user/users/loadbalancer"
  "user_name" = "loadbalancer"
}
@ALISHBAZAINAB →~/Lab13 $
```

```
@ALISHBAZAINAB →~/Lab13 $ aws iam get-login-profile --user-name loadbalancer
{
  "LoginProfile": {
    "UserName": "loadbalancer",
    "CreateDate": "2026-01-05T15:31:36+00:00",
    "PasswordResetRequired": true
  }
}
@ALISHBAZAINAB →~/Lab13 $
```

Password reset

Your account (**165508234071**) password has expired or requires a reset.

To continue, please verify your old and set a new password for **loadbalancer** (not you?).

Old Password

☐ Show Password

New Password

Task 5

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  nano - Lab13  + v  [ ]  [ ]  ...  [ ]  [ ]  X

GNU nano 7.2  main.tf *
output "access_key_secret" {
  value      = aws_iam_access_key.lb_access_key.secret
  sensitive = true
}

```

^G Help

^X Exit

^O Write Out

^R Read File

^W Where Is

^V Replace

^K Cut

^U Paste

^T Execute

^J Justify

^C Location

^_ Go To Line

0

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  bash - Lab13  + v  [ ]  [ ]  ...  [ ]  [ ]  X

@ALISHBAZAINAB →~/Lab13 $ terraform apply -auto-approve -var="iam_password=MySecurePass123!"
access_key_id = "AKIASNCIPHNL5IOVZWH6"
access_key_secret = <sensitive>
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
}
user_details = {
  "user_arn" = "arn:aws:iam::165508234071:user/users/loadbalancer"
  "user_name" = "loadbalancer"
}
@ALISHBAZAINAB →~/Lab13 $

```

```
@ALISHBAZAINAB →~/Lab13 $ terraform output
access_key_id = "AKIASNCIPHNL5IOVZWH6"
access_key_secret = <sensitive>
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
}
user_details = {
  "user_arn" = "arn:aws:iam::165508234071:user/users/loadbalancer"
  "user_name" = "loadbalancer"
}
@ALISHBAZAINAB →~/Lab13 $
```

```
@ALISHBAZAINAB →~/Lab13 $ cat terraform.tfstate | grep -A 10 "access_key_secret"
  "value": "2RoLZfowYHygEMkpIQNR92/JfmpCIE9f2XMlgpskx",
  "type": "string",
  "sensitive": true
},
"group_details": {
  "value": {
    "group_arn": "arn:aws:iam::165508234071:group/groups/developers",
    "group_name": "developers"
  },
  "type": [
@ALISHBAZAINAB →~/Lab13 $
```

Access keys (1)

Use access keys to send programmatic calls to AWS from the AWS CLI, AWS Tools for PowerShell, AWS SDKs, or direct AWS API calls. You can have a maximum of two access keys (active or inactive) at a time. [Learn more](#)

AKIASNCIPHNL5IOVZWH6

Description
-

Last used
None

Last used region
N/A

Status
Active

Created
3 minutes ago

Last used service
N/A

[Actions](#)

Task 6

Create bucket

Buckets are containers for data stored in S3.

General configuration

AWS Region
Middle East (UAE) me-central-1

Bucket name
myapp-s3-bucket-demo

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Object Ownership

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

☐ Disable

☒ Enable

You can use bucket tags to analyze, manage and specify permissions for a bucket. [Learn more](#)


No tags associated with this bucket.

You can add up to 50 tags.



The screenshot shows a terminal window with the nano text editor open. The editor is editing a file named `main.tf`. The content of the file is a Terraform configuration for an AWS S3 backend. The terminal interface includes a top bar with tabs for PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL (active), and PORTS. The bottom bar displays nano shortcuts: ^G Help, ^O Write Out, ^W Where Is, ^K Cut, ^T Execute, ^C Location, ^X Exit, ^R Read File, ^U Replace, ^J Paste, ^_ Justify, and ^/ Go To Line. The cursor is positioned at the end of the `use_lockfile = true` line.

```
GNU nano 7.2 main.tf *
terraform {
  backend "s3" {
    bucket    = "myapp-s3-bucket-demo"
    key       = "myapp/terraform.tfstate"
    region    = "me-central-1"
    encrypt   = true
    use_lockfile = true
  }
}
```



The screenshot shows a terminal window with a dark background. At the top, there are tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is active), and 'PORTS'. The terminal title bar says 'bash - Lab13'. The prompt is '@ALISHBAZAINAB → ~/Lab13 \$'. The command entered is 'terraform init -migrate-state'. The output is 'Terraform has been successfully initialized!' followed by a paragraph of instructions: 'You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.' and 'If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.' The prompt is now '@ALISHBAZAINAB → ~/Lab13 \$' with a cursor.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS bash - Lab13 + ▾ [ ] [ ] ... [ ] [ ] X
```

```
@ALISHBAZAINAB → ~/Lab13 $ terraform init -migrate-state
```

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

```
@ALISHBAZAINAB → ~/Lab13 $
```

 Copy S3 URI Copy URL Download Open Delete Actions Create folder

 Upload

Find objects by prefix

 Show versions

< 1 > ⚙

☐	Name	Type	Last modified	Size	Storage class
☐	 myapp/	Folder	-	-	-

```

@ALISHBAZAINAB →~/Lab13 $ ls -la terraform.tfstate*
-rw-r--r-- 1 codespace codespace 0 Jan 5 15:55 terraform.tfstate
-rw-r--r-- 1 codespace codespace 6724 Jan 5 15:55 terraform.tfstate.backup
@ALISHBAZAINAB →~/Lab13 $

```

```

@ALISHBAZAINAB →~/Lab13 $ terraform destroy -auto-approve
aws_iam_user_group_membership.lb_membership: Destruction complete after 1s
aws_iam_group_policy_attachment.change_password: Destruction complete after 1s
aws_iam_group_policy_attachment.developer_ec2_fullaccess: Destruction complete after 1s
aws_iam_group.developers: Destroying... [id=developers]
aws_iam_access_key.lb_access_key: Destruction complete after 1s
aws_iam_user.lb: Destroying... [id=loadbalancer]
aws_iam_group.developers: Destruction complete after 0s
aws_iam_user.lb: Destruction complete after 2s

Destroy complete! Resources: 7 destroyed.
@ALISHBAZAINAB →~/Lab13 $

```

Objects (1)

[Refresh](#)
[Copy S3 URI](#)
[Copy URL](#)
[Download](#)
[Open](#)
[Delete](#)
[Actions](#)
[Create folder](#)

[Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix ☒ Show versions < 1 > [Settings](#)

☐	Name	Type	Last modified	Size	Storage class
☐	terraform.tfstate	tfstate	January 5, 2026, 20:59:51 (UTC+05:00)	181.0 B	Standard

Task 7

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL** PORTS nano - Lab13

```

GNU nano 7.2 local.tf *
locals {
  users = csvdecode(file("users.csv"))
}

```

SUGGESTIONS

Build W

Add

Describ

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL** PORTS nano - Lab13

```

GNU nano 7.2 users.csv *
Stanley
Kevin
Angela
Oscar
Phyllis
Toby
Kelly
Darryl

```

[^]G Help [^]O Write Out [^]W Where Is [^]K Cut [^]T Execute [^]C Location
[^]X Exit [^]R Read File [^]U Replace [^]U Paste [^]J Justify [^]_ Go To Line

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS nano - Lab13 + - [ ] [ ] ... | [ ] [ ] X
GNU nano 7.2 main.tf *
}
}

output "all_access_key_secrets" {
  value = {
    for uname, k in aws_iam_access_key.users_access_keys : uname => k.secret
  }
  sensitive = true
}
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/_ Go To Line

0 0

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS bash - Lab13 + - [ ] [ ] ... | [ ] [ ] X
@ALISHBAZAINAB →~/Lab13 $ terraform init

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.
@ALISHBAZAINAB →~/Lab13 $ s
```

0 0

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS terraform - Lab13 + - [ ] [ ] ... | [ ] [ ] X
null_resource.create_login_profiles["Holly"]: Creation complete after 14s [id=11220861878780567]
null_resource.create_login_profiles["Clark"]: Creating...
null_resource.create_login_profiles["Clark"]: Provisioning with 'local-exec'...
null_resource.create_login_profiles["Clark"] (local-exec): (output suppressed due to sensitive v
alue in config)
null_resource.create_login_profiles["Gabe"]: Creation complete after 14s [id=5003299226029789388
]
aws_iam_access_key.users_access_keys["Michael"]: Creating...
aws_iam_access_key.users_access_keys["Michael"]: Creation complete after 1s [id=AKIASNCIPHNLN6I
A40I]
aws_iam_access_key.users_access_keys["Holly"]: Creating...
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS bash - Lab13 + - [ ] [ ] ... | [ ] [ ] X
@ALISHBAZAINAB →~/Lab13 $ terraform output
}
}
group_details = {
  "group_arn" = "arn:aws:iam::165508234071:group/groups/developers"
  "group_name" = "developers"
}
user_details = {
  "user_arn" = "arn:aws:iam::165508234071:user/users/loadbalancer"
  "user_name" = "loadbalancer"
}
@ALISHBAZAINAB →~/Lab13 $
```

0 0

Users (29) [Info](#)

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

[Delete](#)[Create user](#)[<](#) [1](#) [2](#) [>](#) [⚙️](#)

☐	User name	Path	Group:	Last activity	MFA	Password age	Cons
☐	Admin	/	0	🟢 11 days ago	-	🟢 11 days	🟢 1
☐	Andy	/users/	1	-	-	🟢 1 minute	-
☐	Angela	/users/	1	-	-	🟢 1 minute	-
☐	Charles	/users/	1	-	-	🟢 1 minute	-
☐	Clark	/users/	1	-	-	🟢 1 minute	-
☐	Creed	/users/	1	-	-	🟢 1 minute	-
☐	Darryl	/users/	1	-	-	🟢 1 minute	-
☐	David	/users/	1	-	-	🟢 1 minute	-

Users in this group (27)

[Remove](#)[Add users](#)[<](#) [1](#) [2](#) [>](#) [⚙️](#)

☐	User name ↗️	Groups
☐	Andy	
☐	Angela	
☐	Charles	
☐	Clark	
☐	Creed	
☐	Darryl	
☐	David	
☐	Dwight	
☐	Ella	

Access keys (1)

[Create access key](#)

Use access keys to send programmatic calls to AWS from the AWS CLI, AWS Tools for PowerShell, AWS SDKs, or direct AWS API calls. You can have a maximum of two access keys (active or inactive) at a time. [Learn more](#)

AKIASNCIPHNLRYDZZ4MW**Description**

-

Last used

None

Last used region

N/A

Status

🟢 Active

Created

3 minutes ago

Last used service

N/A

[Actions](#)

Clean up

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  bash - Lab13 + - [ ] [ ] ... [ ] [ ] X

aws_iam_user.users["Erin"]: Destroying... [id=Erin]
aws_iam_user.users["Jo"]: Destruction complete after 6s
aws_iam_user.users["Phyllis"]: Destroying... [id=Phyllis]
aws_iam_user.users["Darryl"]: Destruction complete after 4s
aws_iam_user.users["Creed"]: Destroying... [id=Creed]
aws_iam_user.users["Toby"]: Destruction complete after 2s
aws_iam_user.users["David"]: Destroying... [id=David]
aws_iam_user.users["Michael"]: Destruction complete after 3s
aws_iam_user.users["Jim"]: Destruction complete after 3s
aws_iam_user.users["Clark"]: Destruction complete after 3s
aws_iam_user.users["Ryan"]: Destruction complete after 3s
aws_iam_user.users["Erin"]: Destruction complete after 2s
aws_iam_user.users["Pam"]: Destruction complete after 9s
aws_iam_user.users["David"]: Destruction complete after 2s
aws_iam_user.users["Holly"]: Destruction complete after 5s
aws_iam_user.users["Phyllis"]: Destruction complete after 5s
aws_iam_user.users["Creed"]: Destruction complete after 4s

Destroy complete! Resources: 111 destroyed.
@ALISHBAZAINAB → ~/Lab13 $
```

Users (2) [Info](#)

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

☐

User name

▲

▼

Path

▼

Group:

▼

Last activity

▼

MFA

▼

Password age

▼

Consol

☐	Admin	/	0	11 days ago	-	11 days	11 d
☐	lab13	/	0	8 minutes ago	-	1 hour	-

☐

Group name

▲

▼

Users

▼

Permissions

▼

Creation time

▼

terraform.tfstate

Info

Copy S3 URICopy S3 URIDownloadDownloadOpenOpenObject actionsObject actions

PropertiesPermissionsVersions

Object overview

Owner

4e2450a2141b5e65e3c1e64829b7a453b352cc370722f72471b67d9b811a8134

AWS Region

Middle East (UAE) me-central-1

Last modified

January 5, 2026, 21:20:03 (UTC+05:00)

Size

181.0 B

Type

tfstate

S3 URI

s3://myapp-s3-bucket-demoalishba/myapp/terraform.tfstate

Amazon Resource Name (ARN)

arn:aws:s3:::myapp-s3-bucket-demoalishba/myapp/terraform.tfstate

Entity tag (Etag)

e13ec95543bc61a47497467bcf7bb81c

Object URL

https://myapp-s3-bucket-demoalishba.s3.me-central-1.amazonaws.com/myapp/terraform.tfstate

Mobile App© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

```
@ALISHBAZAINAB →~/Lab13 $ ls -la
total 61764
drwxr-xr-x 4 codespace codespace      4096 Jan  5 16:10 .
drwxr-x--- 1 codespace codespace      4096 Jan  5 15:32 ..
drwxr-xr-x 3 codespace codespace      4096 Jan  5 15:55 .terraform
-rw-r--r-- 1 codespace codespace      2422 Jan  5 15:31 .terraform.lock.hcl
drwxr-xr-x 3 codespace codespace      4096 Jan  2 23:18 aws
-rw-r--r-- 1 codespace codespace 63189473 Jan  5 15:01 awscliv2.zip
-rwxr-xr-x 1 codespace codespace       382 Jan  5 15:28 create-login-profile.sh
-rw-r--r-- 1 codespace codespace         50 Jan  5 16:05 local.tf
-rw-r--r-- 1 codespace codespace          0 Jan  5 16:04 locals.tf
-rw-r--r-- 1 codespace codespace      3346 Jan  5 16:10 main.tf
-rw-r--r-- 1 codespace codespace          0 Jan  5 15:55 terraform.tfstate
-rw-r--r-- 1 codespace codespace      6724 Jan  5 15:55 terraform.tfstate.backup
-rw-r--r-- 1 codespace codespace       167 Jan  5 16:08 users.csv
-rw-r--r-- 1 codespace codespace       154 Jan  5 15:27 variables.tf

@ALISHBAZAINAB →~/Lab13 $
```

Successfully deleted bucket "myapp-s3-bucket-demoalishba"

Storage

Amazon S3

Store and retrieve any amount of data from anywhere

Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.

Create a bucket

Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.

Create bucket