

NAME:ALISHBA ZAINAB

ROLL NO:23-BSE-006

SECTION:A

SUBMITTED TO:SIR SHOAIB

LAB 9 CLOUD COMPUTING

TASK 1

```
PowerShell 7.5.4
PS C:\Users\zaina> gh --version
gh version 2.83.2 (2025-12-10)
https://github.com/cli/cli/releases/tag/v2.83.2
PS C:\Users\zaina>
```

```
PS C:\Users\zaina> gh auth login -s codespace
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 17CE-097D
Press Enter to open https://github.com/login/device in your browser...
✓ Authentication complete.
- gh config set -h github.com git_protocol https
✓ Configured git protocol
✓ Logged in as ALISHBAZAINAB
PS C:\Users\zaina>
```

```
PS C:\Users\zaina> gh codespace list
NAME          DISPLAY_NAME  REPOSITORY          BRANCH  STATE    CREATED AT
fluffy-goggles-x5gwp6gqvw55f6pq7 fluffy goggles ALISHBAZAINAB/Assignment2 main*   Shutdown about 6 days ago
PS C:\Users\zaina>
```

```

PS C:\Users\zaina> gh codespace ssh -c potential-acorn-5g7qr67pq5rjhpvpq
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-1030-azure x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

@ALISHBAZAINAB → /workspaces/LAB9CC (main) $

```

TASK 2

```

inflating: aws/dist/wheel-0.45.1.dist-info/entry_points.txt
inflating: aws/dist/wheel-0.45.1.dist-info/RECORD
• @ALISHBAZAINAB → /workspaces/LAB9CC (main) $ sudo ./aws/install
You can now run: /usr/local/bin/aws --version
• @ALISHBAZAINAB → /workspaces/LAB9CC (main) $ aws --version
aws-cli/2.32.28 Python/3.13.11 Linux/6.8.0-1030-azure exe/x86_64.ubuntu.24
○ @ALISHBAZAINAB → /workspaces/LAB9CC (main) $

```

AKIASNCIPHNL4DQWTJH

D8lVM21NoNmRIdazG00SrwxLCG8r5evIbl3oVgNQ

```

• @ALISHBAZAINAB → /workspaces/LAB9CC (main) $ cat ~/.aws/credentials
[default]
aws_access_key_id = AKIASNCIPHNL4DQWTJH
aws_secret_access_key = D8lVM21NoNmRIdazG00SrwxLCG8r5evIbl3oVgNQ
• @ALISHBAZAINAB → /workspaces/LAB9CC (main) $ cat ~/.aws/config
[default]
region = me-central-1
output = json
○ @ALISHBAZAINAB → /workspaces/LAB9CC (main) $

```

```

• @ALISHBAZAINAB → /workspaces/LAB9CC (main) $ aws sts get-caller-identity
{
  "UserId": "AKIASNCIPHNL5GGGY6BQ6",
  "Account": "165508234071",
  "Arn": "arn:aws:iam::165508234071:user/lab9"
}
○ @ALISHBAZAINAB → /workspaces/LAB9CC (main) $

```

Task 3

```

• @ALISHBAZAINAB → /workspaces/LAB9CC (main) $ aws ec2 create-security-group --group-name MySecurityGroup \
--description "My Security Group" --vpc-id vpc-0dcc62e27e07aa9e7
{
  "GroupId": "sg-096e10d5b6b3dded0",
  "SecurityGroupArn": "arn:aws:ec2:me-central-1:165508234071:security-group/sg-096e10d5b6b3dded0"
}
○ @ALISHBAZAINAB → /workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-security-groups --group-ids sg-096e10d5b6b3dded0
{
  "SecurityGroups": [
    {
      "GroupId": "sg-096e10d5b6b3dded0",

```

```

      "IpRanges": [
    ]
  ]
}

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ curl icanhazip.com
4.240.18.225

○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $
```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-security-groups --group-ids sg-096e10d5b6b3dded0
{
  "SecurityGroups": [
    {
      "GroupId": "sg-096e10d5b6b3dded0",

```

```

      "IpRanges": [
    ]
  ]
}

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 authorize-security-group-ingress \
  --group-id sg-096e10d5b6b3dded0 \
  --ip-permissions '{"FromPort":80,"ToPort":80,"IpProtocol":"tcp","IpRanges":[{"CidrIp":"4.240.18.225/32"}]}'
{
  "Return": true,
  "SecurityGroupRules": [
    {
      "SecurityGroupRuleId": "sgr-0e73242287c6fbcd2",
      "GroupId": "sg-096e10d5b6b3dded0",
      "GroupOwnerId": "165508234071",
      "IsEgress": false,
      "IpProtocol": "tcp",

```

0

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-security-groups --group-ids sg-096e10d5b6b3dded0
{
  "SecurityGroups": [
    {
      "GroupId": "sg-096e10d5b6b3dded0",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-0dcc62e27e07aa9e7",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:165508234071:security-group/sg-096e10d5b6b3dded0",

```

Task 4

```

{
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 create-key-pair \
  --key-name MyED25519Key \
  --key-type ed25519 \
  --key-format pem \
  --query 'KeyMaterial' \
  --output text > MyED25519Key.pem
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ chmod 400 MyED25519Key.pem
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ ls -l MyED25519Key.pem
-r----- 1 codespace codespace 388 Jan  3 06:01 MyED25519Key.pem
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-key-pairs
{
  "KeyPairs": [
    {
      "KeyPairId": "key-0dd06a07a771529f8",
      "KeyType": "ed25519",
      "Tags": [],
      "CreateTime": "2026-01-03T06:01:23.585000+00:00",
      "KeyName": "MyED25519Key",
      "KeyFingerprint": "MBBVKg5dsKX8HeiMjwqMF77ifnHPKB+Jfm/1v6FITHA="
    }
  ]
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 run-instances \
  --image-id ami-05e66df2ba9cb7dea \
  --count 1 \
  --instance-type t3.micro \
  --key-name MyED25519Key \
  --security-group-ids sg-096e10d5b6b3dded0 \
  --subnet-id subnet-04855a6f1dd3b4f6c \
  --tag-specifications "ResourceType=instance,Tags=[{Key=Name,Value=MyServer}]"
{
  "ReservationId": "r-0281c89e8c65bc53c",
  "OwnerId": "165508234071",
  "Groups": [],
  "Instances": [
    {
      "Architecture": "x86_64",
      "BlockDeviceMappings": [],
      "ClientToken": "36a78b6f-515a-4813-aa54-9f97bc472850",
      "EbsOptimized": false,
      "EnaSupport": true,

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --query "Reservations[*].Instances[*].[InstanceId,PublicIpAddress]" \
  --output table
-----
| DescribeInstances |
+-----+-----+
| i-02414a663d304f995 | 40.172.228.25 |
+-----+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```



```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-reservations
{
  "Reservations": [
    {
      "ReservationId": "r-0281c89e8c65bc53c",
      "OwnerId": "165508234071",
      "Groups": [],
      "Instances": [
        {
          "Architecture": "x86_64",
          "BlockDeviceMappings": [
            {
              "DeviceName": "/dev/xvda",
              "Ebs": {
                "AttachTime": "2026-01-03T06:05:53+00:00",
                "DeleteOnTermination": true,
                "Status": "attached",
                "VolumeId": "vol-02a03c3030a599cf6"
              }
            }
          ]
        }
      ]
    }
  ]
}

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-regions
{
  "Regions": [
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "ap-south-1",
      "Endpoint": "ec2.ap-south-1.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-north-1",
      "Endpoint": "ec2.eu-north-1.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-west-3",
      "Endpoint": "ec2.eu-west-3.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-west-2",
      "Endpoint": "ec2.eu-west-2.amazonaws.com"
    }
  ]
}

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-availability-zones
{
  "AvailabilityZones": [
    {
      "OptInStatus": "opt-in-not-required",
      "Messages": [],
      "RegionName": "me-central-1",
      "ZoneName": "me-central-1a",
      "ZoneId": "mec1-az1",
      "GroupName": "me-central-1-zg-1",
      "NetworkBorderGroup": "me-central-1",
      "ZoneType": "availability-zone",
      "GroupLongName": "Middle East (UAE) 1",
      "State": "available"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "Messages": [],
      "RegionName": "me-central-1",
      "ZoneName": "me-central-1b",
      "ZoneId": "mec1-az2",
      "State": "available"
    }
  ]
}

```

```

State : available
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam create-group --group-name MyGroupCli
{
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPASNCIPHNLWXF6XI6MR",
    "Arn": "arn:aws:iam::165508234071:group/MyGroupCli",
    "CreateDate": "2026-01-03T06:20:43+00:00"
  }
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam get-group --group-name MyGroupCli
{
  "Users": [],
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPASNCIPHNLWXF6XI6MR",
    "Arn": "arn:aws:iam::165508234071:group/MyGroupCli",
    "CreateDate": "2026-01-03T06:20:43+00:00"
  }
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam get-user --user-name MyUserCli
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDASNCIPHNL3ZKOBBEJZ",
    "Arn": "arn:aws:iam::165508234071:user/MyUserCli",
    "CreateDate": "2026-01-03T06:23:07+00:00"
  }
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam get-group --group-name MyGroupCli
{
  "Users": [
    {
      "Path": "/",
      "UserName": "MyUserCli",
      "UserId": "AIDASNCIPHNL3ZKOBBEJZ",
      "Arn": "arn:aws:iam::165508234071:user/MyUserCli",
      "CreateDate": "2026-01-03T06:23:07+00:00"
    }
  ],
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPASNCIPHNLWXF6XI6MR",
    "Arn": "arn:aws:iam::165508234071:group/MyGroupCli",
    "CreateDate": "2026-01-03T06:20:43+00:00"
  }
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

Task 6

```

}
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam list-policies --query "Policies[?contains(P
olicyName, 'EC2')].{Name:PolicyName}" --output text
AmazonEC2FullAccess
AmazonEC2ReadOnlyAccess
AmazonElasticMapReduceforEC2Role
AmazonEC2RoleforDataPipelineRole
AmazonEC2ContainerServiceforEC2Role
AmazonEC2ContainerServiceRole
AmazonEC2RoleforAWSCodeDeploy
AmazonEC2RoleforSSM
CloudWatchActionsEC2Access
AmazonEC2ContainerRegistryReadOnly
AmazonEC2ContainerRegistryPowerUser
AmazonEC2ContainerRegistryFullAccess
AmazonEC2ContainerServiceAutoscaleRole
AmazonEC2SpotFleetAutoscaleRole
AWSElasticBeanstalkCustomPlatformforEC2Role
AmazonEC2ContainerServiceEventsRole
AmazonEC2SpotFleetTaggingRole
AWSEC2SpotServiceRolePolicy
AWSServiceRoleForEC2ScheduledInstances
AWSEC2SpotFleetServiceRolePolicy
AWSApplicationAutoscalingEC2SpotFleetRequestPolicy

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam list-policies --query 'Policies[?PolicyName
==`AmazonEC2FullAccess`].{Name:PolicyName, ARN:Arn}' --output table
-----
|                                     ListPolicies                                     |
+-----+-----+-----+-----+
|                                     ARN                                     | Name |
+-----+-----+-----+-----+
| arn:aws:iam::aws:policy/AmazonEC2FullAccess | AmazonEC2FullAccess |
+-----+-----+-----+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

+-----+-----+-----+-----+
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam list-attached-group-policies --group-name M
yGroupCli
{
  "AttachedPolicies": []
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam create-login-profile --user-name MyUserCli
--password "MyStrongP@ssw0rd!" --password-reset-required
{
  "LoginProfile": {
    "UserName": "MyUserCli",
    "CreateDate": "2026-01-03T06:30:09+00:00",
    "PasswordResetRequired": true
  }
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

SUGGESTED

Build Wor

Add Co

Describe v

Agent v


```

@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam create-access-key --user-name MyUserCli
{
  "AccessKey": {
    "UserName": "MyUserCli",
    "AccessKeyId": "AKIASNCIPHNL3JUPU36N",
    "Status": "Active",
    "SecretAccessKey": "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",
    "CreateDate": "2026-01-03T06:32:41+00:00"
  }
}
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam list-access-keys --user-name MyUserCli
{
  "AccessKeyMetadata": [
    {
      "UserName": "MyUserCli",
      "AccessKeyId": "AKIASNCIPHNL3JUPU36N",
      "Status": "Active",
      "CreateDate": "2026-01-03T06:32:41+00:00"
    }
  ]
}
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ export AWS_ACCESS_KEY_ID=AKIASNCIPHNL4DQWTJH
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ export AWS_SECRET_ACCESS_KEY=D8lVM21NoNmRIIdazG00Srw
xLCG8r5evIbl3oVgNQ
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ printenv | grep AWS_
AWS_SECRET_ACCESS_KEY=D8lVM21NoNmRIIdazG00SrwXLCG8r5evIbl3oVgNQ
AWS_ACCESS_KEY_ID=AKIASNCIPHNL4DQWTJH
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

AWS_ACCESS_KEY_ID=AKIASNCIPHNL4DQWTJH
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam get-user --user-name MyUserCli
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDASNCIPHNL3ZKOBBEJZ",
    "Arn": "arn:aws:iam::165508234071:user/MyUserCli",
    "CreateDate": "2026-01-03T06:23:07+00:00"
  }
}
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

@ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam get-user --user-name MyUserCli
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDASNCIPHNL3ZKOBBEJZ",
    "Arn": "arn:aws:iam::165508234071:user/MyUserCli",
    "CreateDate": "2026-01-03T06:23:07+00:00"
  }
}
@ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

Task 7

```

}
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --filters "Name=tag:Name,Values=MyServer" \
  --query "Reservations[*].Instances[*].PublicIpAddress" \
  --output text
40.172.228.25
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

0

```

40.172.228.25
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --filters "Name=instance-type,Values=t3.micro" \
  --query "Reservations[].Instances[].InstanceId" \
  --output table
-----
| DescribeInstances |
+-----+
| i-02414a663d304f995 |
+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

0

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --filters "Name=subnet-id,Values=subnet-04855a6f1dd3b4f6c" \
  --query "Reservations[*].Instances[*].InstanceId" \
  --output table
-----
| DescribeInstances |
+-----+
| i-02414a663d304f995 |
+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --filters "Name=vpc-id,Values=vpc-0dcc62e27e07aa9e7" \
  --query "Reservations[*].Instances[*].InstanceId" \
  --output table
-----
| DescribeInstances |
+-----+
| i-02414a663d304f995 |
+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

0

Task 8

```

-----
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --filters "Name=tag:Name,Values=MyServer" \
  --query "Reservations[*].Instances[*].[InstanceId,PublicIpAddress,Tags[?Key=='Name'].Value|[0]]" \
  --output table
-----
| DescribeInstances |
+-----+
| i-02414a663d304f995 | 40.172.228.25 | MyServer |
+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

0

```

+-----+
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --query "Reservations[*].Instances[*].[InstanceId,State.Name]" \
  --output table

+-----+
| DescribeInstances |
+-----+
| i-02414a663d304f995 | running |
+-----+
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

--output table
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --filters "Name=tag:Name,Values=MyServer" \
  --query "Reservations[*].Instances[*].[InstanceId,PublicIpAddress,Tags[?Key=='Name'].Value|[0]]" \
  --output table

+-----+
| DescribeInstances |
+-----+
| i-02414a663d304f995 | 40.172.228.25 | MyServer |
+-----+
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --query "Reservations[*].Instances[*].[InstanceId,State.Name]" \
  --output table

+-----+
| DescribeInstances |
+-----+
| i-02414a663d304f995 | running |
+-----+
● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-instances \
  --query "Reservations[*].Instances[*].[InstanceId,InstanceType,Placement.AvailabilityZone]" \
  --output table

+-----+
| DescribeInstances |
+-----+

```

Task 9

```

● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 terminate-instances --instance-ids i-02414a663d304f995
{
  "TerminatingInstances": [
    {
      "InstanceId": "i-02414a663d304f995",
      "CurrentState": {
        "Code": 32,
        "Name": "shutting-down"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    }
  ]
}
○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $

```

```

    }
    ● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 delete-security-group --group-id sg-096e10d5b6b3dded0
    {
      "Return": true,
      "GroupId": "sg-096e10d5b6b3dded0"
    }
    ● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 delete-key-pair --key-name MyED25519Key
    {
      "Return": true,
      "KeyPairId": "key-0dd06a07a771529f8"
    }
    ○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $
  
```

```

    }
    ● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam delete-access-key --user-name MyUserCli --a
    ccess-key-id AKIASNCIPHNL5JUPU36N
    ○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $
  
```

```

    }
    ● @ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws iam delete-access-key --user-name MyUserCli --a
    ccess-key-id AKIASNCIPHNL5JUPU36N
    ○ @ALISHBAZAINAB →/workspaces/LAB9CC (main) $
  
```

```

    {
      "Architecture": "x86_64",
      "BlockDeviceMappings": [],
      "ClientToken": "36a78b6f-515a-4813-aa54-9f97bc472850",
      "EbsOptimized": false,
      "EnaSupport": true,
      "Hypervisor": "xen",
      "NetworkInterfaces": [],
      "RootDeviceName": "/dev/xvda",
      "RootDeviceType": "ebs",
      "SecurityGroups": [],
      "StateReason": {
        "Code": "Client.UserInitiatedShutdown",
        "Message": "Client.UserInitiatedShutdown: User initiated shutdown"
      },
      "Tags": [
        {
          "Key": "Name",
        }
      ]
    }
    ALISHBAZAINAB →/workspaces/LAB9CC (main) $ aws ec2 describe-security-groups

    "SecurityGroups": [
      {
        "GroupId": "sg-09f88145f3daf3d2e",
        "IpPermissionsEgress": [
  
```

