

NAME:ALISHBA ZAINAB

ROLL NO:23-BSE-006

SECTION:A

CLOUD COMPUTING LAB 10

TASK 1

```
PS C:\Users\zaina> gh --version
gh version 2.83.2 (2025-12-10)
https://github.com/cli/cli/releases/tag/v2.83.2
PS C:\Users\zaina>
```

```
! First copy your one-time code: D9A7-7D13
Press Enter to open https://github.com/login/device in your browser...
/ Authentication complete.
- gh config set -h github.com git_protocol https
/ Configured git protocol
/ Logged in as ALISHBAZAINAB
! You were already logged in to this account
PS C:\Users\zaina>
```

```
PS C:\Users\zaina> gh codespace list
```

NAME	DISPLAY NAME	REPOSITORY	BRANCH	STATE	CREATED AT
fluffy-goggles-x5gwp6gqwv55...	fluffy goggles	ALISHBAZAINAB/Assignm...	main*	Shutdown	about 7 days ago
potential-acorn-5g7qr67pq5r...	potential acorn	ALISHBAZAINAB/LAB9CC	main*	Shutdown	about 4 hours ago
zany-waddle-x5gwp6gqwxwgrxp	zany waddle	ALISHBAZAINAB/lab10	main	Available	about 9 minutes ago

```
PS C:\Users\zaina>
```

```
PS C:\Users\zaina> gh codespace ssh -c zany-waddle-x5gwp6gqwxwgrxp
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-1030-azure x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

@ALISHBAZAINAB → /workspaces/lab10 (main) $
```

Task 2

```
inflating: aws/dist/wheel-0.45.1.dist-info/direct_url.json
inflating: aws/dist/wheel-0.45.1.dist-info/entry_points.txt
inflating: aws/dist/wheel-0.45.1.dist-info/RECORD
● @ALISHBAZAINAB → /workspaces/lab10 (main) $ sudo ./aws/install
You can now run: /usr/local/bin/aws --version
● @ALISHBAZAINAB → /workspaces/lab10 (main) $ aws --version
aws-cli/2.32.28 Python/3.13.11 Linux/6.8.0-1030-azure exe/x86_64.ubuntu.24
○ @ALISHBAZAINAB → /workspaces/lab10 (main) $
```

```

• @ALISHBAZAINAB →/workspaces/lab10 (main) $ cat ~/.aws/credentials
[default]
aws_access_key_id = AKIASNCIPHNL2NARERXI
aws_secret_access_key = EtdwDNke6gKA0MdSlBYZ4glWUZDJ8mmrs21f7W003
• @ALISHBAZAINAB →/workspaces/lab10 (main) $ cat ~/.aws/config
[default]
region = me-central-1
output = json
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █

```

```

• @ALISHBAZAINAB →/workspaces/lab10 (main) $ aws sts get-caller-identity
{
  "UserId": "AIDASNCIPHNL6ERHPUKBE",
  "Account": "165508234071",
  "Arn": "arn:aws:iam::165508234071:user/lab10"
}
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █

```

```

Get:1 https://apt.releases.hashicorp.com noble/main amd64 terraform amd64 1.14.3-1 [30.6 MB]
Fetched 30.6 MB in 0s (141 MB/s)
Selecting previously unselected package terraform.
(Reading database ... 58629 files and directories currently installed.)
Preparing to unpack .../terraform_1.14.3-1_amd64.deb ...
Unpacking terraform (1.14.3-1) ...
Setting up terraform (1.14.3-1) ...
• @ALISHBAZAINAB →/workspaces/lab10 (main) $ which terraform
/usr/bin/terraform
• @ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform --version
Terraform v1.14.3
on linux_amd64
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █

```

```

• @ALISHBAZAINAB →/workspaces/lab10 (main) $ vim main.tf
• @ALISHBAZAINAB →/workspaces/lab10 (main) $ █

```

```

provider "aws" {
  shared_config_files    = ["~/.aws/config"]
  shared_credentials_files = ["~/.aws/credentials"]
}

~
~
~
~
~
~
~
~

```

```

● @ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform init
Initializing the backend...
Initializing provider plugins...
- Finding latest version of hashicorp/aws...
- Installing hashicorp/aws v6.27.0...
- Installed hashicorp/aws v6.27.0 (signed by HashiCorp)
Terraform has created a lock file .terraform.lock.hcl to record the provider
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future.

```

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

```

○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █
0

```

```

● @ALISHBAZAINAB →/workspaces/lab10 (main) $ cat .terraform.lock.hcl
# This file is maintained automatically by "terraform init".
# Manual edits may be lost in future updates.

provider "registry.terraform.io/hashicorp/aws" {
  version = "6.27.0"
  hashes = [
    "h1:bixp2PSsP5ZGBczGCxcB5Dn6lF5QFlUXlNroq9cdab4=",
    "zh:177a24b806c72e8484b5cab93b2b38e3d770ae6f745a998b54d6619fd0e8129",
    "zh:4ac4a85c14fb868a3306b542e6a56c10bd6c6d5a67bc0c9b8f6a9060cf5f3be7",
    "zh:552652185bc85c8ba1da1d65dea47c454728a5c6839c458b6dcd3ce71c19ccfc",
    "zh:60284b8172d09aee91eae0856f09855eaf040ce3a58d6933602ae17c53f8ed04",
    "zh:6be38d156756ca61fb8e7c752cc5d769cd709686700ac4b230f40a6e95b5dbc9",
    "zh:7a409138fae4ef42e3a637e37cb9efedf96459e28a3c764fc4e855e8db9a7485",
    "zh:8070cf5224ed1ed3a3e9a59f7c30ff88bf071c7567165275d477c1738a56c064",
    "zh:894439ef340a9a79f69cd759e27ad11c7826adeca27be1b1ca82b3c9702fa300",
    "zh:89d035eebf08a97c89374ff06040955ddc09f275ecca609d0c9d58d149bef5cf",
    "zh:985b1145d724fc1f38369099e4a5087141885740fd6c0b1dbc492171e73c2e49",
    "zh:9b12af85486a96aedd8d7984b0ff811a4b42e3d88dad1a3fb4c0b580d04fa425",
    "zh:a80b47ae8d1475201c86bd94a5dcb9dd4da5e8b73102a90820b68b66b76d50fd",
    "zh:d3395be1556210f82199b9166a6b2e677cee9c4b67e96e63f6c3a98325ad7ab0",
    "zh:db0b869d09657f6f1e4110b56093c5fcd9dbdd97c020db1e577b239c0adcbce",

```

0

```

}
● @ALISHBAZAINAB →/workspaces/lab10 (main) $ ls .terraform/
providers
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █

```

0

Task 3

```

provider "aws" {
  shared_config_files      = ["~/.aws/config"]
  shared_credentials_files = ["~/.aws/credentials"]
}

resource "aws_vpc" "development_vpc" {
  cidr_block = "10.0.0.0/16"
}

resource "aws_subnet" "dev_subnet_1" {
  vpc_id      = aws_vpc.development_vpc.id
  cidr_block  = "10.0.10.0/24"
  availability_zone = "me-central-1a"
}
~
~
~

```

Do you want to perform these actions?
 Terraform will perform the actions described above.
 Only 'yes' will be accepted to approve.

Enter a value: yes

```

aws_vpc.development_vpc: Creating...
aws_vpc.development_vpc: Creation complete after 1s [id=vpc-014cca0f5d0910c27]
aws_subnet.dev_subnet_1: Creating...
aws_subnet.dev_subnet_1: Creation complete after 1s [id=subnet-01ab814aa14afbf41]

```

Apply complete! Resources: 2 added, 0 changed, 0 destroyed.

@ALISHBAZAINAB →/workspaces/lab10 (main) \$

0

```

@ALISHBAZAINAB →/workspaces/lab10 (main) $ aws ec2 describe-subnets --filter "Name=subnet-id,Values=<subnet-id>"
{
  "Subnets": []
}
@ALISHBAZAINAB →/workspaces/lab10 (main) $

```

0

```

@ALISHBAZAINAB →/workspaces/lab10 (main) $ aws ec2 describe-vpcs --filter "Name=vpc-id,Values=<vpc-id>"
{
  "Vpcs": []
}
@ALISHBAZAINAB →/workspaces/lab10 (main) $

```

Task 4

```

provider "aws" {
  shared_config_files      = ["~/.aws/config"]
  shared_credentials_files = ["~/.aws/credentials"]
}
resource "aws_vpc" "development_vpc" {
  cidr_block = "10.0.0.0/16"
}

resource "aws_subnet" "dev_subnet_1" {
  vpc_id      = aws_vpc.development_vpc.id
  cidr_block  = "10.0.10.0/24"
  availability_zone = "me-central-1a"
}
data "aws_vpc" "existing_vpc" {
  default = true
}

resource "aws_subnet" "dev_subnet_1_existing" {
  vpc_id      = data.aws_vpc.existing_vpc.id
  cidr_block  = "172.31.48.0/24"
  availability_zone = "me-central-1a"
}
~
"main.tf" 23L, 557B

```

23,0-1

Plan: 1 to add, 0 to change, 0 to destroy.

Do you want to perform these actions?

Terraform will perform the actions described above.

Only 'yes' will be accepted to approve.

Enter a value: yes

aws_subnet.dev_subnet_1_existing: Creating...

aws_subnet.dev_subnet_1_existing: Creation complete after 0s [id=subnet-084365f3644eb0efe]

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.

@ALISHBAZAINAB →/workspaces/lab10 (main) \$

Do you really want to destroy all resources?

Terraform will destroy all your managed infrastructure, as shown above.

There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

aws_subnet.dev_subnet_1_existing: Destroying... [id=subnet-084365f3644eb0efe]

aws_subnet.dev_subnet_1_existing: Destruction complete after 0s

Warning: Applied changes may be incomplete

The plan was created with the `-target` option in effect, so some changes requested in the configuration may have been ignored and the output values may not be fully updated. Run the following command to verify that no other changes are pending:

`terraform plan`

Note that the `-target` option is not suitable for routine use, and is provided only for exceptional situations such as recovering from errors or mistakes, or when Terraform specifically suggests to use it as part of an error message.

Destroy complete! Resources: 1 destroyed.

- @ALISHBAZAINAB →/workspaces/lab10 (main) \$ terraform refresh
data.aws_vpc.existing_vpc: Reading...
aws_vpc.development_vpc: Refreshing state... [id=vpc-014cca0f5d0910c27]
data.aws_vpc.existing_vpc: Read complete after 1s [id=vpc-0dcc62e27e07aa9e7]
aws_subnet.dev_subnet_1: Refreshing state... [id=subnet-01ab814aa14afb41]
○ @ALISHBAZAINAB →/workspaces/lab10 (main) \$

```
+ id = (known after apply)
+ ipv6_cidr_block_association_id = (known after apply)
+ ipv6_native = false
+ map_public_ip_on_launch = false
+ owner_id = (known after apply)
+ private_dns_hostname_type_on_launch = (known after apply)
+ region = "me-central-1"
+ tags_all = (known after apply)
+ vpc_id = "vpc-0dcc62e27e07aa9e7"
}
```

Plan: 1 to add, 0 to change, 0 to destroy.

Do you want to perform these actions?

Terraform will perform the actions described above.
Only 'yes' will be accepted to approve.

Enter a value: yes

aws_subnet.dev_subnet_1_existing: Creating...
aws_subnet.dev_subnet_1_existing: Creation complete after 1s [id=subnet-047bad1b3328c70de]

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.

- @ALISHBAZAINAB →/workspaces/lab10 (main) \$

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.

- @ALISHBAZAINAB →/workspaces/lab10 (main) \$ terraform destroy
data.aws_vpc.existing_vpc: Reading...
aws_vpc.development_vpc: Refreshing state... [id=vpc-014cca0f5d0910c27]
data.aws_vpc.existing_vpc: Read complete after 0s [id=vpc-0dcc62e27e07aa9e7]
aws_subnet.dev_subnet_1_existing: Refreshing state... [id=subnet-047bad1b3328c70de]
aws_subnet.dev_subnet_1: Refreshing state... [id=subnet-01ab814aa14afb41]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:

- destroy

Terraform will perform the following actions:

```
# aws_subnet.dev_subnet_1 will be destroyed
- resource "aws_subnet" "dev_subnet_1" {
  - arn = "arn:aws:ec2:me-central-1:165508234071:
subnet/subnet-01ab814aa14afb41" -> null
  - assign_ipv6_address_on_creation = false -> null
  - availability_zone = "me-central-1a" -> null
  - availability_zone_id = "mec1-az1" -> null
  - cidr_block = "10.0.10.0/24" -> null
  - enable_dns64 = false -> null
```

10

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform plan
+ default_route_table_id      = (known after apply)
+ default_security_group_id   = (known after apply)
+ dhcp_options_id             = (known after apply)
+ enable_dns_hostnames        = (known after apply)
+ enable_dns_support          = true
+ enable_network_address_usage_metrics = (known after apply)
+ id                           = (known after apply)
+ instance_tenancy            = "default"
+ ipv6_association_id         = (known after apply)
+ ipv6_cidr_block              = (known after apply)
+ ipv6_cidr_block_network_border_group = (known after apply)
+ main_route_table_id         = (known after apply)
+ owner_id                    = (known after apply)
+ region                       = "me-central-1"
+ tags_all                     = (known after apply)
}
```

Plan: 3 to add, 0 to change, 0 to destroy.

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to exactly these actions if you run "terraform apply" now.

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform apply
+ ipv6_cidr_block_network_border_group = (known after apply)
+ main_route_table_id                 = (known after apply)
+ owner_id                           = (known after apply)
+ region                             = "me-central-1"
+ tags_all                           = (known after apply)
}
```

Plan: 3 to add, 0 to change, 0 to destroy.

Do you want to perform these actions?

Terraform will perform the actions described above.

Only 'yes' will be accepted to approve.

Enter a value: yes

aws_vpc.development_vpc: Creating...

aws_subnet.dev_subnet_1_existing: Creating...

aws_subnet.dev_subnet_1_existing: Creation complete after 1s [id=subnet-006dcb9dd2d598aa5]

aws_vpc.development_vpc: Creation complete after 1s [id=vpc-04aa0cab6bea6904e]

aws_subnet.dev_subnet_1: Creating...

aws_subnet.dev_subnet_1: Creation complete after 1s [id=subnet-02a8905dd079f4ef1]

Apply complete! Resources: 3 added, 0 changed, 0 destroyed.

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $
```

0 0

PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS

vim
+
-
[]
[]
...
|
[]
[]
x

```

tags = {
  Name      = "development"
  vpc_env   = "dev"
}
}

resource "aws_subnet" "dev_subnet_1" {
  vpc_id     = aws_vpc.development_vpc.id
  cidr_block = "10.0.10.0/24"
  availability_zone = "me-central-1a"
  tags = {
    Name = "subnet-1-dev"
  }
}

resource "aws_subnet" "dev_subnet_1_existing" {
  vpc_id     = data.aws_vpc.existing_vpc.id
  cidr_block = "172.31.48.0/24"
  availability_zone = "me-central-1a"
  tags = {
    Name = "subnet-1-default"
  }
}
}

```

Build v

AI response

[Generate Agent I](#)

onto y

SUGGESTED ACTION

Build Workspace

Add Context...

Describe what to I

Agent Auto

```

@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform apply -auto-approve
# aws_vpc.development_vpc will be updated in-place
~ resource "aws_vpc" "development_vpc" {
  id           = "vpc-04aa0cab6bea6904e"
  ~ tags       = {
    + "Name"      = "development"
    + "vpc_env"   = "dev"
  }
  ~ tags_all   = {
    + "Name"      = "development"
    + "vpc_env"   = "dev"
  }
  # (19 unchanged attributes hidden)
}

Plan: 0 to add, 3 to change, 0 to destroy.
aws_subnet.dev_subnet_1_existing: Modifying... [id=subnet-006dcb9dd2d598aa5]
aws_vpc.development_vpc: Modifying... [id=vpc-04aa0cab6bea6904e]
aws_subnet.dev_subnet_1_existing: Modifications complete after 0s [id=subnet-006dcb9dd2d598aa5]
aws_vpc.development_vpc: Modifications complete after 1s [id=vpc-04aa0cab6bea6904e]
aws_subnet.dev_subnet_1: Modifying... [id=subnet-02a8905dd079f4ef1]
aws_subnet.dev_subnet_1: Modifications complete after 0s [id=subnet-02a8905dd079f4ef1]

Apply complete! Resources: 0 added, 3 changed, 0 destroyed.
@ALISHBAZAINAB →/workspaces/lab10 (main) $

```



```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform plan
```

Terraform will perform the following actions:

```
# aws_vpc.development_vpc will be updated in-place
~ resource "aws_vpc" "development_vpc" {
  id          = "vpc-04aa0cab6bea6904e"
  ~ tags      = {
    "Name"     = "development"
    - "vpc_env" = "dev" -> null
  }
  ~ tags_all  = {
    - "vpc_env" = "dev" -> null
      # (1 unchanged element hidden)
  }
  # (19 unchanged attributes hidden)
}
```

Plan: 0 to add, 1 to change, 0 to destroy.

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform apply
```

```
~ tags      = {
  "Name"     = "development"
  - "vpc_env" = "dev" -> null
}
~ tags_all  = {
  - "vpc_env" = "dev" -> null
    # (1 unchanged element hidden)
}
# (19 unchanged attributes hidden)
}
```

Plan: 0 to add, 1 to change, 0 to destroy.

Do you want to perform these actions?

Terraform will perform the actions described above.

Only 'yes' will be accepted to approve.

Enter a value: yes

aws_vpc.development_vpc: Modifying... [id=vpc-04aa0cab6bea6904e]

aws_vpc.development_vpc: Modifications complete after 0s [id=vpc-04aa0cab6bea6904e]

Apply complete! Resources: 0 added, 1 changed, 0 destroyed.

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $
```

Task 5

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform destroy
    } -> null
  - tags_all = {
    - "Name" = "development"
    } -> null
    # (4 unchanged attributes hidden)
  }

Plan: 0 to add, 0 to change, 3 to destroy.

Do you really want to destroy all resources?
Terraform will destroy all your managed infrastructure, as shown above.
There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

aws_subnet.dev_subnet_1: Destroying... [id=subnet-02a8905dd079f4ef1]
aws_subnet.dev_subnet_1_existing: Destroying... [id=subnet-006dcb9dd2d598aa5]
aws_subnet.dev_subnet_1: Destruction complete after 0s
aws_vpc.development_vpc: Destroying... [id=vpc-04aa0cab6bea6904e]
aws_subnet.dev_subnet_1_existing: Destruction complete after 1s
aws_vpc.development_vpc: Destruction complete after 0s

Destroy complete! Resources: 3 destroyed.
@ALISHBAZAINAB →/workspaces/lab10 (main) $
```

```
Destroy complete! Resources: 3 destroyed.
● @ALISHBAZAINAB →/workspaces/lab10 (main) $ cat terraform.tfstate
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 30,
  "lineage": "05f1f57f-0971-a3e2-946e-3f8e071bb5cc",
  "outputs": {},
  "resources": [],
  "check_results": null
}
@ALISHBAZAINAB →/workspaces/lab10 (main) $
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ cat terraform.tfstate.backup
    "owner_id": "165508234071",
    "region": "me-central-1",
    "tags": {
      "Name": "development"
    },
    "tags_all": {
      "Name": "development"
    }
  },
  "sensitive_attributes": [],
  "identity_schema_version": 0,
  "identity": {
    "account_id": "165508234071",
    "id": "vpc-04aa0cab6bea6904e",
    "region": "me-central-1"
  },
  "private": "eyJzY2h1bWFFdmVyc2lvbiI6IjEifQ=="
}
]
},
"check_results": null
}
@ALISHBAZAINAB →/workspaces/lab10 (main) $ s
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform apply
+ "Name" = "development"
}
+ tags_all = {
+ "Name" = "development"
}
}

Plan: 3 to add, 0 to change, 0 to destroy.

Do you want to perform these actions?
  Terraform will perform the actions described above.
  Only 'yes' will be accepted to approve.

Enter a value: yes

aws_subnet.dev_subnet_1_existing: Creating...
aws_vpc.development_vpc: Creating...
aws_subnet.dev_subnet_1_existing: Creation complete after 1s [id=subnet-00316bb68d4c53963]
aws_vpc.development_vpc: Creation complete after 2s [id=vpc-0c3ce43692ab7e317]
aws_subnet.dev_subnet_1: Creating...
aws_subnet.dev_subnet_1: Creation complete after 0s [id=subnet-05feda821b59d250e]

Apply complete! Resources: 3 added, 0 changed, 0 destroyed.
@ALISHBAZAINAB →/workspaces/lab10 (main) $
```

Task 6

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ cat terraform.tfstate
```

```
    "owner_id": "165508234071",
    "region": "me-central-1",
    "tags": {
      "Name": "development"
    },
    "tags_all": {
      "Name": "development"
    }
  },
  "sensitive_attributes": [],
  "identity_schema_version": 0,
  "identity": {
    "account_id": "165508234071",
    "id": "vpc-0c3ce43692ab7e317",
    "region": "me-central-1"
  },
  "private": "eyJzY2h1bWFFdmVyc2lubiI6IjEifQ=="
}
]
}
],
"check_results": null
}
```

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █
```

```
0
```

```
● @ALISHBAZAINAB →/workspaces/lab10 (main) $ cat terraform.tfstate.backup
```

```
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 30,
  "lineage": "05f1f57f-0971-a3e2-946e-3f8e071bb5cc",
  "outputs": {},
  "resources": [],
  "check_results": null
}
```

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █
```

```
0
```

```
● @ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform state list
```

```
data.aws_vpc.existing_vpc
aws_subnet.dev_subnet_1
aws_subnet.dev_subnet_1_existing
aws_vpc.development_vpc
```

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █
```

```
0
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform state show aws_vpc.development_vpc
```

```
default_route_table_id      = "rtb-03505365538908ff5"
default_security_group_id   = "sg-0b599168d39dc1f27"
dhcp_options_id             = "dopt-0692c53426cb4a5c5"
enable_dns_hostnames        = false
enable_dns_support          = true
enable_network_address_usage_metrics = false
id                           = "vpc-0c3ce43692ab7e317"
instance_tenancy             = "default"
ipv6_association_id         = null
ipv6_cidr_block              = null
ipv6_cidr_block_network_border_group = null
ipv6_ipam_pool_id           = null
ipv6_netmask_length         = 0
main_route_table_id         = "rtb-03505365538908ff5"
owner_id                    = "165508234071"
region                      = "me-central-1"
tags                         = {
  "Name" = "development"
}
tags_all                     = {
  "Name" = "development"
}
}
```

```
○ @AI TSHBA7ATNAB →/workspaces/lab10 (main) $ █
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform apply
```

```
+ dev-subnet-arn = "arn:aws:ec2:me-central-1:165508234071:subnet/subnet-05feda821b59d250e"
+ dev-subnet-id  = "subnet-05feda821b59d250e"
+ dev-vpc-arn    = "arn:aws:ec2:me-central-1:165508234071:vpc/vpc-0c3ce43692ab7e317"
+ dev-vpc-id     = "vpc-0c3ce43692ab7e317"
```

You can apply this plan to save these new output values to the Terraform state, without changing any real infrastructure.

Do you want to perform these actions?

Terraform will perform the actions described above.

Only 'yes' will be accepted to approve.

Enter a value: yes

Apply complete! Resources: 0 added, 0 changed, 0 destroyed.

Outputs:

```
dev-subnet-arn = "arn:aws:ec2:me-central-1:165508234071:subnet/subnet-05feda821b59d250e"
dev-subnet-id  = "subnet-05feda821b59d250e"
dev-vpc-arn    = "arn:aws:ec2:me-central-1:165508234071:vpc/vpc-0c3ce43692ab7e317"
dev-vpc-id     = "vpc-0c3ce43692ab7e317"
```

```
○ @ALISHBAZAINAB →/workspaces/lab10 (main) $ █
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform apply
Enter a value: yes

Apply complete! Resources: 0 added, 0 changed, 0 destroyed.

Outputs:

dev-subnet-arn = "arn:aws:ec2:me-central-1:165508234071:subnet/subnet-05feda821b59d250e"
dev-subnet-cidr_block = "10.0.10.0/24"
dev-subnet-id = "subnet-05feda821b59d250e"
dev-subnet-region = "me-central-1a"
dev-subnet-tags_all = tomap({
  "Name" = "subnet-1-dev"
})
dev-subnet-tags_name = "subnet-1-dev"
dev-vpc-arn = "arn:aws:ec2:me-central-1:165508234071:vpc/vpc-0c3ce43692ab7e317"
dev-vpc-cidr_block = "10.0.0.0/16"
dev-vpc-id = "vpc-0c3ce43692ab7e317"
dev-vpc-region = "me-central-1"
dev-vpc-tags_all = tomap({
  "Name" = "development"
})
dev-vpc-tags_name = "development"
@ALISHBAZAINAB →/workspaces/lab10 (main) $
```

Cleanup

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ terraform destroy

Warning: Deprecated attribute

  on main.tf line 41, in output "dev-vpc-region":
  41: output "dev-vpc-region" { value = data.aws_region.current.name }

The attribute "name" is deprecated. Refer to the provider documentation for details.

Do you really want to destroy all resources?
Terraform will destroy all your managed infrastructure, as shown above.
There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

aws_subnet.dev_subnet_1: Destroying... [id=subnet-05feda821b59d250e]
aws_subnet.dev_subnet_1_existing: Destroying... [id=subnet-00316bb68d4c53963]
aws_subnet.dev_subnet_1_existing: Destruction complete after 1s
aws_subnet.dev_subnet_1: Destruction complete after 1s
aws_vpc.development_vpc: Destroying... [id=vpc-0c3ce43692ab7e317]
aws_vpc.development_vpc: Destruction complete after 1s

Destroy complete! Resources: 3 destroyed.
@ALISHBAZAINAB →/workspaces/lab10 (main) $
```

```
@ALISHBAZAINAB →/workspaces/lab10 (main) $ cat terraform.tfstate.backup
```

```
    "main_route_table_id": "rtb-03505365538908ff5",
    "owner_id": "165508234071",
    "region": "me-central-1",
    "tags": {
      "Name": "development"
    },
    "tags_all": {
      "Name": "development"
    }
  },
  "sensitive_attributes": [],
  "identity_schema_version": 0,
  "identity": {
    "account_id": "165508234071",
    "id": "vpc-0c3ce43692ab7e317",
    "region": "me-central-1"
  },
  "private": "eyJzY2h1bWFFdmVyc2lvbiI6IjEifQ=="
}
]
}
],
"check_results": null
}
```

```
1 2
```