

```
import "../App.css"

import { Card } from "../components/Card";

function App() {
  return (
    <div className="d-card">
      <div className="App">
        <Card
          imgSrc="https://picsum.photos/id/28/367/267"
          imgAlt="card-img"
          title="Card title"
          description="This is the Card description. You can add more details about
the card here."
          buttonText="Click me"
          link="cardPage"/>
      </div><div className="App">
        <Card
          imgSrc="https://picsum.photos/id/16/367/267"
          imgAlt="card-img"
          title="Card title"
          description="This is the Card description. You can add more details about
the card here."
          buttonText="Click me"
          link="cardPage"/>
      </div> <div className="c-card">
        <Card
          imgSrc="https://picsum.photos/id/237/536/354"
          imgAlt="card-img"
          title="Card title"
          description="This is the card description. You can add more details about
the card here."
          buttonText="Click me"
          link="cardPage"/>
      </div>
    </div>
  );
}
```

```
    </div>

    </div>);
}

export default App;
```

App.css :-

```
.App {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  height: 100vh;

  margin: 20px;
}

.d-card {
  display: flex;
  flex-direction: row;
  align-items: center;
  justify-content: center;
}

.c-card {
  display: flex;
  flex-direction: row;
  align-items: center;
  justify-content: center;
  margin: 20px;
  height: 100vh;
}
```

Card.jsx :-

```
import React from 'react';
import './Card.css'
```

```

export const Card = ({
  imgSrc,
  imgAlt,
  title,
  description,
  buttonText,
  link,
}) => {
  return (
    <div className='card-container'>
      {imgSrc && imgAlt && <img src={imgSrc} alt='Card Image'
className={imgAlt} />}
      {title && <h1 className='card-title'>{title}</h1>}
      {description && <p className='card-description'>
        {description}
      </p>}
      {buttonText && link && <a href={link} className='card-btn'>
{buttonText}</a>}
    </div>
  );
}

```

Card.css :-

```

.card-container {
  width: 15rem;
  border-radius: 1rem;
  box-shadow: 0px 10px 8px #999;
  display: flex;
  flex-direction: column;
  margin: 0.5 rem;
  background-color: white;
  height: fit-content;
}

.card-img {
  width: 100%;
  border-radius: 1rem 1rem 0 0;
}

.card-title,
.card-description {
  margin: 0.5rem 5%;
}

```

```

}

.card-btn {
  text-align: center;
  width: 90%;
  border-radius: 5px;
  padding: 0.5rem 1rem;
  background-color: #2563eb;
  color: white;
  text-decoration: none;
  margin: 0.5rem;
}

```

button.jsx :-

```

import React from "react"

import './Button.css'

export const Button = ((buttonClick, show)) => {

  return (

    <button onclick={buttonClick}>

      Click me

    </button>

  )
}

```

button.css :-

```

.button {

  outline: none;


  border: none;
}

```

```
width: 90%;

padding: 10px 5px;

background: aqua;

border-radius: 5px;

font-weight: bold;

margin-inline: auto;
}


button:hover {

opacity: .6;

}
```

Output:

Before Click :



After Click :

