

Student Registration & Password Change

ASP.NET Web Forms Practical Code

1. SQL Database

```
CREATE DATABASE StudentDB;
GO

USE StudentDB;

CREATE TABLE Student
(
    student_id INT IDENTITY(1,1) PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    password VARCHAR(100) NOT NULL,
    course VARCHAR(50) NOT NULL
);
```

2. Student.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Student.aspx.cs" Inherits="Student.Student" %>

<!DOCTYPE html>
<html>
<head runat="server">
    <title>Student Registration</title>
</head>

<body>
<form id="form1" runat="server">

<h2>Student Registration</h2>

Name:
<asp:TextBox ID="txtName" runat="server"></asp:TextBox><br /><br />

Email:
<asp:TextBox ID="txtEmail" runat="server"></asp:TextBox><br /><br />

Course:
<asp:TextBox ID="txtCourse" runat="server"></asp:TextBox><br /><br />

<asp:Button ID="btnRegister" runat="server"
    Text="Register" OnClick="btnRegister_Click" />

<br /><br />

<asp:Label ID="lblRegister" runat="server"></asp:Label>

<hr />

<h2>Change Password</h2>

Student ID:
<asp:TextBox ID="txtID" runat="server"></asp:TextBox><br /><br />

Old Password:
<asp:TextBox ID="txtOld" TextMode="Password" runat="server"></asp:TextBox><br /><br />

New Password:
<asp:TextBox ID="txtNew" TextMode="Password" runat="server"></asp:TextBox><br /><br />

<asp:Button ID="btnChange" runat="server"
    Text="Change Password" OnClick="btnChange_Click" />

<br /><br />

<asp:Label ID="lblChange" runat="server"></asp:Label>

</form>
</body>
</html>
```

3. Student.aspx.cs

```
using System;
using System.Data.SqlClient;

namespace Student
{
    public partial class Student : System.Web.UI.Page
    {
        string cs = System.Configuration.ConfigurationManager
            .ConnectionStrings["con"].ConnectionString;

        protected void btnRegister_Click(object sender, EventArgs e)
        {
            string pass = new Random().Next(100000, 999999).ToString();

            string q = "INSERT INTO Student(student_name,email,password,course) " +
                "OUTPUT INSERTED.student_id " +
                "VALUES(@name,@email,@pass,@course)";

            using (SqlConnection con = new SqlConnection(cs))
            {
                SqlCommand cmd = new SqlCommand(q, con);

                cmd.Parameters.AddWithValue("@name", txtName.Text);
                cmd.Parameters.AddWithValue("@email", txtEmail.Text);
                cmd.Parameters.AddWithValue("@pass", pass);
                cmd.Parameters.AddWithValue("@course", txtCourse.Text);

                con.Open();

                int id = (int)cmd.ExecuteScalar();

                lblRegister.Text = "Registration Successful!<br/>" +
                    "Student ID: " + id +
                    "<br/>Password: " + pass;
            }
        }

        protected void btnChange_Click(object sender, EventArgs e)
        {
            string q = "UPDATE Student SET password=@new " +
                "WHERE student_id=@id AND password=@old";

            using (SqlConnection con = new SqlConnection(cs))
            {
                SqlCommand cmd = new SqlCommand(q, con);

                cmd.Parameters.AddWithValue("@id", txtID.Text);
                cmd.Parameters.AddWithValue("@old", txtOld.Text);
                cmd.Parameters.AddWithValue("@new", txtNew.Text);

                con.Open();

                int result = cmd.ExecuteNonQuery();

                if (result > 0)
                    lblChange.Text = "Password Changed Successfully!";
                else
                    lblChange.Text = "Invalid Student ID or Old Password!";
            }
        }
    }
}
```