

HTML Quiz

1. Introduction to HTML

Question 1: What does HTML stand for?

Answer: HTML stands for HyperText Markup Language. It is used to create webpages.

Question 2: What is the purpose of HTML?

Answer: The purpose of HTML is to structure content on the web by using tags to define elements like headings, paragraphs, images, links, and more.

2. Basic HTML Structure

Question 3: What are the main parts of a basic HTML document?

Answer: The main parts include `<!DOCTYPE html>`, `<html>`, `<head>`, and `<body>` tags.

Question 4: What is the role of the `<head>` section in an HTML document?

Answer: The `<head>` contains metadata about the document, such as the title, character set, and links to stylesheets.

3. Common HTML Tags

Question 5: Which tag is used to create a hyperlink in HTML?

Answer: The `<a>` tag is used to create a hyperlink.

Question 6: How do you add an image to an HTML page?

Answer: Use the `<img>` tag with the `src` attribute to specify the image source.

Question 7: What tag is used for paragraphs?

Answer: The `<p>` tag is used to define paragraphs.

4. Lists in HTML

Question 8: What is the difference between `<ul>` and `<ol>` tags?

Answer: `<ul>` creates an unordered (bulleted) list, while `<ol>` creates an ordered (numbered) list.

Question 9: How do you add list items inside a list?

Answer: Use the `<li>` tag inside `<ul>` or `<ol>` to add list items.

5. HTML Attributes

Question 10: What are attributes in HTML?

Answer: Attributes provide additional information about elements, such as `id`, `class`, `src`, `href`, and others.

Question 11: How do you add a title to a link?

Answer: Use the `title` attribute inside the `<a>` tag, for example `<a href="url" title="description">`.

6. Tables in HTML

Question 12: Which tag is used to create a table?

Answer: The `<table>` tag is used to create tables.

Question 13: Name the tags used inside a table to create rows and cells.

Answer: `<tr>` is used to create rows, `<td>` for table data cells, and `<th>` for table headers.

7. Forms in HTML

Question 14: What tag is used to create a form?

Answer: The `<form>` tag is used to create forms.

Question 15: How do you create a text input field?

Answer: Use `<input type="text">` inside the form.

Question 16: What attribute specifies where the form data should be sent?

Answer: The `action` attribute specifies the URL where the form data is submitted.

8. Semantic HTML

Question 17: What is semantic HTML?

Answer: Semantic HTML uses tags that clearly describe their meaning, like `<header>`, `<footer>`, `<article>`, and `<section>`.

Question 18: Why is semantic HTML important?

Answer: It improves accessibility and SEO by providing meaning to the content for browsers and search engines.

9. Multimedia Elements

Question 19: How do you embed a video in HTML?

Answer: Use the `<video>` tag with `src` attribute.

Question 20: Which tag is used to embed audio?

Answer: The `<audio>` tag is used to embed audio.

10. HTML Headings and Text Formatting

Question 21: How many levels of headings are there in HTML?

Answer: There are six levels of headings, from `<h1>` (most important) to `<h6>` (least important).

Question 22: Which tag is used to create a line break?

Answer: The `<br>` tag is used to create a line break.

Question 23: What is the difference between `<div>` and `<span>` tags?

Answer: `<div>` is a block-level element used to group larger sections, while `<span>` is an inline element used to style a part of text within a line.

11. HTML Links and Navigation

Question 24: How do you create a link that opens in a new tab?

Answer: Add the attribute `target="_blank"` to the `<a>` tag.

Question 25: What does the `href="#"` mean in a link?

Answer: It means the link points to the top of the current page or acts as a placeholder.

12. HTML Comments

Question 26: How do you write comments in HTML?

Answer: Comments are written using `<!-- comment text -->`.

13. HTML Entities

Question 27: What is an HTML entity?

Answer: HTML entities are special characters used in HTML like `<` for `<` and `>` for `>`.

Question 28: Why are HTML entities used?

Answer: They are used to display reserved characters in HTML without confusing the browser.

14. HTML Colors and Styles

Question 29: How can you change the background color of a webpage in HTML?

Answer: By using the `style` attribute with `background-color` in the `<body>` tag or CSS.

Question 30: What is an inline style in HTML?

Answer: Inline style means adding CSS directly inside an HTML tag using the `style` attribute.

15. HTML Metadata

Question 31: What does the `<meta>` tag do?

Answer: The `<meta>` tag provides metadata about the HTML document, such as character encoding or description.

Question 32: Why is the charset meta tag important?

Answer: It defines the character encoding (like UTF-8) so the browser displays text correctly.

16. Block vs Inline Elements

Question 33: Name two block-level elements.

Answer: `<div>` and `<p>` are block-level elements.

Question 34: Name two inline elements.

Answer: `<span>` and `<a>` are inline elements.

17. HTML Global Attributes

Question 35: What are global attributes in HTML?

Answer: Attributes that can be used on any HTML element, such as `id`, `class`, `style`, and `title`.

18. HTML Forms and Input Types

Question 36: What input type is used for passwords in HTML forms?

Answer: The input type `password` is used to mask the characters typed by the user.

Question 37: How do you create a checkbox in an HTML form?

Answer: Use `<input type="checkbox">`.

Question 38: What attribute is used to group radio buttons?

Answer: The `name` attribute is used to group radio buttons so only one can be selected.

Question 39: What is the purpose of the `<label>` tag in forms?

Answer: The `<label>` tag defines a label for an `<input>` element to improve accessibility.

19. HTML5 New Features

Question 40: Name three new semantic elements introduced in HTML5.

Answer: `<header>`, `<footer>`, and `<section>`.

Question 41: What tag is used for embedding scalable vector graphics (SVG) in HTML?

Answer: The `<svg>` tag.

Question 42: How is local storage accessed in HTML5?

Answer: Using JavaScript's `localStorage` API to store data in the browser.

20. Multimedia and Embedding

Question 43: How can you make a video play automatically in HTML5?

Answer: Add the `autoplay` attribute to the `<video>` tag.

Question 44: What attribute is used to display video controls?

Answer: The `controls` attribute.

Question 45: Which tag is used to embed an external webpage within a page?

Answer: The `<iframe>` tag.

21. HTML Accessibility

Question 46: What is the purpose of the `alt` attribute in an `<img>` tag?

Answer: It provides alternative text for images to assist users with screen readers.

Question 47: How do you make a website more accessible for keyboard users?

Answer: By ensuring all interactive elements are focusable and usable via keyboard navigation.

22. HTML Best Practices

Question 48: Why should you avoid using inline styles?

Answer: Inline styles mix content with presentation and make maintenance harder.

Question 49: What is the benefit of using external CSS instead of inline styles?

Answer: External CSS allows you to separate design from content and reuse styles across pages.

Question 50: What should you include at the start of every HTML document?

Answer: The `<!DOCTYPE html>` declaration to define the document type and HTML version.

23. HTML Document Links and Navigation

Question 51: What is the difference between an absolute URL and a relative URL?

Answer: An absolute URL specifies the full path (including domain), while a relative URL specifies a path relative to the current page.

Question 52: How do you link an external CSS file in HTML?

Answer: Using the `<link>` tag inside the `<head>` section with attributes `rel="stylesheet"` and `href="filename.css"`.

Question 53: What tag is used to create a bookmark or anchor within a page?

Answer: The `<a>` tag with a `name` or `id` attribute.

24. HTML and CSS Integration

Question 54: How do you add internal CSS to an HTML page?

Answer: By placing CSS code inside `<style>` tags within the `<head>` section.

Question 55: What attribute is used to apply CSS styles inline?

Answer: The `style` attribute.

25. HTML5 Form Enhancements

Question 56: Name two new input types introduced in HTML5 forms.

Answer: `email` and `date`.

Question 57: How can you make an input field required?

Answer: By adding the `required` attribute.

26. HTML Script Tag

Question 58: Where is the `<script>` tag usually placed in an HTML document?

Answer: Usually before the closing `</body>` tag or inside the `<head>` section.

Question 59: What is the purpose of the `defer` attribute in a `<script>` tag?

Answer: It delays script execution until after the HTML document has been parsed.

27. HTML5 APIs

Question 60: Name one HTML5 API that allows offline web applications.

Answer: The Application Cache API (now deprecated) or Service Workers.

Question 61: What does the Geolocation API do?

Answer: It allows web applications to access the user's geographical location.

28. HTML Entities and Special Characters

Question 62: How do you write the ampersand (&) symbol in HTML?

Answer: Using the entity `&`.

Question 63: How do you add a non-breaking space in HTML?

Answer: Using ` `.

29. HTML Doctype

Question 64: Why is the `<!DOCTYPE html>` declaration important?

Answer: It tells the browser to render the page in standards mode using HTML5.

30. HTML Images

Question 65: What attribute is used to specify the alternative text for an image?

Answer: The `alt` attribute.

Question 66: How do you set the width and height of an image in HTML?

Answer: Using the `width` and `height` attributes in the `<img>` tag.

Question 67: Can the `<img>` tag have a closing tag?

Answer: No, the `<img>` tag is self-closing and does not require a closing tag.

31. HTML Audio and Video

Question 68: How do you add subtitles or captions to a video?

Answer: Using the `<track>` tag inside the `<video>` element.

Question 69: What attribute is used to loop audio or video playback?

Answer: The `loop` attribute.

32. HTML Tables

Question 70: How do you merge two cells horizontally in an HTML table?

Answer: Using the `colspan` attribute in the `<td>` or `<th>` tag.

Question 71: How do you merge two cells vertically in an HTML table?

Answer: Using the `rowspan` attribute in the `<td>` or `<th>` tag.

33. HTML Forms Validation

Question 72: What attribute can be used to limit the length of text entered in an input field?

Answer: The `maxlength` attribute.

Question 73: How do you specify a placeholder text in an input field?

Answer: Using the `placeholder` attribute.

34. HTML Character Encoding

Question 74: What is the common character encoding used in HTML documents?

Answer: UTF-8.

Question 75: How do you declare the character encoding in the `<head>` section?

Answer: Using `<meta charset="UTF-8">`.

35. HTML Comments

Question 76: Can HTML comments be seen by users on the webpage?

Answer: No, HTML comments are not visible on the rendered page but can be seen in the page source.

36. HTML Block and Inline Elements

Question 77: What is a block-level element? Give an example.

Answer: Block-level elements start on a new line and take up full width. Example: `<div>`.

Question 78: What is an inline element? Give an example.

Answer: Inline elements do not start on a new line and only take up as much width as necessary. Example: `<span>`.

37. HTML Links and Navigation

Question 79: What attribute in the `<a>` tag specifies the URL of the page the link goes to?

Answer: The `href` attribute.

Question 80: How do you create a mailto link that opens the user's email client?

Answer: Use `<a href="mailto:example@example.com">`.

38. HTML Lists

Question 81: Which tag is used to create a description list?

Answer: The `<dl>` tag.

Question 82: What tags are used inside a description list?

Answer: `<dt>` for the term and `<dd>` for the description.

39. HTML Deprecated Tags

Question 83: Name one HTML tag that is deprecated in HTML5.

Answer: The `<font>` tag.

Question 84: Why were tags like `<font>` deprecated?

Answer: Because styling should be done with CSS, not HTML tags.

40. HTML Frames

Question 85: Are frames supported in HTML5?

Answer: No, frames are deprecated in HTML5.

41. HTML Accessibility

Question 86: What attribute helps associate a `<label>` with a form input for accessibility?

Answer: The `for` attribute on the `<label>` tag that matches the input's `id`.

Question 87: What does ARIA stand for?

Answer: Accessible Rich Internet Applications.

42. HTML Entities

Question 88: How do you write a less-than sign `<` in HTML?

Answer: Using the entity `<`.

Question 89: How do you write a greater-than sign `>` in HTML?

Answer: Using the entity `>`.

Sure! Here are questions and answers continuing up to 100:

43. HTML Text Formatting

Question 90: What tag is used to emphasize text in HTML?

Answer: The `<em>` tag.

Question 91: Which tag is used to make text strongly important?

Answer: The `<strong>` tag.

44. HTML Entities (continued)

Question 92: How do you write a quotation mark " in HTML?

Answer: Using the entity `"`.

Question 93: How do you write an apostrophe ' in HTML?

Answer: Using the entity `'`.

45. HTML Document Structure

Question 94: Which tag contains the visible content of the webpage?

Answer: The `<body>` tag.

Question 95: Can an HTML document have multiple `<body>` tags?

Answer: No, it should have only one `<body>` tag.

46. HTML and SEO

Question 96: Why are heading tags important for SEO?

Answer: They help search engines understand the structure and content hierarchy of the page.

Question 97: What tag is used to specify the title of the webpage shown in the browser tab?

Answer: The `<title>` tag inside the `<head>` section.

47. HTML Global Attributes (continued)

Question 98: What is the purpose of the `class` attribute?

Answer: It is used to assign one or more class names to an element for styling or scripting.

Question 99: What is the purpose of the `id` attribute?

Answer: It uniquely identifies an element on the page.

48. HTML Validators

Question 100: Why is it important to validate your HTML code?

Answer: To ensure the code follows standards and works properly across browsers.