

Project Online Data Migration

Prerequisites

Table of Contents

TABLE OF CONTENTS.....	2
DOCUMENT DETAILS.....	4
VERSION HISTORY.....	4
DOCUMENT PURPOSE.....	4
DOCUMENT TYPE.....	4
FREQUENTLY ASKED QUESTIONS.....	4
MIGRATION OVERVIEW	5
INTRODUCTION.....	5
<i>What is being retired?</i>	5
<i>What will remain available?</i>	5
<i>Why is Microsoft retiring Project Online?</i>	5
<i>The call to action</i>	5
ALTUS MIGRATION SOLUTION	6
<i>Data that will be migrated</i>	6
<i>Data that won't be migrated</i>	7
Timesheets Data.....	7
Workflow History.....	7
Portfolio Analyses.....	7
<i>Migration Approach</i>	8
<i>Migration Outcomes</i>	8
<i>Projects & Resources Data Migrated</i>	8
Projects.....	9
Resources	9
Tasks.....	9
<i>SharePoint List Data Migrated</i>	10
Risks.....	10
Issues.....	11
Custom Lists.....	11
PREREQUISITES	12
OVERVIEW.....	12
1. DOWNLOAD SOFTWARE	13
2. CREATE ACCOUNTS.....	14
3. ALLOCATE LICENSES.....	16
<i>Altus Licensing</i>	16
<i>Project Online Licenses</i>	16
<i>How to check what Microsoft licenses you have</i>	16
<i>How to allocate licenses</i>	18
4. INSTALL ALTUS FOR PROJECT	19
5. INSTALL POWERSHELL AND AZURE CLI	22
1. <i>Install PowerShell 7</i>	22
2. <i>Install Azure PowerShell Commands</i>	27
3. <i>Install SharePoint Online Management Shell</i>	29
4. <i>Install PowerShell PnP</i>	31
5. <i>Install Azure CLI</i>	32
6. ACTIVATE RESOURCES.....	34
7. CREATE SOLUTION LAYERS	36
Overview.....	36
Solution Layer Setup.....	36
8. ADD CONFIGURATION TO A SOLUTION LAYER.....	40
1. <i>Create Flat Lookup tables</i>	40

Add Description field to the lookup field	48
2. <i>Create Hierarchical lookup table</i>	51
Catering for Multi-select Project Online lookup tables	57
3. <i>Create Choice Set</i>	59
4. <i>Create Custom Fields</i>	61
5. <i>Create a Security Role</i>	64
6. <i>Add new fields to Forms</i>	67
1. Add Project fields to the Project Form	67
2. Add Resources fields to the Resource Form	73
3. Add Register fields to the Register Form	75
4. Add Tasks fields to the Task Form	76
9. GRANT CONSENT TO “ALTUS – POL MIGRATION - SHAREPOINT”	79
<i>Granting Consent</i>	79
<i>Creating your Own application</i>	80
10. CLEAR CACHE IN MS PROJECT	91
11. REMOVE PUNCTUATION FROM PROJECT ONLINE CUSTOM FIELDS	93
12. CHANGE MACRO SETTINGS IN MS PROJECT	94

Document Details

Version History

Version	Date	Author	Details
0.1	30 th April 2026	John Price	First draft of the procedural instructions.
1	30 th April 2026	John Price	First version of the procedural instructions.
2	1 st May 2026	John Price	Small updates based on feedback from Altus Partners.
3	8 th July 2026	Alex Jacquet	Update external links.

Document Purpose

The purpose of this document is to provide the reader with detailed information about how to migrate project schedules from Project Online to Altus. It includes:

- **Prerequisites:** Steps that need to be completed prior to the data migration being started.
- **Migration Details:** Technical information about how schedules are migrated.
- **Step-by-Step instructions:** Detailed instructions about how to complete the prerequisite steps.

Document Type

This is a procedural ‘follow the bouncing-ball’ type of document. It is highly detailed and is designed for the user to follow the steps to complete the prerequisite steps. There are certain areas where scripts need to be modified. Examples of these are provided to assist the reader with the script modifications.

Frequently Asked Questions

We have created a separate document covering frequently asked questions. This can be accessed via this link and covers all migration process:

[Project Online Data Migration - Frequently Asked Questions](#)

Migration Overview

Introduction

On the 5th September 2025 Microsoft announced that it had brought forward the original retirement of Project Online from 2030 to 30th September 2026.

From this date, Project Online will be shut down and no longer accessible. All Project Web App (PWA) access, data, and integrations will stop working.

What is being retired?

Project Online will be fully decommissioned. This includes the SharePoint Online project subsites where users store list-based information such as Risks, Issues, Actions, and Project Documentation.

What will remain available?

The following applications will remain available to new and existing customers:

- Project Desktop (Stand-alone and M365 versions).
- [Project Server Subscription Edition](#).

Why is Microsoft retiring Project Online?

Microsoft has stated that the Project Online legacy architecture (built on older SharePoint Online services) limits the ability to deliver modern cloud, AI, and integration features. Innovation investment is now focused on newer platforms built on the Microsoft Power Platform, Dataverse, and AI-enabled capabilities (such as Planner Premium/Project Manager Agent).

The call to action


It is imperative that Partners and Customers work quickly and diligently to migrate their data out of Project Online as soon as possible to avoid loss of valuable corporate data. The process covered in this document will assist in that endeavour.

Altus Migration Solution

To assist new and existing Altus customers, we have created scripts and an approach to enable customers to retain their project online data when migrating to Altus PPM.

Data that will be migrated


The following data has been identified for data migration as part of the retirement of Project Online:



This process enables the user to migrate the following data to Altus PPM:

Source	Data	Details
Project Online	Projects	Including custom field data and lookup tables.
	Resources	Including custom field data and lookup tables.
	Schedules	Including custom field data, resource rates, and baselines.
SharePoint Online	List Items	Including risks, issues, and custom lists.
	Documents	Export project document for upload to Teams or SharePoint.

The diagram below articulates what the scripts will and won't migrate:



Data that won't be migrated


The following data won't be migrated:

- **Workflow History:** Data covering the progression of projects through a controlled lifecycle.
- **Timesheets:** Data captured in the Project Online timesheet and published to schedules.
- **Portfolio Analyses:** Data captured when portfolio modelling is created in Project Online.

Timesheets Data

The Altus approach is to ensure that Project Desktop actuals are not overwritten when approved Altus timesheets are imported. As such, we have devised an approach using a date to honour 'protected actuals' that will work by:

- Ensuring that actuals in the .MPP schedule file are not overwritten, we have implemented logic to prevent this from occurring.
- Using an assignment-level date field referred to as Protected Actuals Before.
- This is the date when approved Altus timesheets actuals are first imported to the .MPP file.
- This ensures that existing historical actuals are protected and not overwritten when approved timesheet actuals are imported to the .MPP file.
- Note, this date is set at the assignment-level rather than the task-level. This ensures that actuals are protected at the appropriate level and cater for timesheet actuals being processed by different resources at different dates.
- This date enables Partners and Customers to avoid migrating timesheets as this date will preserve historical actuals in the MPP.



Workflow History

This captures the history of project approvals as they progress through stage gates within the project lifecycle. Given the relatively low frequency of these transactions, the small data volumes involved, and variations across project lifecycles, it was determined that this would be best addressed as a post-migration activity. The effort required to align projects to the appropriate stage following migration is minimal.


Portfolio Analyses

The Portfolio Analyser has been a core feature of Project Server since 2010 and is also available in Project Online. It enables organisations to assess which projects can be delivered within budget and resource constraints, as well as to model "what-if" scenarios.

Altus provides an equivalent capability through its Strategic Prioritisation module. While the migration of Portfolio Analyser data is not supported within the standard data export scripts provided by Microsoft, the effort required to re-establish this information post-migration is minimal. As such, the overall impact is limited.

Migration Approach

The diagram below articulates the end-to-end process for exporting data from Project Online and publishing it to Altus.



Migration Outcomes

At the culmination of the migration, the following will be migrated to Altus:

- **Enterprise Resources** are created (Referred to as Bookable Resources).
- **Projects** (Created in the Initiatives section of Altus).
- **Schedules** (Migrated to the tasks section within an Altus Project).
- **Lists Data** is migrated to the relevant Altus register.
- **Documents** are exported.

Projects & Resources Data Migrated

The tables below articulate the out-of-the-box (OOTB) data that is migrated to Altus. These can be extended by modifying the Altus data migration scripts (examples are provided later in this document).

.MPP Table	Altus Table
Task Entry (<i>Task Level 0</i>)	sensei_project
Resource Entry	sensei_bookableresource
Task Entry	sensei_task

Below are the OOTB fields that are migrated from Project Online to Altus. This can be extended by updating the scripts to map custom fields.

Projects

.MPP Field	Altus Field	Details	Example
Task Name	sensei_name	Where the TaskID = 0	Adelaide Fitness Project
N/A	sensei_projecttype	Default value set	Major Project
N/A	sensei_externalprojectid	Set the GUID = Project Online GUID	ProjectDesktop_d14bae12-39b3-e911-b07b-00155d9c3f18

Resources

.MPP Field	Altus Field	Details	Example
Name	sensei_name	Firstname Surname	Lucius Fox
User Logon Account	sensei_user	Firstname Surname	Lucius Fox
Max. Units	sensei_targetutilization	Default value set	100
Type	sensei_resourcetype	Default value set	Named
Role	sensei_primaryrole	Default value set	Unclassified
Calendar GUID	Sensei_enterprisecalendar	Default value set	Default Calendar

Tasks

.MPP Field	Altus Field	Example Data
Task Name	Name	Identify Goals and Objectives
Resource Names	Assigned To	Project Manager
Start	Start	2-12-19
Finish	Finish	6-12-19
% Complete	Percent Complete	25%
Work	Effort (Hours)	40
Remaining Work	Effort Remaining (Hours)	30
Actual Work	Effort Completed (Hours)	10
Duration	Duration (Days)	5 days
Type	Task Type	Fixed Units
Task Mode	Manually Schedule	Yes
Notes	Notes	Goals were discussed
Deadline	Due Date	6-12-19
Summary	Summary	No
Milestone	Milestone	No
Locked	Locked	No

SharePoint List Data Migrated

The tables below articulate the OOTB data that is migrated to Altus. These can be extended by modifying the Altus data migration scripts (examples are provided later in this document).

SharePoint List	Altus Table
Risks	sensei_risk
Issues	sensei_issue

Risks

SharePoint Field	Altus Field	Example Data
Title	sensei_name	Requirements Not Clearly Defined
Description	sensei_description	Project requirements are incomplete or ambiguous, leading to rework and delays.
DueDate	sensei_duedate	30/04/2026 0:00
Status	statuscode	(1) Active
Category	sensei_category	(2) Category2
Probability	sensei_likelihood	50%
Impact	sensei_consequence	5
Exposure	sensei_riskscore	2.5
Cost	sensei_cost	\$10,000.00
Mitigation_x0020_plan	sensei_mitigationplan	Conduct workshops with stakeholders, document requirements, and obtain formal sign-off.
Contingency_x0020_plan	sensei_contingencyplan	Rebaseline scope and timeline if major requirement changes emerge.
Trigger_x0020_Description	sensei_triggerdescription	When the due date is lapsed, a decision will be require.
Trigger	sensei_trigger	Date
Owner	sensei_riskowner	John Price
AssignedTo	sensei_assignedto	Marc Soester

Issues

SharePoint Field	Altus Field	Example Data
Title	sensei_name	Resource Overallocation
Discussion	sensei_description	Key developer assigned to multiple projects causing delays.
DueDate	sensei_duedate	24/04/2026 00:00
Status	statuscode	(1) Active
Category	sensei_category	(3) Category3
Priority	sensei_priority	(2) Medium
AssignedTo	sensei_assignedto	John Price
Cost_x0020_Impact	sensei_costimpact	\$10,000.00
Resolution	sensei_resolution	Rebalance workload and secure additional support.

Custom Lists

The scripts can be extended to enable custom SharePoint list data to be migrated to Altus. This works by reading the lists from the associated SharePoint sub-sites that are attached to Project Online projects. All column types within these custom lists can be migrated.

Prerequisites

Overview

To run the schedule migration process, you will need to ensure the following is in place prior to running the data migration scripts:

Prerequisites	Details
1. Download Software	Download PowerShell and Altus for Project.
2. Create Accounts	Create Project Online and Altus account for data export and import.
3. Allocate Licenses	Allocate the required licenses to the accounts.
4. Install Altus for Project	Install Altus for Project so that schedules can be connected and published.
5. Install PowerShell and Azure CLI	Install PowerShell so that the migration scripts can be run.
6. Activate Resources	Activate all bookable resources in Altus.
7. Create Solution Layers	Create Solution layers for lookup tables and custom fields.
8. Add configuration to a Solution Layer	Add new custom fields to existing tables. Create new lookup tables and add these to the solution layer.
9. Grant consent to “Altus – POL Migration – SharePoint”	The Altus data migration process requires permissions to the SharePoint Online site collection to get the required data from both Project Online and SharePoint Online.
10. Clear cache in MS Project	You will need to ensure you have cleaned out your cache in MS Project to avoid possible issues with MS Project.
11. Remove punctuation from Project Online custom fields	There is a known issue with the Microsoft export scripts (which Altus have modified to export data from Project Online) which prevents the process from exporting data where custom fields have punctuation in the title. These fields will need to be updated.
12. Change Macros settings in MS Project	To prevent the scripts from getting stuck during the migration process, it is recommended that you change the macro settings in MS Project.

1. Download Software



The following items require the user to have administrative rights to the PC or Laptop to install software. In an enterprise environment, you will need to speak to your IT department or whomever manages your SOE.

None of the software below has a cost associated with installation:

Prerequisite	Details
Download SharePoint Online Management Shell	The user will need to have SharePoint Online Management Shell installed on their PC. You can download it via this link: https://www.microsoft.com/en-au/download/details.aspx?id=35588
Download PowerShell 7.4 (or higher)	The user will need to have PowerShell 7.4 (or higher) installed on their PC. You can download it via this link: https://learn.microsoft.com/en-us/powershell/scripting/install/install-powershell-on-windows?view=powershell-7.5
Download Altus for Project	For the migration to run, you will need to ensure that you have installed the latest version of Altus for Project. You can download this application via this link: https://project.altus.pro/AltusAddinSetup.msi
Download Azure CLI	You'll need to download this: https://aka.ms/installazurecliwindows

2. Create Accounts

These items must be completed by the user who is running the migration.

Prerequisite	Details
Project Online Account	- The account being used to export the data from Project Online must do either of the following: - Add yourself as a site collection admin to the PWA Site for which you are running the script. - OR if you are in Project permission mode, be assigned Manage Users and Groups and the Access Project Server Reporting Service permissions on the Project Online instance. - If you are in SharePoint permission mode, be a SharePoint admin. - When running the PowerShell script, you will need to login with this account.  - The account must have at minimum a Project P3 license. - This account must be part of the Administrators security group. 
Altus Account	- When running the PowerShell scripts, you will need to login with this account. - The Altus Account will require Microsoft licenses which are detailed in the next section. - The Altus account will require the following security roles: - Altus Admin User - System Administrator - Basic User

JP

John Price

User status: Enabled

Run diagnostics

Refresh user

...

Summary

User Name

JPrice@Sensei.Cloud

Direct Assigned Roles

Altus Admin User

System Administrator

Basic User

Manage roles

Teams

Brisbane Roadmap Tool Implementation


jp1

Manage teams

3. Allocate Licenses

Altus Licensing

To use Altus, you will need to ensure that each user has the following licenses:



[Technical readiness](#) | [Altus Docs](#)

To check what licenses are associated with your M365 account, please follow the steps listed below.

The following item has a cost associated with it. Please speak to whomever manages user licensing in your organisation to resolve.

Project Online Licenses

The user running the scripts will need a Project Online and Project Desktop License (P3 or above).

How to check what Microsoft licenses you have


Quick Summary:

1. Login to **office.com**.
2. Select the **waffle icon** above new chat > **more apps**.
3. Select **Install apps** > **Microsoft 365 apps**.
4. In the **My Account** page, select **Subscriptions**.
5. **Scroll down** the page and ensure you **have these subscriptions**.
 - a. Power Apps Premium.
 - b. Power BI Pro.
 - c. Project P3.
 - d. Project Online Desktop Client.
 - e. Microsoft 365 E3.


How to check what Microsoft licenses you have

1. Login to **office.com**


How to check what Microsoft licenses you have



2. Select the **waffle icon** above new chat > **more apps**.




3. Select **Install apps** > **Microsoft 365 apps**.



4. In the **My Account** page, select **Subscriptions**

How to check what Microsoft licenses you have



5. **Scroll down** the page and ensure you **have these subscriptions**.

- **Power Apps Premium.**
- **Power BI Pro.**
- **Project P3.**
- **Project Online Desktop Client.**
- **Microsoft 365 E3.**


How to allocate licenses

Microsoft has documented the process for allocating licenses to users here:

<https://learn.microsoft.com/en-us/microsoft-365/admin/manage/assign-licenses-to-users?view=o365-worldwide>

4. Install Altus for Project

Altus for Project is an Add-in for Microsoft Project that exposes additional functionality directly inside Microsoft Project that allows you to manage your tasks in Altus using Microsoft Project.




The steps below show how to download and install Altus for Project:

Quick Summary:

1. Open <https://docs.altus.pro/index.html> > **Products**.
2. Open **Altus for Project**.
3. Select **Install via Microsoft Office** (Recommended).
4. Select **Open** from the dialog box.
5. Select **Install** when the **Microsoft Office Customization Installer dialog** opens.


How to install Altus for Project

1. Open <https://docs.altus.pro/index.html> > **Products**.



How to install Altus for Project

2. Open Altus for Project




The screenshot shows the Altus website's 'Products' page. The left sidebar contains a list of products, with 'Altus for Project' highlighted by a red box. The main content area displays a table of 'Current Products' and a section for 'Legacy Products'.

Product	Description
Altus PPM	Altus PPM is the core Altus solution installed into your own Power Platform environment where data is stored and processed
Altus for Project	A plug-in for Microsoft Project that lets you use Microsoft Project for advanced scheduling while still utilising Altus for governance and reporting
Altus for Word	A plug-in for Microsoft Word that Allows you to update your document with live details from your Altus projects
Altus for Teams	An application to provide integration with Microsoft Teams and SharePoint for Altus projects
Altus Copilot	Artificial Intelligence Agent for Altus based on Microsoft Copilot technology
OneTaskList	OneTaskList is a personal work management tool that synchronises all your 'to dos' into one easy view. Set it up in the way that works for you so you can see and prioritise tasks with ease.

Product	Description
Empower PPM	Empower PPM is Project Online configuration utilizing PowerApps, Flow and Power BI
Reporting Hub	Reporting Hub is a complimentary solution to Microsoft Project Online where customer Data is stored, aggregated and reports produced in

3. Select Install via Microsoft Office (Recommended)




The screenshot shows the 'Altus for Project' documentation page. The 'Install via Microsoft Office (Recommended)' option is highlighted with a red box. The page includes a table of installation options and a list of platforms supported.


Attribute	Description
Installation options	Install via Microsoft Office (Recommended) OR Download Setup.exe OR Corporate deployment via MSI
Platforms Supported	Windows 11, Windows 10 - Latest version

How to install Altus for Project


4. Select **Open** when this dialog box pops up.



5. Select **Install** when the **Microsoft Office Customization Installer** dialog opens.



When you next open MS Project, the Altus tab should now be available.



5. Install PowerShell and Azure CLI

The schedule migration process utilises PowerShell scripts to export and import the schedules. The process requires at least version 7.4 which can be obtained free from Microsoft.com.

The following needs to be installed via this process:

1. Install PowerShell 7.
2. Install Azure PowerShell Commands.
3. Install SharePoint Online Management Shell.
4. Install PowerShell PnP.
5. Install Azure CLI.

1. Install PowerShell 7

The steps below show how to download and install PowerShell:

Quick Summary:

1. Open this link: <https://learn.microsoft.com/en-us/powershell/scripting/install/install-powershell-on-windows?view=powershell-7.5> > Install the MSI Package > Latest Stable Release.
2. Run the installer > **Next**.
3. Select the destination folder > **Next**.
4. Select optional actions (the first two are selected by default) > **Next**.
5. Specify Microsoft update settings > **Next**.
6. Begin installation (note, you'll be prompted to confirm this action).
7. Select **Finish** to close the installer.
8. To confirm the version you have, open **PowerShell 7** and run this command: **\$PSVersionTable**.

How to install Power 7

1. Open this link: <https://learn.microsoft.com/en-us/powershell/scripting/install/install-powershell-on-windows?view=powershell-7.5> > Install the MSI Package > Latest Stable Release

Version

PowerShell 7.5

Find by title

How to use this documentation

Overview

- What is PowerShell?
- What is Windows PowerShell?
- What is a command shell?
- What is a PowerShell command?
- Discover PowerShell

Install

- Overview
- Install PowerShell on Windows**
- Install PowerShell on Linux
- Install PowerShell on macOS
- Install PowerShell on Windows IoT and Nano Server
- Install PowerShell on Arm
- Using PowerShell in Docker
- Microsoft Update FAQ for PowerShell

Learning PowerShell

- What's New in PowerShell
- Overview
- What's new in PowerShell 7.6
- What's new in PowerShell 7.5
- What's new in PowerShell 7.4
- What's new in PowerShell 7.3
- What's new in PowerShell 7.2
- Migration from Windows PowerShell 5.1 to PowerShell 7
- Download PDF

On Windows systems using X86 or X64 processor, `winget` installs the MSI package. On systems using the Arm64 processor, `winget` installs the Microsoft Store (MSIX) package.

Install the MSI package

To install PowerShell on Windows, use the following links to download the install package from GitHub.

Latest stable release:

- PowerShell-7.5.4-win-x64.msi**
- PowerShell-7.5.4-win-x86.msi
- PowerShell-7.5.4-win-arm64.msi

Latest Preview release:

- PowerShell-7.6.0-preview.6-win-x64.msi
- PowerShell-7.6.0-preview.6-win-x86.msi
- PowerShell-7.6.0-preview.6-win-arm64.msi

Once downloaded, double-click the installer file and follow the prompts.

The installer creates a shortcut in the Windows Start Menu.

- By default the package is installed to `$Env:ProgramFiles\PowerShell\7`
 - The install location is added to your `$Env:PATH` environment variable
- Preview releases of PowerShell 7 install to `$Env:ProgramFiles\PowerShell\7-preview`
- You can launch PowerShell via the Start Menu or `$Env:ProgramFiles\PowerShell\7\push.exe`

Note

To run PowerShell 7.5 side-by-side with other versions of PowerShell 7, use the [ZIP install](#) method to install the other version to a different folder.

Install the MSI package from the command line

MSI packages can be installed from the command line allowing administrators to deploy packages without user

In this article


- Install PowerShell using WinGet (recommended)
- Install the MSI package**
- Install from the ZIP package
- Install as a .NET Global tool
- Install from the Microsoft Store
- Upgrade an existing installation
- Uninstall PowerShell 7
- Supported versions of Windows
- Installation support

Was this page helpful?


Yes No

How to install Power 7

2. Run the installer > **Next**




3. Select the destination folder > **Next**




How to install Power 7

4. Select optional actions (the first two are selected by default) > **Next**.




5. Specify Microsoft update settings > **Next**.




How to install Power 7

6. Begin installation (note, you'll be prompted to confirm this action).




7. Select **Finish** to close the installer.



How to install Power 7

8. To confirm the version you have, open **PowerShell 7** and run this command: **\$PSVersionTable**



```
PowerShell 7 (x64)
PowerShell 7.5.4
PS C:\Users\JohnPrice> $PSVersionTable

Name                           Value
----                           -
PSVersion                      7.5.4
PSEdition                     Core
GitCommitId                   7.5.4
OS                             Microsoft Windows 10.0.26200
Platform                      Win32NT
PSCompatibleVersions           {1.0, 2.0, 3.0, 4.0...}
PSRemotingProtocolVersion      2.3
SerializationVersion           1.1.0.1
WSManStackVersion              3.0

PS C:\Users\JohnPrice>
```

In the example above, version 7.5.4 is the version installed.

2. Install Azure PowerShell Commands

Once you have completed the installation of PowerShell, the next step is to install the Azure PowerShell commands.


Quick Summary:

1. Open **PowerShell 7** > Run these commands.
2. Run: **Update-Module -Name Az -Force** to get the latest version.
3. Once done, run **PowerShell 7** as **Administrator**.
4. Run this command: **Install-Module -Name Az -RequiredVersion 11.1.0 -Scope AllUsers**.

2. Install Azure PowerShell Commands

1. Open **PowerShell 7** > Run these commands:


```
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser  
Install-Module -Name Az -Repository PSGallery -Force
```



```
PowerShell 7.5.4  
PS C:\Users\JohnPrice> Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser  
PS C:\Users\JohnPrice> Install-Module -Name Az -Repository PSGallery -Force  
Installing package 'Az' [Installing dependent package 'Az.DeviceRegistry'  
Installing package 'Az.DeviceRegistry' [Downloaded 0.00 MB out of 1.15 MB.
```


Note: This process may take several minutes to progress, please don't close PowerShell.

2. Run: **Update-Module -Name Az -Force** to get the latest version.




```
PowerShell 7.5.4  
PS C:\Users\JohnPrice> Update-Module -Name Az -Force
```

3. Once done, run **PowerShell 7** as **Administrator**:



2. Install Azure PowerShell Commands

4. Run this command. `Install-Module -Name Az -RequiredVersion 11.1.0 -Scope AllUsers`



The screenshot shows a PowerShell console window titled "Administrator: C:\Program Files\PowerShell\7\pwsh.exe". The console displays the command `Install-Module -Name Az -RequiredVersion 11.1.0 -Scope AllUsers` being executed. Below the command, a message indicates that the modules are being installed from an untrusted repository (PSGallery) and asks for confirmation. The user has responded with 'A', which stands for 'Yes to All'. The console then shows the start of the installation process for the 'Az' package.

```
PowerShell 7.5.4
PS C:\Windows\System32> Install-Module -Name Az -RequiredVersion 11.1.0 -Scope AllUsers

Untrusted repository
You are installing the modules from an untrusted repository. If you trust this repository, change its
InstallationPolicy value by running the Set-PSRepository cmdlet. Are you sure you want to install the modules from
'PSGallery'?
[Y] Yes  [A] Yes to All  [N] No  [L] No to All  [S] Suspend  [?] Help (default is "N"): A
Installing package 'Az' [
```

You will be prompted to install the modules, select **A Yes to All** to continue.


3. Install SharePoint Online Management Shell

Quick Summary:


1. Open this link: <https://www.microsoft.com/en-au/download/details.aspx?id=35588> > **Download**.
2. Select **"I accept the terms in the License Agreement"** > **Install**.
3. Select **Finish**.

3. Install SharePoint Online Management Shell

1. Open this link: <https://www.microsoft.com/en-au/download/details.aspx?id=35588> > **Download**.




2. Select **"I accept the terms in the License Agreement"** > **Install**.



3. Install SharePoint Online Management Shell

3. Select **Finish**.



4. Install PowerShell PnP


Once you have completed the installation of PowerShell, the next step is to install the Azure PowerShell commands.

Quick Summary:


1. Once done, run PowerShell 7 as **Administrator**.
2. Run this command: **Install-Module PnP.PowerShell -Force**

4. Install PowerShell PnP

1. PowerShell 7 as Administrator:



2. Run: **Install-Module PnP.PowerShell -Force** to install the PnP.Powershell module



5. Install Azure CLI


Quick Summary:

1. **Download** Azure CLI: <https://aka.ms/installazurecliwindows>.
2. Once downloaded, **run** the installer.
3. Select **I accept the terms in the License Agreement > Install**.
4. Once installed, select **Finish**.

5. Install Azure CLI

1. **Download** Azure CLI: <https://aka.ms/installazurecliwindows>.

2. Once downloaded, **run** the installer.




3. Select **I accept the terms in the License Agreement > Install**.

5. Install Azure CLI



4. Once installed, select **Finish**.



6. Activate Resources

Altus for Project prevent Inactive resources from being added to the schedule via Build Team. As such, we recommend that all resources are set = Active so that the migration runs without issues.


To set Resources = Active, you will need to follow this process.

Quick Summary:


1. Open **Altus > Resources**.
2. Open **Resources** then select the **Inactive Bookable Resources** view.
3. Select **All Resources > Activate**.
4. Confirm **Activate**.

Make Inactive Resources Active


1. Open Altus > Resources



2. Open Resources then select the Inactive Bookable Resources view.



3. Select All Resources > Activate.



Make Inactive Resources Active**4. Confirm Activate.****Confirm Bookable Resources Activation** ×

Are you sure you want to activate the selected 3 Bookable Resources?

This will set the Bookable Resources to the Active state.

Activate

Cancel

7. Create Solution Layers

Overview

Altus utilises solution layers to store configuration, code, workflows, and other components.

These solution layers comprise the OOTB Altus solution. These are referred to as the 'base layers' of the solution.



Customer-specific enhancements will go into their own layer that sits on top of the base layers.

As part of the data migration, a new solution layer will be required to capture the following configuration:

- Project Custom Fields.
- Bookable Resource Custom Fields.
- Task Custom Fields.
- Lookup Tables.
- List Custom Fields (e.g. Risks and Issues).

Solution Layer Setup

The steps below show how a solution layer is setup for these configurations.

Quick Summary:


1. **Open** this link: <https://make.powerapps.com/>.
2. **Select** the **relevant environment** where Altus has been deployed.
3. Open **solutions** from the left-hand menu.
4. Select **New Solution**.
5. Select **New Publisher**.
6. Create a **new publisher** > **Save**.
7. **Save** the new solution.

Solution Layer Setup


1. **Open** this link: <https://make.powerapps.com/>.

Solution Layer Setup


2. Select the **relevant environment** where Altus has been deployed:



3. Open **solutions** from the left-hand menu:



4. Select **New Solution**.



Solution Layer Setup

5. Select New Publisher.

New solution

✕

Display name *

Name *

Publisher *

Select a Publisher

+ New publisher

Version *

1.0.0.0

☐ Set as your preferred solution ⓘ

6. Create a new publisher > Save.

New publisher

Publishers indicate who developed associated solutions. [Learn more](#)

Properties Contact

Display name *

Customer Enhancements

Name *

CustomerEnhancements

Description

Publisher utilised for enhancements to Altus.

Prefix *

ce

Choice value prefix *

12146

Preview of new object name

ce_Object

Save Cancel

Solution Layer Setup**7. Save the new solution.**

New solution 

Display name *

CustomerEnhancements

Name *

CustomerEnhancements



Publisher *

Customer Enhancements (Customer... 



 New publisher

Version *

1.0.0.0

☐ Set as your preferred solution 

More options 

Create

Cancel

8. Add Configuration to a Solution Layer

Once you have created the solution layer, you need to add all the Project, Resource, and List Custom fields and lookup tables to this solution layer. If there are custom lists, these need to be created as a new table within the context of the solution layer:

There are six steps to follow here:

1. Create Flat Lookup tables.
2. Create Hierarchical lookup tables.
3. Create Choice Sets.
4. Create Custom Fields.
5. Create a Security Role.
6. Add new fields to Forms.

1. Create Flat Lookup tables

There are two types of lookup tables that can be created:



Type	Columns to add
Flat	▪ Name (Single line of text) ▪ Description (Multiple lines of text, plain text)
Hierarchical	▪ Name (Single line of text) ▪ Description (Multiple lines of text, plain text) ▪ Parent (Lookup)

Quick Summary:

1. **Open** this link: <https://make.powerapps.com/>.
2. Open **Solutions > Solution Layer** that you have already created.
3. Select **New > Table > Table (advanced properties)**.
4. **Provide** a Display Name, add a description (optional), then Save.
5. By default, a primary column called **Name** will be created – Leave this as is.
6. Once the table has been created > Select **Columns**.
7. Add **new column > Description**.
8. Specify Display Name, Description, Select Multiple lines of text (Plain Text) then **Save**.
9. Add lookup table details to the field mapper spreadsheet, then follow the steps in the next section to create a custom field for this lookup table.


1. Create Flat Lookup table

1. **Open** this link: <https://make.powerapps.com/>.

1. Create Flat Lookup table**2. Open Solutions > Solution Layer that you have already created.****3. Select New > Table > Table (advanced properties).**

1. Create Flat Lookup table

4. Provide a Display Name, add a description (optional), then **Save**.



The screenshot shows the 'New table' dialog box with the 'Properties' tab selected. The 'Primary column' tab is also visible. The 'Display name' field is highlighted with a red box and a red circle containing the number 1. The 'Plural name' field is also highlighted with a red box. The 'Description' field is highlighted with a red box and a red circle containing the number 2. The 'Save' button is highlighted with a red box and a red circle containing the number 3.

New table [X]

Properties Primary column

Display name *

1 EmploymentStatus [icon]

Plural name *


EmploymentStatuses [icon]

Description

2 Used to capture the employment status for all named bookable resources.

3 Save Cancel

5. By default, a primary column called **Name** will be created – Leave this as is.



The screenshot shows the 'New table' dialog box with the 'Primary column' tab selected. The 'Display name' field is highlighted with a red box. The 'Description' field is empty.

New table [X]

Use tables to hold and organize your data. Previously called entities
[Learn more](#)

Properties Primary column

Display name *

Name

Description

1. Create Flat Lookup table

6. Once the table has been created > Select **Columns**.

CustomerEnhancements > Tables > EmploymentStatus

Table properties ⚙️ Properties 🔧 Tools ⌵

Name	Primary column	Description
EmploymentStatus	Name	Used to capture the employment status for all named bookable resources.
Type	Last modified	
Standard	38 seconds ago	

Schema ⓘ

Add Columns

🔗 Relationships

🔑 Keys

7. Add new column > Description.

+ New column 🔗 Add existing column ⚙️ Advanced ⌵

CustomerEnhancements > Tables > EmploymentStatus > **Columns** ⌵

1. Create Flat Lookup table

8. Specify Display Name, Description, Select Multiple lines of text (Plain Text) then **Save**.

The screenshot shows a 'New column' dialog box with the following fields and options:

- Display name ***: A text input field containing 'Description', highlighted with a red box and a red circle with the number 1.
- Description ⓘ**: A text input field containing 'Description for the lookup table value.', highlighted with a red box and a red circle with the number 2.
- Data type *** ⓘ: A dropdown menu showing 'Multiple lines of text' with a small icon to the left, highlighted with a red box and a red circle with the number 3.
- Format ***: A dropdown menu showing 'Text' with a small icon to the left.
- Required ⓘ**: A dropdown menu showing 'Optional'.
- ☒ **Searchable ⓘ**
- ☒ **Allow form fill assistance (preview) ⓘ**
- Save** and **Cancel** buttons at the bottom, with the 'Save' button highlighted by a red box and a red circle with the number 4.

9. **Add** lookup table details to the field mapper spreadsheet, then follow the steps in the next section to create a custom field for this lookup table.

Below is an example of a flat lookup table that has been created:

Highlighted in red are the custom fields that have been added to this table, the rest are created by default by Dataverse.

CustomerEnhancements > Tables > TeamName > Columns

Display name ↑	Name	Data type	Managed	Customized	Customizable	Required	Searchable
Created By	CreatedBy	Lookup	No	Yes	Yes	No	Yes
Created By (Delegate)	CreatedOnBehalfBy	Lookup	No	Yes	Yes	No	Yes
Created On	CreatedOn	Date and time	No	Yes	Yes	No	Yes
Description	ce_Description	Multiple lines of text	No	Yes	Yes	No	Yes
Import Sequence Number	ImportSequenceNumber	Whole number	No	Yes	Yes	No	Yes
Modified By	ModifiedBy	Lookup	No	Yes	Yes	No	Yes
Modified By (Delegate)	ModifiedOnBehalfBy	Lookup	No	Yes	Yes	No	Yes
Modified On	ModifiedOn	Date and time	No	Yes	Yes	No	Yes
Name Primary name column	ce_Name	Single line of text	No	Yes	Yes	Yes	Yes
Owner	OwnerId	Owner	No	Yes	Yes	Yes	Yes
Owning Business Unit	OwningBusinessUnit	Lookup	No	Yes	Yes	No	Yes
Owning Team	OwningTeam	Lookup	No	Yes	Yes	No	No
Owning User	OwningUser	Lookup	No	Yes	Yes	No	No
Record Created On	OverriddenCreatedOn	Date only	No	Yes	Yes	No	Yes
Status	statecode	Choice	No	Yes	Yes	Yes	Yes
Status Reason	statuscode	Choice	No	Yes	Yes	No	Yes
TeamName	ce_TeamNameId	Unique identifier	No	Yes	Yes	Yes	Yes
Time Zone Rule Version Number	TimeZoneRuleVersionNum...	Whole number	No	Yes	No	No	No
UTC Conversion Time Zone Code	UTCConversionTimeZoneC...	Whole number	No	Yes	No	No	No
Version Number	VersionNumber	Whole number Big	No	Yes	No	No	No

Project Online

Here's how the original lookup table appears in Project Online:

Resource Form where the value is selected

Employment Status:

New

...

Search

New
Existing
Not Set

Lookup table where the values are set

Lookup Table
Edit the lookup table

	Level	Value	Description
	1	New	
	1	Existing	
	1	Not Set	

↑
Move
↓


Display order for lookup table:

☒ By row number
☐ Sort ascending
☐ Sort descending

Altus

Here’s how the lookup table appears in Altus:

Bookable Resource Form where the value is selected



Lookup table where the values are set

CustomerEnhancements > Tables > EmploymentStatus		
Table properties Properties Tools		
Name	Primary column	Description
EmploymentStatus	Name	Used to capture the employment status for all named bookable resources.
Type	Last modified	
Standard	3 weeks ago	
EmploymentStatus columns and data		
EmploymentStatus * v	Name * ↑ v	Description v
e8bc618d-22b6-ec11-b15d-0015...	Existing	
e7bc618d-22b6-ec11-b15d-0015...	New	
07db7046-25b6-ec11-a528-0015...	Not Set	

Add Description field to the lookup field

If you have migrated a lookup table across from Project Online where you have set the description field and you want to display this in Altus, you can do this by following these steps:


Quick Summary:

1. Open this link: <https://make.powerapps.com/>.
2. Open **Solutions** > **Solution Layer** that you have already created.
3. Select the **lookup table** with the descriptions:
4. Select **Views**:
5. Select the **View Type = Lookup View**:
6. Drag the **Description** field into the view.
7. Select **Save and publish**:


3. Create Choice Set

1. Open this link: <https://make.powerapps.com/>.

2. Open **Solutions** > **Solution Layer** that you have already created.



3. Select the **lookup table** with the descriptions:



3. Create Choice Set

4. Select Views:

CustomerEnhancements > Tables > EmploymentStatus

Table properties		
Name	Primary column	Description
EmploymentStatus	Name	Used to capture the bookable resources.
Type	Last modified	
Standard	3 weeks ago	

Data experiences ⓘ

- Forms
- Views**
- Charts
- Dashboards

5. Select the View Type = Lookup View:

CustomerEnhancements > Tables > EmploymentStatus > Views ▾

Name ↑ ▾	View type ▾
Active EmploymentStatuses	Public View default
EmploymentStatus Advanced Find View	Advanced Find View default
EmploymentStatus Associated View	Associated View default
EmploymentStatus Lookup View	Lookup View default
Inactive EmploymentStatuses	Public View
Quick Find Active EmploymentStatuses	Quick Find View default

6. Drag the Description field into the view.

Table columns

EmploymentStatus Related

Search ▾

+ New table column


Created By

Name ▾	Description ▾
Not Set	Not yet assessed.
New	The employee has just started.
Existing	This is an existing employee.

7. Select Save and publish:

Validate Save and publish ▾

Once you have complete these steps, when you go to select the lookup value, you will be able to see the description values here:



The description values are highlighted in the screenshot above.

2. Create Hierarchical lookup table

In addition to the steps above, you will need to complete the extra steps for hierarchical lookup tables:

Quick Summary:

1. **Create** a field called **Parent**.
2. Select **Table > Relationships**.
3. Select the **field > Edit**.
4. Tick the **Hierarchical** box.

2. Create Hierarchical Lookup table

1. Create a field called **Parent**.

New column

Display name *

Parent

Description ⓘ

Data type * ⓘ

Lookup

Required ⓘ

Optional

☒ Searchable ⓘ

☒ Allow form fill assistance (preview) ⓘ

Related table *


RBS

Save


Cancel

2. Create Hierarchical Lookup table

2. Select **Table** > **Relationships**.



3. Select the **field** > **Edit**.



2. Create Hierarchical Lookup table

4. Tick the **Hierarchical** box:

Many-to-one

Choose the **Related table** to which to create your relationship lookup. [Learn more](#)

Current (Many)

Table *

RBS

* — 1

Related (One)

Table *

RBS

Lookup column display name *

Parent

Lookup column name *

ce_ Parent

Lookup column requirement *

Optional



Searchable



Hierarchical

Below is an example of a flat lookup table that has been created:

Highlighted in red are the custom fields that have been added to this table, the rest are created by default by Dataverse.

CustomerEnhancements > Tables > RBS > Columns

Display name ↑	Name	Data type	Managed	Customized	Customizable	Required	Searchable
Created By	CreatedBy	Lookup	No	Yes	Yes	No	Yes
Created By (Delegate)	CreatedOnBehalfBy	Lookup	No	Yes	Yes	No	Yes
Created On	CreatedOn	Date and time	No	Yes	Yes	No	Yes
Description	ce_Description	Multiple lines of text	No	Yes	Yes	No	Yes
Import Sequence Number	ImportSequenceNumber	Whole number	No	Yes	Yes	No	Yes
Modified By	ModifiedBy	Lookup	No	Yes	Yes	No	Yes
Modified By (Delegate)	ModifiedOnBehalfBy	Lookup	No	Yes	Yes	No	Yes
Modified On	ModifiedOn	Date and time	No	Yes	Yes	No	Yes
Name Primary name column	ce_Name	Single line of text	No	Yes	Yes	Yes	Yes
Owner	OwnerId	Owner	No	Yes	Yes	Yes	Yes
Owning Business Unit	OwningBusinessUnit	Lookup	No	Yes	Yes	No	Yes
Owning Team	OwningTeam	Lookup	No	Yes	Yes	No	No
Owning User	OwningUser	Lookup	No	Yes	Yes	No	No
Parent	ce_Parent	Lookup	No	Yes	Yes	No	Yes
RBS	ce_RBSId	Unique identifier	No	Yes	Yes	Yes	Yes
Record Created On	OverriddenCreatedOn	Date only	No	Yes	Yes	No	Yes
Status	statecode	Choice	No	Yes	Yes	Yes	Yes
Status Reason	statuscode	Choice	No	Yes	Yes	No	Yes
Time Zone Rule Version Number	TimeZoneRuleVersionNum...	Whole number	No	Yes	No	No	No
UTC Conversion Time Zone Code	UTCConversionTimeZoneC...	Whole number	No	Yes	No	No	No
Version Number	VersionNumber	Whole number Big	No	Yes	No	No	No

Project Online

Here's how the original lookup table appears in Project Online:

Resource Form where the value is selected

Identification Information

The Display Name cannot contain square brackets or the server list separator.

* Display Name:

Email Address:

RBS:
 ...

Search

- Corporate
 - Finance - Management
 - Finance Team
 - IT - Management
 - IT Team
 - Marketing - Management
 - Marketing Team

Lookup table where the values are set

Lookup Table
Edit the lookup table

	Level	Value	Description
	1	Corporate	
	2	Finance - Management	
	3	Finance Team	
	2	IT - Management	
	3	IT Team	
	2	Marketing - Management	
	3	Marketing Team	
	2	PMO - Management	
	3	PMO Team	
	2	Construction - Management	
	3	Construction Team	
	2	Quality - Management	


Move

Altus

Here’s how the lookup table appears in Altus:

Bookable Resource Form where the value is selected

The full stop or period shows the separator between each level in the hierarchy.



Lookup table where the values are set

CustomerEnhancements > Tables > RBS

Table properties

Name	Primary column	Description
RBS	Name	Hierarchical Resource Breakdown Structure (RBS) from Project Online for the associated resource.
Type	Last modified	
Standard	3 weeks ago	

Schema

Columns

Relationships

Keys

RBS columns and data

Parent	Name	Description
	Corporate	
Corporate	Corporate.Finance - Management	
Corporate	Corporate.IT - Management	
Corporate	Corporate.Marketing - Management	
Corporate	Corporate.PMO - Management	
Corporate	Corporate.Construction - Management	
Corporate	Corporate.Quality - Management	
Corporate.Construction - Manage...	Corporate.Construction - Management.Construction Team	
Corporate.Finance - Management	Corporate.Finance - Management.Finance Team	
Corporate.IT - Management	Corporate.IT - Management.IT Team	

Catering for Multi-select Project Online lookup tables

Project Online lookup fields can be configured to allow multiple selections. Dataverse does not allow a table's lookup field to contain multiple selections (although Choice fields can be configured that way). If you intend to maintain a multi-select relationship, then rather than creating a Dataverse lookup field, you should instead:

- Ensure the table has been created in Dataverse to store the available lookup values.
- Then, from the primary entity (e.g. Project or Bookable Resource), create a many-to-many relationship to the table that contains the lookup table values.
- Optionally, a many-to-many relationship can be exposed in the primary table's Form UI using the sub grid component.


Quick Summary:

1. **Create a Dataverse table** that will store the lookup values.
2. Open **Table > Relationships**.
3. Select **+ New Relationship > Many-to-many**.
4. **Select the table** that you wish to create the **many-to-many relationship** to.


Catering for Multi-select Project Online lookup tables

1. Create a Dataverse table that will store the lookup values.

2. Open **Table > Relationships**.



3. Select **+ New Relationship > Many-to-many**.



Catering for Multi-select Project Online lookup tables**4. Select the table** that you wish to create the **many-to-many** relationship to.

Many-to-many

Choose the **Related table** to create your relationship. [Learn more](#)

Current (Many)		Related (Many)
Table *		Table *
Department	* — *	Project

☒ Searchable

Relationship name *

cr62c_ Department_sensei_project_sensei_project

Relationship table name *

cr62c_ Department_sensei_project

> Advanced options

You now have the many-to-many relationship established. From here you can optionally use the migration script to populate the lookup value table with the set of values that were in Project Online and set up the custom field mapping in the Import Projects script to create the associations to the values

3. Create Choice Set


Quick Summary:

1. Open this link: <https://make.powerapps.com/>.
2. Open **Solutions** > **Solution Layer** that you have already created.
3. Select **New** > **More** > **Choice**.
4. Create the new choice field:
 - a. Provide a name.
 - b. Type in the label values (the values will automatically be set by Dataverse).
 - c. Save.


3. Create Choice Set

1. Open this link: <https://make.powerapps.com/>.

2. Open **Solutions** > **Solution Layer** that you have already created.



3. Select **New** > **More** > **Choice**:



3. Create Choice Set

4. Create the choice field:

1. Provide a name.
2. Type in the label values (the values will automatically be set by Dataverse).
3. Save.

New choice [X]

Display name *
YesNoChoice

Choices [Sort v]

	Label *	Value *
⋮	Yes	121,460,000
⋮	No	121,460,001

+ New choice

Advanced options v

Save Cancel

Below is an example of the created choice set:

Edit choice [X]

ⓘ This is a global choice. Changes will be reflected wherever this choice is used.

Display name *
YesNoChoice

Choices [Sort v]

	Label *	Value *
⋮	Yes	121,460,000
⋮	No	121,460,001

+ New choice

Advanced options ^

Name *
ce_yesnochoice

External type name ⓘ
[]

Description
[]

4. Create Custom Fields


Quick Summary:

1. Open this link: <https://make.powerapps.com/>
2. Open **Solutions** > **Solution Layer** that you have already created.
3. Select **Add Existing** > **Table**.
4. Search for the table, select the table > **Next**.
5. Select the **table** > **Edit**.
6. Select options when importing the table.
7. Select **New Column**.
8. **Add a new custom field** as follows, selecting the relevant lookup table > **Save**.
9. Repeat this process for all custom fields for this table.
10. Repeat this process for all tables that require custom fields added.


4. Create custom fields

1. Open this link: <https://make.powerapps.com/>

2. Open **Solutions** > **Solution Layer** that you have already created:



3. Select **Add Existing** > **Table**



4. Create custom fields

4. Search for the table, select it the table > **Next**.

Add existing tables

1 table selected

Display name ▾	Name	Managed ▾
Bookable Resource	sensei_bookableresource	Yes

Next Cancel

5. Select options when importing the table:

Microsoft recommends you select **Include all objects** and **Include table metadata**.

Selected tables

Select objects to your selected tables. [Learn more](#)

1 tables will be added to your project

Project

No objects selected

[Edit objects](#) [Clear all objects](#)

☐ Include all objects ☐ Include table metadata

6. Select the table > **Edit**.


CustomerEnhancements > All

Display name ↑ ▾	Name ▾
Bookable Resource	sensei_bookableresource
EmploymentStatus	

Edit

4. Create custom fields

7. Select New Column.



8. Add a new custom field as follows, selecting the relevant lookup table > Save.

A screenshot of the 'New column' dialog box. The dialog has a title bar 'New column' with a close button. It contains several fields and checkboxes. Red circles with numbers 1 through 4 are placed over specific elements: 1 is over the 'Display name' field which contains 'Employment Status'; 2 is over the 'Data type' dropdown which is set to 'Lookup'; 3 is over the 'Related table' dropdown which is set to 'EmploymentStatus'; 4 is over the 'Save' button. Other fields include 'Description', 'Data type', 'Required' (set to 'Optional'), 'Searchable' (checked), and 'Allow form fill assistance (preview)' (checked).

9. Repeat this process for all custom fields for this table.

10. Repeat this process for all tables that require custom fields added.

5. Create a Security Role


Quick Summary:

1. Open this link: <https://make.powerapps.com/>.
2. Open **Solutions** > **Solution Layer** that you have already created.
3. **New** > **Security** > **Security role**.
4. Create a **new role**.
5. **Search** for the lookup tables you have previously created.
6. Set all **permissions** to **Organisation** > **Save**.
7. **Repeat** for all lookup tables.


5. Create a Security Role

1. Open this link: <https://make.powerapps.com/>

2. Open **Solutions** > **Solution Layer** that you have already created.



3. **New** > **Security** > **Security role**.



5. Create a Security Role

4. Create a new role:

1. Specify **Role Name**.
2. Select the **Business unit**.
3. **Save**.

Create New Role

×

Role Name *

ExampleSecurityRole

1

Business unit *

jp1

2

When role is assigned to a Team

Team member gets all team privileges by default.

Team members can inherit team privileges directly based on access level. [Learn More](#)

Member's privilege inheritance

Direct User (Basic) access level and Team privileges

☒ Include App Opener privileges for running Model-Driven apps ⓘ

3

Save

Cancel

5. Search for the lookup tables you have previously created.

Security Role: ExampleSecurityRole

teamname

×

Details

Tables Miscellaneous privileges Privacy-relate

Show all tables

Compact Grid View ☒ On

Table ↑

Append to

Assign

Share

Custom Tables (1)

TeamName

...

None

None

None

5. Create a Security Role

6. Set the permissions as follows:

Permission	Scope
Create	 None
Read	 Organization
Write	 None
Delete	 None
Append	 Organization
Append To	 Organization
Assign	 None
Share	 None

7. Repeat for all lookup tables.

Below is an example of the security role that has been created:

Security Role: ExampleSecurityRole											
Details Tables Miscellaneous privileges Privacy-related privileges Show only assigned tables Compact Grid View ☒ On											
Table	Name	Record ownership	Permission Settli...	Create	Read	Write	Delete	Append	Append to	Assign	Share
Custom Tables (4)											
EmploymentStatus	ce_employmentstatus	User or Team	Custom	 None	 Organization	 None	 None	 Organization	 Organization	 None	 None
RBS	ce_rbs	User or Team	Custom	 None	 Organization	 None	 None	 Organization	 Organization	 None	 None
Skills	ce_skills	User or Team	Custom	 None	 Organization	 None	 None	 Organization	 Organization	 None	 None
TeamName	ce_teamname	User or Team	Custom	 None	 Organization	 None	 None	 Organization	 Organization	 None	 None

Note, for **Admin users**, we recommend you set all permissions =  Organization

6. Add new fields to Forms

Once you have created the fields you will need to:

1. Add Project fields to the Project Form.
2. Add Resources fields to the Resource Form.
3. Add fields to the Register Forms.
4. Add Tasks fields to the Task Form.

1. Add Project fields to the Project Form

Once you have created the required Project Custom Fields, the next step is to add them to the Project Form so that Altus end users can see and update them.


Quick Summary:

1. Open this link: <https://make.powerapps.com/>.
2. Open **Solutions** > **Solution Layer** that you have already created.
3. Open the **Projects** table that you added in this step.
4. Select **Forms**.
5. Select the **Information Main form**.
6. Set **Show hidden** = **On**.
7. The tabs will become visible. There are three details tabs which correspond to the following project types:
 - a. Major and Minor.
 - b. Operational.
 - c. Agile.
 Select the tab you wish to update.
8. Select **1-column** section.
9. **Rename** the section accordingly.
10. Select **Table columns**.
11. **Drag fields** into the new section and arrange as required.
12. Select **Save and publish**.

1. Add Project fields to the Project Form

1. Open this link: <https://make.powerapps.com/>.

2. Open **Solutions** > **Solution Layer** that you have already created:



1. Add Project fields to the Project Form

3. Open the **Projects** table that you added in [this step](#).

CustomerEnhancements > All

	Display name ↑ ∨	Name ∨
	Bookable Resource	sensei_bookableresource
	EmploymentStatus	ce_employmentstatus
	ExampleMultiSelectLookup	ce_examplmultiselectlookup
	ExampleSecurityRole	ExampleSecurityRole
	Project	sensei_project

4. Select **Forms**.

CustomerEnhancements > Tables > Project

Table properties		Data experiences ⓘ
Name	Primary column	 Forms
Project	Name	 Views
Type	Last modified	 Charts
Standard	1 week ago	 Dashboards

1. Add Project fields to the Project Form**5. Select the Information Main form.**

CustomerEnhancements > Tables > Project > Forms ▾


Name ↑ ▾		Form type ▾
quick create form	⋮	Quick Create
Information	⋮	Quick View
Information	⋮	Main

6. Set Show hidden = On




Show hidden ☐ Off

7. The tabs will become visible. There are three details tabs which correspond to the following project types:

- 1. Major and Minor**
- 2. Operational**
- 3. Agile**



Select the tab you wish to update.

1. Add Project fields to the Project Form**8. Select 1-column section.****9. Rename the section accordingly.****10. Select Table columns.**

1. Add Project fields to the Project Form**11. Drag fields** into the new section and arrange as required.**Project Online Custom Fields**

Example Flag Field2 ---

ExampleChoiceField ---


ExampleCostField ---

ExampleDurationField ---

ExampleDateField ---

ExampleLookupField ---

ExampleNumberField ---

ExampleMultilineTextF
ield ---**12. Select Save and publish.**

Once done you can open a project from the Initiatives section and you will see the new fields, example is below for illustrative purposes:

Brisbane Roadmap Tool Implementation - Saved

Project · Information ▾

Major Project
Active for 5 days

Planning (5 D)

Details

Evaluation

Key Dates

Tasks

Financials

Information

Tracking

Resources

S

Project Type

Major Project ×

Last Sync Date

4/2/2026

3:03 AM

Project Online Custom Fields

Example Flag Field2

Yes

ExampleChoiceField

No

ExampleCostField

\$1,234.56

ExampleDurationField

13.47 hours

ExampleDateField

3/30/2026

ExampleLookupField

Executive Team ×

ExampleNumberField

5,678.00

ExampleMultilineTextField

The project commenced in early Q2 with a focus on improving cross-functional collaboration and streamlining

Proposal Costs

Financial Benefits

ROI

Work Details


Effort (Total)

Duration Weekdays (Days)

2. Add Resources fields to the Resource Form

Once you have created the required Resource Custom Fields, the next step is to add them to the Resource Form so that Altus end users can see and update them.

This is like the process for [add Project fields to the project form](#), with the only key difference being that you will select the **Bookable Resources** table in Step 3.



Below is an example of the resource form that shows the new fields:

The screenshot shows a form titled 'Unclassified - Saved' with the subtitle 'Bookable Resource'. Below the title, there are tabs: 'General', 'Calendar Exceptions', 'Rates', and 'Related'. The 'General' tab is selected. The form contains three fields: 'Resource Type' with a dropdown menu showing 'Generic', 'Name' with a text input field containing 'Unclassified', and 'Department' with a dropdown menu showing 'Marketing'.

Custom Fields

Resource Example Choice Field

▼

Resource Example Cost Field

Resource Example Date Field

📅

Resource Example Duration Field

▼

Resource Example Text Field

Resource Example Number Field

Resource Example Lookup Field

🔍

Resource Example Flag Field

No

▼

Custom Fields

Multiselect Lookup

⋮

Name ↑ ▼

Created On ▼

We didn't find anything to show here

Rows: 0

3. Add Register fields to the Register Form

Once you have created the required Register Custom Fields, the next step is to add them to the Register Form so that Altus end users can see and update them.

This is like the process for [add Project fields to the project form](#), with the only key difference being that you will select the following tables:

- Issue
- Risk
- Any custom registers that have been created

See example from the Issue register:

Resource Overallocation - Saved

Issue

Brisbane Roadmap Tool Implementation

▼

Program

Project

Details

Related ▼

Name

Resource Overallocation

ID

1326

Assigned To

John Price (Available) ×

Status

Active ▼

Category

Other ▼

Priority

High

Medium

Low

Linked to Risk

Created On

9/04/2026 7:32 AM

Due Date

24/04/2026

Description

Key developer assigned to multiple projects causing delays.

Resolution

Rebalance workload and secure additional support.

SP Custom Fields

Example SP Boolean Field

Yes ▼

Example SP DateAndTime Field

2/04/2026 2:30 AM ▼

Example SP Lookup DecisionCategory

Business Process ×

Example SP Decimal Field

61.73

Example SP DateOnly Field

2/04/2026

Example SP OptionSet Field

Resource ▼

Example SP Text Field

Example Text 1

Example SP Number Field

123

Example SP Money Field

\$111.22

4. Add Tasks fields to the Task Form

Once you have created the required Task Custom Fields, the next step is to add them to the Project Form so that Altus end users can see and update them.

The process for adding task custom fields is different to the process for adding Project and Resource custom fields.


Quick Summary:

1. Open this link: <https://make.powerapps.com/>.
2. Open **Solutions** > **Solution Layer** that you have already created.
3. Select **Project Tasks**.
4. Select **Views**.
5. Select **All Project Tasks** view.
6. **Drag fields** onto the view as required.
7. Select **Save & Publish**.


3. Add Tasks fields to the Task Form

1. Open this link: <https://make.powerapps.com/>.

2. Open **Solutions** > **Solution Layer** that you have already created:



3. Select **Project Tasks**.



3. Add Tasks fields to the Task Form

4. Select Views.

CustomerEnhancements > Tables > Project Task

Table properties		Schema ⓘ	Data experiences ⓘ
Name	Primary column	Columns	Forms
Project Task	Name	Relationships	Views
Type	Last modified	Keys	Charts
Standard	1 week ago		Dashboards

5. Select All Project Tasks view.

CustomerEnhancements > Tables > Project Task > Views ▾

Name ↑ ▾	View type ▾
All Active Project Tasks	Public View
All Project Tasks	Public View

6. Drag fields onto the view as required.

Name ▾	Project ▾	Start ▾	Finish ▾	TaskExampleDateField ▾
Resource Section	D365 Deployment	1/2/2019	1/2/2019	
Engineer	D365 Deployment	1/2/2019	1/2/2019	

7. Select Save & Publish.

Validate Save As **Save and publish** ▾

t Remaining All Project Tasks >

View

Below is an example of how this looks in the Tasks tab in an Altus project.

Brisbane Roadmap Tool Implementation - Saved

Project · Information

Major Project
Active for 5 days

Planning

Details

Evaluation

Key Dates

Tasks

Financials

Information

Tracking

Resources

Strategic

Add Task

Search

Show

Finish	Percent Complete	Effort (Hours)	Effort Remaining (Hours)	Effort Completed ...	TaskExampleDateField
4/17/2020	100%	160	0	160	
3/27/2020	100%	40	0	40	
4/3/2020	100%	40	0	40	
4/10/2020	100%	40	0	40	

The column will automatically appear in the Task Details form in the Advanced tab:

Task Details

General

Advanced

Notes

TaskExampleDateField

9. Grant Consent to “Altus – POL Migration - SharePoint”

The Altus migration requires permissions to an Enterprise/App Application which grants permissions within the customers Azure Tenant.

Office 365 SharePoint Online (1)						
Office 365 SharePoint Online	AllSites.Manage	Read and write items and lists in all site collections	Delegated	Admin consent	An administrator	...

There are two options here:

1. Grant permissions to this application **OR**
2. Create an Azure App Application with the following permissions:

Setting	Details
API Name	Office 365 SharePoint Online
Claim Value	AllSites.Manage
Permission	Read and write items and lists in all site collections
Type	Delegated
Granted through	Admin Consent
Granted by	An administrator


Granting Consent

If you wish to grant consent to the application, please click on this link:

https://login.microsoftonline.com/common/adminconsent?client_id=30b4ad0b-d939-4cd4-bb6d-fa2d39fb4694&redirect_uri=https%3A%2F%2Faltus.pro%2Fcontent%2FConsentSuccess.html

To proceed, select **Accept** and this will grant the delegated permissions.

Note: The user will require M365 Global Administrator permissions to grant this consent.



Creating your Own application

Steps to manually create this application in Azure:

Quick Summary:

1. Sign in to **Azure**.
2. Open **Microsoft Entra ID**.
3. Open **App registrations**.
4. Click **New** registration.
5. Enter a **name** (e.g. Altus SharePoint Access App).
6. Choose **Single tenant only - MSFT**. (this can be changed depending on the audience of the app).
7. Click **Register**.
8. Open **Manage > API permissions**.
9. Click **Add a permission**.
10. Choose **SharePoint Online**.
11. Choose **Delegated permissions**.
12. Tick **AllSites.Manage**.
13. Click **Add permissions**.
14. Click **Grant admin consent**.
15. Open **Manage > Authentication (Preview)**
16. Click **Add Redirect URI**
17. Choose **Mobile and desktop applications**
18. Copy and Paste into the text box <http://localhost>
19. Click **Configure**
20. Go to Overview and copy the Application (client) ID, this is the ID you will use in the scripts (where prompted).

Create an Azure App Application

1. Sign in to Azure.

Create an Azure App Application

2. Open Microsoft Entra ID.

Welcome to Azure!

Don't have a subscription? Check out the following options.



Start with an Azure free trial
Get \$200 free credit toward Azure products and services, plus 12 months of popular [free services](#).
[Start](#)



Manage Microsoft Entra ID
Manage access, set smart policies, and enhance security with Microsoft Entra ID.
[View](#) [Learn more](#)



Azure for Students
Get free software, Azure credit, or access Azure Dev Tools for Teaching after you verify your academic status.
[Start](#)

Azure services

[Create a resource](#) **Microsoft Entra ID**

 Quickstart Center

 Foundry

 Kubernetes services

 Virtual machines

 App Services

 Storage accounts

 SQL databases

[More services](#)

3. Open App registrations.

Home

MSFT | Overview

Overview

Preview features

Diagnose and solve problems

Manage

- Users
- Groups
- External Identities
- Roles and administrators
- Administrative units
- Delegated admin partners
- Enterprise applications
- Devices
- App registrations**
- Identity Governance
- Application proxy
- Custom security attributes
- Licenses
- Cross-tenant synchronization
- Microsoft Entra Connect

[Microsoft Entra has a simpler, integrated experience for managing all your Identity and Access Management needs. Try the new Microsoft Entra admin center!](#)

Overview Monitoring Properties Recommendations Setup guides

Search your tenant

Basic information

Name	MSFT	Users	22
Tenant ID	144d38c5-b6e7-4b7d-9417-1f175a974e89	Groups	18
Primary domain	lscx.onmicrosoft.com	Applications	2
License	Microsoft Entra ID P2	Devices	0

Alerts

Migrate to the converged Authentication methods policy


Please migrate your authentication methods off the legacy MFA and SSPR policies by September 2025 to avoid any service impact

[Learn more](#)

My feed

Create an Azure App Application

4. Click New registration.



Home > MSFT

MSFT | App registrations

+ New registration Endpoints Troubleshoot Refresh Download Preview features Got feedback?

Overview
Preview features
Diagnose and solve problems
Manage
Users
Groups
External Identities
Roles and administrators
Administrative units
Delegated admin partners
Enterprise applications
Devices
App registrations


Azure Active Directory Authentication Library (ADAL) and Azure AD Graph no longer receive new feature updates. We continue to provide technical support and security updates for Microsoft Graph. [Learn more](#)

All applications Owned applications Deleted applications Deactivated applications

Start typing a display name or application (client) ID to filter these results Add filters

This account isn't listed as an owner of any applications in this directory. [View all applications in the directory](#)

5. Enter a name (e.g. Altus SharePoint Access App)



Home > MSFT | App registrations


Register an application

* Name

The user-facing display name for this application (this can be changed later).

Altus SharePoint Access App

6. Choose **Single tenant only - MSFT**. (this can be changed depending on the audience of the app).




Supported account types

Choose the account types that can use this application or access this API

Single tenant only - MSFT Help me choose

7. Click **Register**.



By proceeding, you agree to the [Microsoft Platform Policies](#)

Register

Create an Azure App Application

8. Open Manage > API permissions.

Home > MSFT | App registrations

Altus SharePoint Access App

Search

Deactivate Delete Endpoints Preview features

Overview

- Quickstart
- Integration assistant
- Diagnose and solve problems
- Manage**
 - Branding & properties
 - Authentication (Preview)
 - Certificates & secrets
 - Token configuration
 - API permissions**
 - Expose an API
 - App roles
 - Owners
 - Roles and administrators
 - Manifest
- Support + Troubleshooting

Essentials

Display name : [Altus SharePoint Access App](#)

Application (client) ID : 2365bbcc-bba6-4e4c-a30f-1ec67aeb6675

Object ID : b4459d0b-2227-47d8-b91e-72b924e7d503

Directory (tenant) ID : 144d38c5-b6e7-4b7d-9417-1f175a974e89

Supported account types : [My organization only](#)

Welcome to the new and improved App registrations. Looking to learn how it's...

Azure Active Directory Authentication Library (ADAL) and Azure AD Graph no lo (MSAL) and Microsoft Graph. [Learn more](#)

[Get Started](#) [Documentation](#)

Build yo

9. Click Add a permission.

Authentication (Preview)

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission ☒ Grant admin consent for MSFT

API / Permissions name	Type	Description	Admin consent requ...	Status
Microsoft Graph (1)				...
User.Read	Delegated	Sign in and read user profile	No	...

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try [Enterprise applications](#).

Create an Azure App Application

10. Choose SharePoint Online.

Request API permissions

Select an API

Microsoft APIs

APIs my organization uses

My APIs

Commonly used Microsoft APIs



Microsoft Graph

Take advantage of the tremendous amount of data in Office 365, Enterprise Mobility + Security, and Windows 10. Access Microsoft Entra ID, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner, and more through a single endpoint.



Azure Rights Management Services

Allow validated users to read and write protected content



Azure Service Management

Programmatic access to much of the functionality available through the Azure portal



Dynamics CRM

Access the capabilities of CRM business software and ERP systems



Intune

Programmatic access to Intune data



Office 365 Management APIs

Retrieve information about user, admin, system, and policy actions and events from Office 365 and Microsoft Entra ID activity logs



OneNote

Create and manage notes, lists, pictures, files, and more in OneNote notebooks



Power Automate

Embed flow templates and manage flows



Power BI Service

Programmatic access to Dashboard resources such as Datasets, Tables, and Rows in Power BI



SharePoint

Interact remotely with SharePoint data

Create an Azure App Application

11. Choose Delegated permissions.

Request API permissions

[← All APIs](#)

 **SharePoint**
<https://microsoft.sharepoint.com> [Docs](#)

 SharePoint APIs are available via the Microsoft Graph API. You may want to consider using Microsoft Graph instead.

What type of permissions does your application require?

Delegated permissions
Your application needs to access the API as the signed-in user.

12. Tick AllSites.Manage.

13. Click Add permissions.

14. Click Grant admin consent for MSFT.

Home > MSFT | App registrations > Altus SharePoint Access App

Altus SharePoint Access App | API permissions

Search Refresh Got feedback?

- Overview
- Quickstart
- Integration assistant
- Diagnose and solve problems
- Manage
 - Branding & properties
 - Authentication (Preview)
 - Certificates & secrets
 - Token configuration
 - API permissions**
 - Expose an API
 - App roles
 - Owners
 - Roles and administrators
 - Manifest
- Support + Troubleshooting

 Successfully granted admin consent for the requested permissions.

 Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that app.

 The "Admin consent required" column shows the default value for an organization. However, user consent can be used. [Learn more](#)

Configured permissions


Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. [Learn more about permissions and consent](#)

[+ Add a permission](#) **✓ Grant admin consent for MSFT**

API / Permissions name	Type	Description
Microsoft Graph (1)		
User.Read	Delegated	Sign in and read user profile
SharePoint (1)		
AllSites.Manage	Delegated	Read and write items and lists in all site collections

Create an Azure App Application

15. Open Manage > Authentication (Preview)



Altus SharePoint Access App | Authentication (Preview)

Search

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication (Preview)

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Welcome to the new and improved experience for authentication. [To switch to the old experience, please click here.](#)

Redirect URI configuration Supported accounts Settings


A redirect URI, or reply URL, is the location where the Entra authorization server sends the user and delivers tokens once the user has successfully signed in or signed out.

+ Add Redirect URI Delete

No redirect URI has been configured. To understand why and when a redirect URI should be added to my App Registration, [learn more.](#)

Add Redirect URI

16. Click Add Redirect URI



Altus SharePoint Access App | Authentication (Preview)

Search

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication (Preview)

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Welcome to the new and improved experience for authentication. [To switch to the old experience, please click here.](#)

Redirect URI configuration Supported accounts Settings

A redirect URI, or reply URL, is the location where the Entra authorization server sends the user and delivers tokens once the user has successfully signed in or signed out.

+ Add Redirect URI Delete

No redirect URI has been configured. To understand why and when a redirect URI should be added to my App Registration, [learn more.](#)

Add Redirect URI

Create an Azure App Application

17. Choose **Mobile and desktop applications**

Select a platform to add redirect URI



To understand which platform you should select, please [learn more](#).

Web applications



Web

Build, host, and deploy a web server application. .NET, Java, Python

Select →



Single-page application

Configure browser client applications and progressive web applications. Javascript.

Select →

Mobile and desktop applications



iOS / macOS

Objective-C, Swift, Xamarin

Select →



Android

Java, Kotlin, Xamarin

Select →



Mobile and desktop applications

Windows, UWP, Console, IoT & Limited-entry Devices, Classic iOS + Android

Select →

Create an Azure App Application

18. Copy and Paste into the text box <http://localhost>

Add Redirect URI

Mobile and desktop applications platform

[← All platforms](#) [⚡ Quickstart](#) [📖 Docs](#)

Redirect URI

- ☒ <https://login.microsoftonline.com/common/oauth2/nativeclient>
- ☐ https://login.live.com/oauth20_desktop.srf (LiveSDK)
- ☐ [msal2365bbcc-bba6-4e4c-a30f-1ec67aeb6675://auth](https://login.live.com/oauth20_desktop.srf) (MSAL only)

<http://localhost> ✓

Configure

Cancel

Create an Azure App Application

19. Click **Configure**

Add Redirect URI

Mobile and desktop applications platform

[← All platforms](#) [⚡ Quickstart](#) [📖 Docs](#)

Redirect URI

- ☒ <https://login.microsoftonline.com/common/oauth2/nativeclient>
- ☐ https://login.live.com/oauth20_desktop.srf (LiveSDK)
- ☐ [msal2365bbcc-bba6-4e4c-a30f-1ec67aeb6675://auth](https://login.live.com/oauth20_desktop.srf) (MSAL only)


<http://localhost> ✓

Configure

Cancel

Create an Azure App Application

20. Go to Overview and copy the Application (client) ID, this is the ID you will use in the scripts (where prompted).



The screenshot displays the Azure portal interface for an application named "Altus SharePoint Access App". The left-hand navigation pane includes sections for "Overview", "Quickstart", "Integration assistant", "Diagnose and solve problems", and "Manage". Under "Manage", there are links for "Branding & properties", "Authentication (Preview)", and "Certificates & secrets". The main content area, titled "Essentials", lists several application properties:

- Display name: Altus SharePoint Access App
- Application (client) ID: 2365bbcc-bba6-4e4c-a30f-1ec67aeb6675 (This line is highlighted with a red rectangular box)
- Object ID: b4459d0b-2227-47d8-b91e-72b924e7d503
- Directory (tenant) ID: 144d38c5-b6e7-4b7d-9417-1f175a974e89
- Supported account types: [My organization only](#)

At the top of the main content area, there is a search bar and a row of action buttons: "Deactivate", "Delete", "Endpoints", and "Preview features". A blue information banner at the top of the "Essentials" section reads: "Got a second? We would love your feedback on Microsoft identity platform (previously Azure AD for developer). →"

10. Clear cache in MS Project

To avoid issues with migrating the projects and project schedules, we recommend you clear your cache in MS Project.


Quick Summary:

1. Open **MS Project**.
2. Select **File**.
3. Select **Options**.
4. Select **Save > Open Cache** location and **remove all cache items**.


10. Clear cache in MS Project

1. Open MS Project.

2. Select File.



3. Select Options.



10. Clear cache in MS Project

4. Select **Save > Open Cache location** and remove all cache items.

Project Options

General
Display
Schedule
Proofing
Save
Language
Advanced
Customize Ribbon
Quick Access Toolbar
Add-ins
Trust Center

Customize how projects are saved.

Save projects

Save files in this format: Project (*.mpp)

Default File location: C:\Users\JohnPrice\Documents [Browse...](#)

☐ Auto save every 10 minutes

When automatically saving:

- ☒ Save active project only
- ☐ Save all open projects

☒ Prompt before saving

☐ Don't show the Backstage when opening or saving files with keyboard shortcuts

☒ Show additional places for saving, even if sign-in may be required

☐ Save to Computer by default

Save templates

Default personal templates location: [Browse...](#)

Cache

Cache size limit (MB): 15,232

Cache location: C:\Users\JohnPrice\AppData\Roaming\Microsoft\MS Project\16\Cache\ [Browse...](#)

[View Cache Status](#)

[Clean Up Cache...](#)

OK Cancel

11. Remove punctuation from Project Online custom fields

There is a known Microsoft issue regarding custom fields. The issue has been detailed below:

Issue:	Project online custom fields containing punctuation.
Impact:	The export script will fail if any custom fields have punctuation in their name.
Workaround:	Prior to running the export script, you will need to remove all punctuation from the custom field name.
Resolution:	This is with Microsoft for investigation. Ticket Reference: 2603040030007843

Remove all punctuation from Project Online custom fields before running the export script.

The following punctuation must be removed from project and resource names:

Symbol	Name
.	Full stop / Period
,	Comma
;	Semicolon
:	Colon
'	Apostrophe / Single quote
"	Quotation marks / Double quote
!	Exclamation mark
?	Question mark
-	Hyphen / Minus
_	Underscore
(	Left parenthesis
)	Right parenthesis
[	Left square bracket
]	Right square bracket
{	Left curly brace
}	Right curly brace
/	Forward slash
\	Backslash
@	At symbol
#	Hash / Pound / Number sign
\$	Dollar sign
%	Percent sign
^	Caret
&	Ampersand
*	Asterisk
+	Plus sign
=	Equals sign
<	Less than
>	Greater than
~	Tilde
`	Backtick / Grave accent
@	At symbol

12. Change Macro settings in MS Project

To prevent the scripts from getting stuck during the migration process, it is recommended that you change the macro settings in MS Project.


Quick Summary:

1. Open **MS Project**.
2. Select **Options**.
3. Select **Trust Center > Trust Center Settings**.
4. Select **Macro Settings > Enable all macros > OK**.


12. Change Macro settings in MS Project

1. Open MS Project.

2. Select Options.



3. Select Trust Center > Trust Center Settings.



12. Change Macro settings in MS Project

4. Select **Macro Settings** > **Enable all macros** > **OK**.

