

Project Online Data Migration

Troubleshooting v9

Table of Contents

TABLE OF CONTENTS.....	2
DOCUMENT DETAILS.....	3
VERSION HISTORY.....	3
DOCUMENT PURPOSE.....	3
DOCUMENT TYPE.....	3
FREQUENTLY ASKED QUESTIONS.....	3
MIGRATION OVERVIEW	4
INTRODUCTION.....	4
<i>What is being retired?</i>	4
<i>What will remain available?</i>	4
<i>Why is Microsoft retiring Project Online?</i>	4
<i>The call to action</i>	4
ALTUS MIGRATION SOLUTION	5
<i>Data that will be migrated</i>	5
<i>Data that won't be migrated</i>	6
Timesheets Data.....	6
Workflow History.....	6
Portfolio Analyses.....	6
<i>Migration Approach</i>	7
<i>Migration Outcomes</i>	7
<i>Projects & Resources Data Migrated</i>	7
Projects.....	8
Resources	8
Tasks.....	8
<i>SharePoint List Data Migrated</i>	9
Risks.....	9
Issues.....	10
Custom Lists.....	10
<i>Constraints</i>	11
TROUBLESHOOTING.....	12
YOU CANNOT RUN THIS SCRIPT ON THE CURRENT SYSTEM	12
EXPORT PROJECT ONLINE DATA CO_E_SERVER_EXEC_FAILURE	14
RUNNING SCRIPTS IS DISABLED ON THIS SYSTEM.....	15
NO FILES FOUND MATCHING 'PROJECT_*_PUBLISHED.MPP'	16
MS PROJECT NOT OPEN.....	17
APPLICATION WITH IDENTIFIER WAS NOT FOUND IN THE DIRECTORY	18
PROJECT OPEN = DENY.....	19
ERROR ACCESSING REST API	20
RENAMED PROJECT THAT HASN'T BEEN PUBLISHED	21
SCRIPT CURRENCY ISSUE	22
ISSUES CONNECTING TO ALTUS VIA MS PROJECT.....	23
BASELINE FAILS TO PUBLISH	24
EXPORT SCRIPT DATABASE UNDEFINED ERROR.....	25
MS PROJECT CUSTOM FIELD MAPPING ERROR	26
401 RESPONSE STATUS CODE DOES NOT INDICATE SUCCESS.....	27
PROJECT PUBLISH OBJECT REFERENCE NOT SET TO AN INSTANCE OF AN OBJECT	28
PROJECT PUBLISH OBJECT REFERENCE NOT SET TO AN INSTANCE OF AN OBJECT	30

Document Details

Version History

Version	Date	Author	Details
0.1	1 st May 2026	John Price	First draft.
1	1 st May 2026	John Price	First version.
2	6 th May 2026	John Price	Script currency and issues connecting to Altus via MS Project added.
3	26 th May 2026	John Price	Baseline publish issue and fix documented.
4	17 th June 2026	John Price	Following additions: 1. Export script undefined error. 2. MS Project custom fields mapping error.
5	19 th June 2026	John Price	Updated the “Script Currency Troubleshooting” section to clarify the script to update.
6	29 th June 2026	John Price	Added ‘401 Response status code does not indicate success’ on Page 24.
7	8 th July 2026	John Price	Update links.
8	10 th July 2026	John Price	Update links.
9	16 th July 2026	John Price	Update links.

Document Purpose

The purpose of this document is to provide the reader with detailed information about how to troubleshoot known issues with the migration of project schedules from Project Online to Altus. It includes:

Document Type

This is a problem resolution style document. Each item is framed accordingly:

- **Issue** | Details of the known issue and its implications.
- **Cause** | What causes the issue to occur.
- **Resolution** | How to resolve the issue.

Frequently Asked Questions

We have created a separate document covering frequently asked questions. This can be accessed via this link and covers all migration process:

[Project Online Data Migration - Frequently Asked Questions](#)

Migration Overview

Introduction

On the 5th September 2025 Microsoft announced that it had brought forward the original retirement of Project Online from 2030 to 30th September 2026.

From this date, Project Online will be shut down and no longer accessible. All Project Web App (PWA) access, data, and integrations will stop working.

What is being retired?

Project Online will be fully decommissioned. This includes the SharePoint Online project subsites where users store list-based information such as Risks, Issues, Actions, and Project Documentation.

What will remain available?

The following applications will remain available to new and existing customers:

- Project Desktop (Stand-alone and M365 versions).
- [Project Server Subscription Edition](#).

Why is Microsoft retiring Project Online?

Microsoft has stated that the Project Online legacy architecture (built on older SharePoint Online services) limits the ability to deliver modern cloud, AI, and integration features. Innovation investment is now focused on newer platforms built on the Microsoft Power Platform, Dataverse, and AI-enabled capabilities (such as Planner Premium/Project Manager Agent).

The call to action


It is imperative that Partners and Customers work quickly and diligently to migrate their data out of Project Online as soon as possible to avoid loss of valuable corporate data. The process covered in this document will assist in that endeavour.

Altus Migration Solution

To assist new and existing Altus customers, we have created scripts and an approach to enable customers to retain their project online data when migrating to Altus PPM.

Data that will be migrated


The following data has been identified for data migration as part of the retirement of Project Online:



This process enables the user to migrate the following data to Altus PPM:

Source	Data	Details
Project Online	Projects	Including custom field data and lookup tables.
	Resources	Including custom field data and lookup tables.
	Schedules	Including custom field data, resource rates, and baselines.
SharePoint Online	List Items	Including risks, issues, and custom lists.
	Documents	Export project document for upload to Teams or SharePoint.

The diagram below articulates what the scripts will and won't migrate:



Data that won't be migrated


The following data won't be migrated:

- **Workflow History:** Data covering the progression of projects through a controlled lifecycle.
- **Timesheets:** Data captured in the Project Online timesheet and published to schedules.
- **Portfolio Analyses:** Data captured when portfolio modelling is created in Project Online.

Timesheets Data

The Altus approach is to ensure that Project Desktop actuals are not overwritten when approved Altus timesheets are imported. As such, we have devised an approach using a date to honour 'protected actuals' that will work by:

- Ensuring that actuals in the .MPP schedule file are not overwritten, we have implemented logic to prevent this from occurring.
- Using an assignment-level date field referred to as Protected Actuals Before.
- This is the date when approved Altus timesheets actuals are first imported to the .MPP file.
- This ensures that existing historical actuals are protected and not overwritten when approved timesheet actuals are imported to the .MPP file.
- Note, this date is set at the assignment-level rather than the task-level. This ensures that actuals are protected at the appropriate level and cater for timesheet actuals being processed by different resources at different dates.
- This date enables Partners and Customers to avoid migrating timesheets as this date will preserve historical actuals in the MPP.



Workflow History

This captures the history of project approvals as they progress through stage gates within the project lifecycle. Given the relatively low frequency of these transactions, the small data volumes involved, and variations across project lifecycles, it was determined that this would be best addressed as a post-migration activity. The effort required to align projects to the appropriate stage following migration is minimal.


Portfolio Analyses

The Portfolio Analyser has been a core feature of Project Server since 2010 and is also available in Project Online. It enables organisations to assess which projects can be delivered within budget and resource constraints, as well as to model "what-if" scenarios.

Altus provides an equivalent capability through its Strategic Prioritisation module. While the migration of Portfolio Analyser data is not supported within the standard data export scripts provided by Microsoft, the effort required to re-establish this information post-migration is minimal. As such, the overall impact is limited.

Migration Approach

The diagram below articulates the end-to-end process for exporting data from Project Online and publishing it to Altus.



Migration Outcomes

At the culmination of the migration, the following will be migrated to Altus:

- **Enterprise Resources** are created (Referred to as Bookable Resources).
- **Projects** (Created in the Initiatives section of Altus).
- **Schedules** (Migrated to the tasks section within an Altus Project).
- **Lists Data** is migrated to the relevant Altus register.
- **Documents** are exported.

Projects & Resources Data Migrated

The tables below articulate the out-of-the-box (OOTB) data that is migrated to Altus. These can be extended by modifying the Altus data migration scripts (examples are provided later in this document).

.MPP Table	Altus Table
Task Entry (<i>Task Level 0</i>)	sensei_project
Resource Entry	sensei_bookableresource
Task Entry	sensei_task

Below are the OOTB fields that are migrated from Project Online to Altus. This can be extended by updating the scripts to map custom fields.

Projects

.MPP Field	Altus Field	Details	Example
Task Name	sensei_name	Where the TaskID = 0	Adelaide Fitness Project
N/A	sensei_projecttype	Default value set	Major Project
N/A	sensei_externalprojectid	Set the GUID = Project Online GUID	ProjectDesktop_d14bae12-39b3-e911-b07b-00155d9c3f18

Resources

.MPP Field	Altus Field	Details	Example
Name	sensei_name	Firstname Surname	Lucius Fox
User Logon Account	sensei_user	Firstname Surname	Lucius Fox
Max. Units	sensei_targetutilization	Default value set	100
Type	sensei_resourcetype	Default value set	Named
Role	sensei_primaryrole	Default value set	Unclassified
Calendar GUID	Sensei_enterprisecalendar	Default value set	Default Calendar

Tasks

.MPP Field	Altus Field	Example Data
Task Name	Name	Identify Goals and Objectives
Resource Names	Assigned To	Project Manager
Start	Start	2-12-19
Finish	Finish	6-12-19
% Complete	Percent Complete	25%
Work	Effort (Hours)	40
Remaining Work	Effort Remaining (Hours)	30
Actual Work	Effort Completed (Hours)	10
Duration	Duration (Days)	5 days
Type	Task Type	Fixed Units
Task Mode	Manually Schedule	Yes
Notes	Notes	Goals were discussed
Deadline	Due Date	6-12-19
Summary	Summary	No
Milestone	Milestone	No
Locked	Locked	No

SharePoint List Data Migrated

The tables below articulate the OOTB data that is migrated to Altus. These can be extended by modifying the Altus data migration scripts (examples are provided later in this document).

SharePoint List	Altus Table
Risks	sensei_risk
Issues	sensei_issue

Risks

SharePoint Field	Altus Field	Example Data
Title	sensei_name	Requirements Not Clearly Defined
Description	sensei_description	Project requirements are incomplete or ambiguous, leading to rework and delays.
DueDate	sensei_duedate	30/04/2026 0:00
Status	statuscode	(1) Active
Category	sensei_category	(2) Category2
Probability	sensei_likelihood	50%
Impact	sensei_consequence	5
Exposure	sensei_riskscore	2.5
Cost	sensei_cost	\$10,000.00
Mitigation_x0020_plan	sensei_mitigationplan	Conduct workshops with stakeholders, document requirements, and obtain formal sign-off.
Contingency_x0020_plan	sensei_contingencyplan	Rebaseline scope and timeline if major requirement changes emerge.
Trigger_x0020_Description	sensei_triggerdescription	When the due date is lapsed, a decision will be require.
Trigger	sensei_trigger	Date
Owner	sensei_riskowner	John Price
AssignedTo	sensei_assignedto	Marc Soester

Issues

SharePoint Field	Altus Field	Example Data
Title	sensei_name	Resource Overallocation
Discussion	sensei_description	Key developer assigned to multiple projects causing delays.
DueDate	sensei_duedate	24/04/2026 00:00
Status	statuscode	(1) Active
Category	sensei_category	(3) Category3
Priority	sensei_priority	(2) Medium
AssignedTo	sensei_assignedto	John Price
Cost_x0020_Impact	sensei_costimpact	\$10,000.00
Resolution	sensei_resolution	Rebalance workload and secure additional support.

Custom Lists

The scripts can be extended to enable custom SharePoint list data to be migrated to Altus. This works by reading the lists from the associated SharePoint sub-sites that are attached to Project Online projects. All column types within these custom lists can be migrated.

Constraints

The Altus migration solution for Projects, Resources and Schedules has the following constraints that the user should be aware of prior to running the process.

Constraint	Details
Bookable Resources	The resource creation process will only create new Bookable Resources in Altus where there is a match to a system user in Dataverse. <u>Impact:</u> ▪ If there is no corresponding system user, a bookable resource won't be created in Altus. ▪ If the bookable resource isn't created, the assignments won't be created in Altus, which then results in tasks being unassigned in the Altus project. <u>Call to action:</u> ▪ You will need to ensure that at a minimum system user records exist in the Power Platform environment where Altus has been deployed. ▪ To do this, please follow these steps documented by Microsoft: Create users - Power Platform Microsoft Learn
Non-Text Lookup tables	The Microsoft export scripts that are used to export data from Project Online don't output any data for non-text lookup tables. T <u>Impact:</u> ▪ You won't be able to use the Altus scripts to import this data into Altus as the source files are blank. <u>Call to action:</u> ▪ As such, you will have to manually migrate these.


Troubleshooting

This section covers off some of the errors that might occur whilst running the migration scripts and how to resolve these issues.

You cannot run this script on the current system

Issue:

When running any of the scripts, you receive this error message:



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Users\JohnPrice> cd C:\Users\JohnPrice\Desktop\POLDataMigration\0.Project-Online-Extraction
PS C:\Users\JohnPrice\Desktop\POLDataMigration\0.Project-Online-Extraction> .\ExportAllProjects.ps1 -Url https://senseicloud.sharepoint.com/sites/vNext -OutputDirectory C:\Users\JohnPrice\Desktop\POLDataMigration\2.Project-and-Resource-Migration\Files -ProjectFilter @"Brisbane Roadmap Tool Implementation", "D365 Deployment")
.\ExportAllProjects.ps1 : File
C:\Users\JohnPrice\Desktop\POLDataMigration\0.Project-Online-Extraction\ExportAllProjects.ps1 cannot be loaded. The
file C:\Users\JohnPrice\Desktop\POLDataMigration\0.Project-Online-Extraction\ExportAllProjects.ps1 is not digitally
signed. You cannot run this script on the current system. For more information about running scripts and setting
execution policy, see about_Execution_Policies at https://go.microsoft.com/fwlink/?LinkID=135170.
At line:1 char:1
+ .\ExportAllProjects.ps1 -Url https://senseicloud.sharepoint.com/sites ...
+ ~~~~~
+ CategoryInfo          : SecurityError: (:) [], PSSecurityException
+ FullyQualifiedErrorId : UnauthorizedAccess
```

Cause:

One or more of the scripts are locked or in read-only mode.

Resolution:


You will need to open the script file > properties > unblock > apply.



Export Project Online Data | CO_E_SERVER_EXEC_FAILURE

Issue

When running the [export project online data](#) script, you may get this error:



```
Windows PowerShell
Connecting MS Project to PWA...
1. verify existence of interop dll
2. get the working directory for WinProj
New-Object : Retrieving the COM class factory for component with CLSID {36D27C48-A1E8-11D3-BA55-00C04F72F325} failed
due to the following error: 80080005 Server execution failed (Exception from HRESULT: 0x80080005
(CO_E_SERVER_EXEC_FAILURE)).
At C:\Users\JohnPrice\Desktop\POLDataMigration\0.Project-Online-Extraction\ExportDraftAndPublishedAsXML.ps1:54 char:7
+ $p = New-Object -ComObject msproject.application
+ ~~~~~
+ CategoryInfo          : ResourceUnavailable: (:) [New-Object], COMException
+ FullyQualifiedErrorId : NoCOMClassIdentified,Microsoft.PowerShell.Commands.NewObjectCommand
```

Cause:

MS Project has failed to initialise correctly.

Resolution:

This issue can be resolved as follows:

1. Close MS Project and re-run the script.
2. Close SharePoint Management Shell and re-run the script.
3. Restart your laptop and re-run the script.

Running scripts is disabled on this system

Issue:

When running any of the PowerShell scripts, you might get this error.

```
.\ExportAllProjects.ps1 : File C:\Users\michael.guthmann\Documents\TestingMigrationKit\Altus.Project.Online.Migration.Toolkit\0.Project-Online-Extraction\ExportAllProjects.ps1 cannot be loaded because running scripts is disabled on this system. For more information, see about_Execution_Policies at https://go.microsoft.com/fwlink/?LinkID=135170.  
At line:1 char:1  
+ .\ExportAllProjects.ps1 -Url https://holert.sharepoint.com/sites/PWAA ...  
+ ~~~~~  
+ CategoryInfo          : SecurityError: (:) [], PSSecurityException  
+ FullyQualifiedErrorId : UnauthorizedAccess
```

Cause:

You don't have permissions to run PowerShell scripts on this computer.

Resolution:


This can be resolved by running this command in PowerShell:

Set-ExecutionPolicy -ExecutionPolicy Bypass -Scope Process -Force

No files found matching 'project_*_published.mpp'

Issue:

When running the schedule publish script, you may see this message displayed “no files found matching ‘Project_*_published.mpp’ under files folder.



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.


PS C:\Users\JohnPrice\Desktop\POLDataMigration\3.Schedule-Migration> .\Publish-MPPsToAltus.ps1 -BaselineNumber 0 -IsReportable $true -Path "C:\Users\JohnPrice\Desktop\POLDataMigration\2.Project-and-Resource-Migration\Files"
Baseline publishing enabled: Baseline 0, Reportable: True
No files found matching 'Project_*_published.mpp' under 'C:\Users\JohnPrice\Desktop\POLDataMigration\2.Project-and-Resource-Migration\Files' (excluding Published folder).
```

Cause:

No files with the _published description exist in the files folder.

Resolution:


You will need to ensure that you have move the .mpp and JSON files to this location prior to running the script.



MS Project not open

Issue:

This error occurs when running the schedule migration script and MS Project has been opened and connected to the target Altus environment.



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\JohnPrice> cd C:\Users\JohnPrice\Desktop\POLDataMigration\3.Schedule-Migration
PS C:\Users\JohnPrice\Desktop\POLDataMigration\3.Schedule-Migration> .\Publish-MPPsToAltus.ps1 -BaselineNumber 0 -IsReportable $true -Path "C:\Users\JohnPrice\Desktop\POLDataMigration\2.Project-and-Resource-Migration\Files"
Baseline publishing enabled: Baseline 0, Reportable: True

[14:29:53] Publish order determined. See: C:\Users\JohnPrice\Desktop\POLDataMigration\3.Schedule-Migration\Logs\Publish-MPPsToAltus_20260416142952\publish-order.txt
1. Verify existence of interop dll
Start MS Project before running this script.
At C:\Users\JohnPrice\Desktop\POLDataMigration\3.Schedule-Migration\Common.ps1:70 char:3
+ ~~~~~
+ throw "Start MS Project before running this script."
+ ~~~~~
+ CategoryInfo          : OperationStopped: (Start MS Projec...ng this script.:String) [], RuntimeException
+ FullyQualifiedErrorId : Start MS Project before running this script.
```

Cause:

You don't have Microsoft Project open. This is a prerequisite to running this script.

Resolution:

Ensure that you have opened MS Project and connected to the target Altus environment by completing the steps in section 8.1 Connect to Altus via Microsoft Project in [this document](#).

Application with identifier was not found in the directory

Issue:

This error will occur when you run a script which has an incorrect ClientID or a ClientID for an application that doesn't exist in the target Project Online environment.

Sign in

Sorry, but we're having trouble signing you in.

AADSTS700016: Application with identifier '30b4ad0b-d939-4cd4-bb6d-fa2d39fb46901' was not found in the directory 'Sensei Productivity'. This can happen if the application has not been installed by the administrator of the tenant or consented to by any user in the tenant. You may have sent your authentication request to the wrong tenant.

Cause:

Either the ClientID is incorrect in your scripts or the one you have created doesn't have the appropriate permissions.

Resolution:

1. Check your script to ensure you have copied the ClientID in correctly.
2. Follow the steps in [this document](#) to create a SharePoint online to generate a client ID.

Project Open = Deny

Issue:

When running the export scripts, you get this error message regarding now being call "FileOpenEx":

```
WARNING: Error opening draft project 'T-02226_POT_Power_Elektromechanik_ohne_HF_11159795': Exception calling
"FileOpenEx" with "2" argument(s): "The argument value is not valid."
Exception calling "FileOpenEx" with "2" argument(s): "The argument value is not valid."
Exporting published schedule in MPP/XML formats...
1. make sure initialize the interop dll - T-02226_POT_Power_Elektromechanik_ohne_HF_11159795
2. open file from published store - T-02226_POT_Power_Elektromechanik_ohne_HF_11159795
WARNING: Error opening published project 'T-02226_POT_Power_Elektromechanik_ohne_HF_11159795': Exception calling
"FileOpenEx" with "2" argument(s): "The argument value is not valid."
Exception calling "FileOpenEx" with "2" argument(s): "The argument value is not valid."
Exporting draft data for project: T-02226_POT_Power_Elektromechanik_ohne_HF_11159795...
Exporting published data for project: T-02226_POT_Power_Elektromechanik_ohne_HF_11159795...
Exporting reporting data for project: T-02226_POT_Power_Elektromechanik_ohne_HF_11159795...
```

Cause:

This is caused by this permission in PWA Settings being set to Deny.

	Name ▲	Allow	Deny
	[-] Project	☐	☐
	Open Project	☐	☒

Resolution:

Change this permission to **Allow** in PWA settings.

Re-run the export scripts.

Error Accessing Rest API

Issue:

When running the script to export lookup tables from Project Online you may encounter an issue such as this:

Error accessing Project Server REST API: {"odata.error":{"code":"-2147024891, System.UnauthorizedAccessException","message":{"lang":"en-US","value":"Attempted to perform an unauthorized operation."}}}

Make sure you're connected to a Project Online PWA site.

Cause:

This is likely caused by one or more of the following reasons:

1. Inadequate Project Online account permissions.
2. Incorrect ClientId

Resolution:

To resolve the issue, please ensure that you have:

1. Set up your Project Online account permissions by following steps in [this document](#).
2. Set up the ClientID following the steps in [this document](#).
3. Updated your scripts to use the valid ClientId

Renamed project that hasn't been published

Issue:

When the export scripts are run, the following error message is returned, and the draft version of the schedule is not exported:

```
Exporting draft schedule in MPP/XML formats...
1. make sure initialize the interop dll - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
2. open file from draft store - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
WARNING: Error opening draft project 'T-02249_PP_RDU-Wähler_1600A_1800A_10897445': Exception calling "FileOpenEx" with
"2" argument(s): "The argument value is not valid."
Exception calling "FileOpenEx" with "2" argument(s): "The argument value is not valid."
Exporting published schedule in MPP/XML formats...
1. make sure initialize the interop dll - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
2. open file from published store - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
3. save file as xml - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
4. save file as mpp - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
5. close file - T-02249_PP_RDU-Wähler_1600A_1800A_10897445
Exporting draft data for project: T-02249_PP_RDU-Wähler_1600A_1800A_10897445...
Exporting published data for project: T-02249_PP_RDU-Wähler_1600A_1800A_10897445...
Exporting reporting data for project: T-02249_PP_RDU-Wähler_1600A_1800A_10897445...
...Exporting tasks...
...Exporting assignments...
...Exporting resources...
...Exporting project baselines...
```

Cause:

If the project is renamed and hasn't been published back to Project Online.

Resolution:

Please ensure you follow these steps:

1. Open the project.
2. Rename the project.
3. Publish the project.
4. Close and check-in the project.
5. Re-run the export process.

Script Currency Issue

Issue:

When the schedule migration script is run, an error message is returned alerting the user that there is a currency mismatch.


Cause:

This will cause the script to stop and schedules won't be migrated.


Resolution:

When running the script you must parse in the -ProjectCurrency parameter and set this to the appropriate currency in both Altus and Project Online. An example of this has been provided below.

Open the script **Common.ps1** from the **3.Schedule-Migration** folder:



Update lines 579 – 582 as required for your specified currency:



Issues connecting to Altus via MS Project

Issue:

When attempting to connect to Altus via MS Project, none of the target environments are shown.

Cause:

This is caused by Altus for Project attempting to auto login to the last environment you connected to.

Resolution:

To resolve this issue, you will need to:

1. Open **MS Project**.
2. Open the **Altus** tab > **Linked Project Info**.
3. Change the “Account Prompt” to **Prompt to select account** > **Ok**.

Linked Project Info

Altus Project Name:

Description:

Altus Environment:

Last Published:

Altus Version:

Add-in Version: DEV - CANARY - 2026.5.5.6

Cloud Region:

Account Prompt:

1

2 OK


Once done, you will then be prompted to login when you next select “Connect to Altus”.

Baseline fails to publish

Issue:

When attempting to publish the baseline to Altus, the publish script (Publish-MPPsToAltus.ps1) returns this error:

“Specified cast is not valid”



```
Windows PowerShell
[17:22:34] Moved to Published folder: C:\Users\JohnPrice\Desktop\...2.Project-and-Resource-Migration\
Files\Published\..._published.mpp
[17:22:34] C:\Users\JohnPrice\Desktop\...T\2.Project-and-Resource-Migration\Files\Published\...
_published.mpp - Baseline publish failed.
Baseline Error Message: Specified cast is not valid.
```

Cause:

This is caused by one or more tasks having a Baseline Start or Baseline Finish = NA.

Task Name	Duration	Start	Finish	Baseline Start	Baseline Finish
Residential Construction	152 days	Tue 26/05/26	Wed 23/12/26	NA	NA
General Conditions	21 days	Tue 26/05/26	Tue 23/06/26	NA	NA
Finalize plans and develop estimate with owner,	20 days	Tue 26/05/26	Mon 22/06/26	NA	NA

Resolution:

To resolve this issue, you will need to:

1. Open the schedule from Project Online.
2. Either:
 - a. Re-baseline the entire project schedule OR
 - b. Set the baseline for all tasks where the baseline hasn't been set.

Export Script | Database undefined error

Issue:

When running the ExportAllProjects.ps1 script, the following error is returned:

```
DatabaseUndefinedError - `<error id="50000" name="DatabaseUndefinedError"
uid="{errorid}"></error>`
```

Cause:

The root cause of this issue looks to be related to Custom Fields in the PWA Environment containing special characters which do not look to be escaped correctly in the Microsoft data export for the Project reporting data. Altus have raised a Microsoft service request to try and get this issue rectified, but in the meantime the workaround is to update the offending Custom Field(s) in the PWA Environment to no longer contain those special characters. (After export, the Custom Field names can be updated back to include those characters again if there are implications in reporting, etc).

Resolution:

Remove all special characters from custom field values that haven't been correctly escaped in Project Online.

MS Project Custom Field mapping error

Issue:

When mapping Project Online enterprise task custom fields to local custom fields, the following warning is displayed:

Warning: No valid mappings to apply.

```

SharePoint Online Manager
=== Processing: Project_... .mpp ===
1. Verify existence of interop dll
2. Initializing the interop dll
True
Opened Project_... .mpp
Loaded 0 valid mappings from
...\\3 Schedule-Migration\\field-mappings.csv
WARNING: No valid mappings to apply.
True
  
```

Cause:

The error is caused by the CSV file format. PowerShell's Import-Csv (and standard CSV parsers) cannot correctly read the header row because of broken quoting, see example below:

```

"CustomFieldGuid","CustomFieldName","LocalFieldTarget"
"d39cdbf0-f1a6-ed11-8d39-00155db1f86d","Versuchsleiter CT","Text1"
"e07cdafe-f1a6-ed11-8d39-00155db1f86d","Versuch abgeschlossen CT","Flag1"
  
```

Resolution:

Ensure that the .CSV file format has no erroneous formatting. See below for a correction to the above formatting:

```

CustomFieldGuid,CustomFieldName,LocalFieldTarget
d39cdbf0-f1a6-ed11-8d39-00155db1f86d,"Versuchsleiter CT",Text1
e07cdafe-f1a6-ed11-8d39-00155db1f86d,"Versuch abgeschlossen CT",Flag1
  
```

This can be done by opening the CSV in notepad and removing the erroneous formatting.

401 | Response status code does not indicate success

⚠ **Note** | We have made a change to the scripts to prevent this from occurring in future. Please download the latest scripts to take advantage of this fix.

Issue:

When running the **AltusPOLMigration.ps1** script, the following error occurs:

✗ Error processing Project_xyz_published.mpp: Response status code does not indicate success: 401 (Unauthorized).

Cause:

The Dataverse token, which permits authorised access to create projects (or resources), expires during the import process.

Resolution:


If this occurs, it is advisable to remove the associated files of the successfully imported projects from the /Files directory and then restart the script to begin processing the project imports from where it left off.

Project Publish | Object reference not set to an instance of an Object

Issue:

When running the **Publish-MPPsToAltus.ps1** script, the following error occurs:

Error Message: Object reference not set to an instance of an object.




Cause:

The is likely to be caused by one of the following issues related to projectDesktopConfig settings:

projectDesktopConfig Altus Config Settings

1. Allow Altus for Project is set to No



2. The standard field mapping has been deleted or modified

Standard Field Mapping


This is the standard field mapping between Microsoft Project and Altus

Microsoft Project Field	Actions
-------------------------	---------

Resolution:

Do the following:

1. Allow Altus for Project is set to Yes



2. Ensure the standard field mapping is set as follows:

Standard Field Mapping

This is the standard field mapping between Microsoft Project and Altus

Microsoft Project Field	Actions
Name	   
Schedule Mode	   
Task Type	   
Summary	   
Milestone	   
Start	   
Finish	   
Duration	   
Work	   
Actual Work	   
Deadline	   
Resource Name	   

Project Publish | Object reference not set to an instance of an Object

Issue:

When exporting projects from Project Online, the following error is returned:

"The property 'Server' cannot be found on this object"

```

=== Exporting: [redacted] ===
Connecting...
Proxy created
Project filter applied: [redacted]
Selected 1 of 3222 projects for export

Connecting MS Project to PWA...
1. verify existence of interop dll
2. get the working directory for WinProj
3. kill existing winproj processes
4. start winproj connected to given site
5. initialize the interop dll
6. verify connected profile
Invoke-Command : The property 'Server' cannot be found on this object. Verify that the property exists.
At [redacted] \ExportDraftAndPublishedAsXML.ps1:13 char:4
+ [redacted] Invoke-Command -ScriptBlock $ScriptBlock
+ ~~~~~
+ CategoryInfo          : NotSpecified: (:) [Invoke-Command], PropertyNotFoundException
+ FullyQualifiedErrorId : PropertyNotFoundStrict,Microsoft.PowerShell.Commands.InvokeCommandCommand

```

Cause:

Newer versions of Microsoft Project don't include this property in the ActiveProject object which the ExportDraftAndPublishedAsXML.ps1 connects to.

Resolution:

Add the following to the **ExportDraftAndPublishedAsXML.ps1** script:

```

65 |
66 |     echo "6. verify connected profile"
67+ |     try {
68 |         $retPwaUrl = RunScriptBlockWithRetry -ScriptBlock {
69 |             return $WinProjApp.Profiles.ActiveProfile.Server
70 |         };
71 |
72 |         if ($retPwaUrl -contains $pwaUrl -or $pwaUrl -contains $retPwaUrl) {
73 |             echo "successfully connected to $retPwaUrl"
74 |         } else {
75 |             echo "Connected to $retPwaUrl "
76+ |         }
77+ |     } catch {
78+ |         # The 'Server' property may not be available on all versions of MS Project.
79+ |         # This is a verification-only step; the connection established via /s and /g
80+ |         # arguments in step 4 is still valid. Log a warning and proceed.
81+ |         Write-Warning "Could not verify connected profile via ActiveProfile.Server ($_). Proceeding with connection established in step 4."
82 |     }
83 |

```

```

echo "6. verify connected profile"
try {
    $retPwaUrl = RunScriptBlockWithRetry -ScriptBlock {

```

```
    return $WinProjApp.Profiles.ActiveProfile.Server
};

if ($retPwaUrl -contains $pwaUrl -or $pwaUrl -contains $retPwaUrl) {
    echo "successfully connected to $retPwaUrl"
} else {
    echo "Connected to $retPwaUrl "
}
} catch {
    # The 'Server' property may not be available on all versions of MS Project.
    # This is a verification-only step; the connection established via /s and /g
    # arguments in step 4 is still valid. Log a warning and proceed.
    Write-Warning "Could not verify connected profile via ActiveProfile.Server ($_). Proceeding with
connection established in step 4."
}
```