HYC LIST SPLITTER TOOL - COMPLETE USER GUIDE

Version 12.7 — Comprehensive Operating Handbook

This tool is a completely self-contained file processor designed to take massive spreadsheets of donor data and split them into localized 'Standard' or 'Mid-Level' campaign lists for individual marketing sites. It runs entirely inside your web browser. No data ever leaves your computer or uploads to an external server.

1. UNDERSTANDING THE TWO MAIN PANELS

The screen is divided into two separate, independent processing pipelines. Choose the panel that matches your current campaign objective:

- BLUE PANEL (Standard HYC): Used for your active campaign audience files. By default, it looks for an ID column named 'hyc id' and checks for duplicate rows. It does NOT modify or touch individual donor IDs inside cells.

- AMBER PANEL (Lapsed HYC): Used for historically lapsed campaign files. By default, it evaluates duplicate rows based on their Email Address. It contains a specialized text scanner to strip out accidental multiple 'con-#####' entries inside single spreadsheet cells.

2. THE SETTINGS BOXES EXPLAINED (WHAT TO TYPE)

At the top of each panel are text boxes. The tool checks what you type here against the column headers in your file. If it cannot find an exact spelling, it tries smart fuzzy fallback options automatically:

- Site/Group Column: Tells the tool which column identifies the site location (e.g., 'site_acronym'). It uses this to group your file.

- Wealth Score Column: The column containing numbers used to rank donors (e.g., 'top tier score'). Higher numbers win.

- Email Column: The column holding donor email addresses used for verification sweeps.

- Dedupe ID Column: The critical column used to spot duplicate rows. Standard files look at 'hyc id' by default, while Lapsed files look at 'email address'.

- Mid-Level Top %: The mathematically calculated percentage cutoff. If set to 10%, the top 10% highest wealth scores in each site are split out into the Mid-Level category, while the lower 90% go to Standard.

3. SPECIAL STEP: THE LAPSED MULTI-ID PREVIEW PANEL

When you drop a spreadsheet into the Amber Lapsed Panel, the tool scans the 'Donor Record ID(s) WF' column instantly. If it finds single cells containing multiple packed entries like 'con-12345 con-67890', it pauses and pops up a preview window:

- By default, all rows are checked, which means you allow the tool to drop the extra IDs and save only the first 'con-#####' item.

- If you uncheck a row, you tell the tool to REVERT and preserve the original, long messy string exactly as it was loaded.

- When you click 'Confirm', the tool remembers your choices, cleans the checked cells, and unlocks the big process button.

4. STEP-BY-STEP OPERATION WALKTHROUGH

Step 1: Check your configuration text boxes to ensure they represent your file parameters.

Step 2: Drag your Excel (.xlsx) or CSV (.csv) file and drop it directly onto the shaded box. Alternatively, click 'Select File' to browse your computer.

Step 3: Click the big 'Clean & Process' button. The system immediately scans your file for two serious defects simultaneously:

A. Fake/Missing Emails: Any blank cell, broken syntax, or garbage placeholder string like 'none@', 'noreply@', or 'na@' is isolated.

B. Row Duplicates: The system evaluates your Dedupe ID column. If an ID or Email appears multiple times on separate rows, it groups them and checks their Wealth Score. The row with the highest score is kept; secondary matching rows are flagged for removal.

Step 4: Review the Cleaning Popup Window. Before anything is deleted, a grid displays every flagged bad email and duplicate row. Uncheck a row to 'rescue' it back into your main dataset. Click 'Confirm & Process'.

5. EVALUATING RESULTS AND EXPORTING DATA

Once processed, data charts generate at the bottom of the tool displaying total row balances:

• Optional: Dedupe by Email Button: Click this to perform a global email deduplication sweep across your final compiled data. It protects category priorities (Mid-Level wins over Standard).

• Full Segmented List Card: Saves your entire processed file as a single entity with a brand new column titled 'hycsegment' labeling each row.

• Individual Site Cards: Displays an alphabetical list of every individual site. Click 'Save' to export a clean file containing ONLY that site's calculated Mid-Level cohort.

• Removed Logs & Backup Cards: Underneath the main downloads, individual logs are provided for tracking everything deleted (ID Duplicates, Fake Emails). For Lapsed files, a specialized brown card titled 'Original Multi-ID Rows (Pre-Cleaned)' allows you to download a complete backup of those modified rows in their original messy layout.