USER DOCUMENTATION:
HYC LIST SPLITTER — NC EDITION (v4)

Author: Allison Pirollo & Gemini

Target Audience: Absolute Beginners / First-Day Walkthrough

1. What is this Tool? (The Simple Explanation)

Imagine you have a massive spreadsheet containing thousands of donor records from different marketing sites. Your goal is to sort through this messy pile, throw away bad or duplicate data, and tag each person so your team knows exactly what campaign materials to send them.

Doing this by hand in Excel would take hours, cause hand cramps, and risk human error.

This **HYC List Splitter Tool** is an automated assistant that lives entirely inside your web browser. You give it a spreadsheet file, and it instantly:

1. **Cleans the list** by identifying broken/fake email addresses and duplicate entries.
2. **Applies North/Central region rules** to rank and split donors into tier groups (hycmidlevel vs hycstandard).
3. **Applies special logic** to find and mark unique site donors (like Saint John donors).
4. **Generates clean, separate files** for you to save back to your computer with a single click.

🔒 **Data Privacy Note:** This tool is 100% self-contained. Your data is processed directly inside your web browser. Nothing is ever uploaded to an external server, sent over the internet, or saved by an outside entity.

2. Before You Start: Knowing Your Spreadsheet Columns

Before feeding your file to the tool, you need to make sure you know what text headers are sitting at the top of your Excel or CSV spreadsheet. The tool has "Smart Fallback Matching" built-in, meaning it will automatically look for common column variations, but it helps to know what they mean:

- **Site Acronym Column:** Tells the tool which regional location a donor belongs to. (Commonly named: site_acronym, site, or acronym).
- **Wealth Score Column:** Holds a number used to rank how impactful a donor is. (Commonly named: top tier score, high windfall score, top-tier-score, or modelscore).
- **Email Address Column:** Holds the donor's email address. The tool uses this specific column to spot duplicates and erase fake profiles. (Commonly named: email address, email, primaryemail).
- **Constituent ID Column:** A unique identification code given to a donor record. (Commonly named: constituent id, constituentid, donor id, or id).

3. Step-by-Step Instructions (Your First Day Walkthrough)

Follow these exact steps to process your file:

Step 1: Open the Tool

Open the .html file inside any modern web browser (Google Chrome, Microsoft Edge, or Apple Safari). You will see a clean, gray interface titled **HYC List Splitter — NC Edition**.

Step 2: Double-Check the Field Box Settings

At the top of the interface, you will see text configuration boxes. By default, they are pre-filled with the standard naming conventions:

- *Site Acronym Column:* site_acronym
- *Wealth Score Column:* top tier score
- *Email Address Column:* email address

- *Constituent ID Column:* constituent id
- *Mid-Level Top %:* 10

If your spreadsheet uses different names (for instance, if your wealth score column is explicitly labeled High Windfall Score), you can type that header name directly into the box. *If you aren't sure, leave them as they are; the tool will try its best to auto-detect variations.*

Step 3: Load Your File

1. Locate your spreadsheet file on your computer desktop or in a folder.
2. Left-click, hold, and drag your file directly over the dashed shaded box that reads **"Drop Updated NC Excel or CSV here"**.
3. Let go of the mouse button. Alternatively, click the button labeled **Select File** to open a traditional browse window and double-click your file.
4. Once loaded, a green checkmark ✓ alongside your filename will appear, and the Activity Log at the bottom will say something like [Success] Loaded XXXX records.

Step 4: Click the Big Blue Button

Click the large button labeled **Clean & Process NC Dataset**. The system will instantly freeze time and scan your document for defects.

Step 5: Master the Processing Overview Window (The Popup Dashboard)

Because the tool values data accuracy, it will **never** delete anything without showing it to you first. A large white window will pop up over your screen. Look at the tabs across the top of this window:

- **Fake/Missing Emails Tab:** Shows you rows where the email field was blank, broken, or used a placeholder like none@none.com or noreply@. These are flagged for removal.
- **Email Duplicates Tab:** If the same email address appeared on 3 different rows, the tool groups them together, looks at their Wealth Score, elects the row with the **highest score to keep**, and flags the other 2 secondary copies for removal.

- **Saint John Records Tab:** This is an informational summary tab. It gathers every record belonging to the site acronym CE-JHN and lets you preview exactly who will be marked as issaintjohndonor: TRUE (because they have a constituent ID) and who will be marked as FALSE (because their constituent ID field is blank). You don't have to change anything here; it's a helpful double-check grid!

💡 **How to "Rescue" a Record:** If you see a row flagged for removal in the *Fake Emails* or *Duplicates* tabs that you desperately want to keep, simply **uncheck** the checkbox on the far-left of that row. The row will turn green, indicating it has been successfully rescued from deletion.

When you are satisfied with your preview checklist, click the green ✓ **Confirm & Process** button in the bottom right.

4. Understanding Your Final Output Files

Once you confirm the changes, the popup disappears and a brand new results block unfolds at the bottom of your screen.

The Metric Summary Strip

You will see colored boxes breaking down your final stats:

- **Input Rows:** How many rows your original messy file had.
- **Suppressed:** How many bad emails or duplicate entries were deleted.
- **Final Processed:** The healthy row total left over.
- **hycmidlevel (WA-GFE):** The number of records matching site acronym WA-GFE that landed in the top 10% based on wealth score.
- **hycstandard:** The total number of records placed in the baseline campaign pool.
- **Total CE-JHN Records:** The isolated count of Saint John audience members.

How the Tool Tagged Your Rows (Without Overwriting Data)

The tool **never alters your existing structural data columns**. It only appends two brand-new label columns on the far right of your spreadsheet:

1. hycsegment:

    - If a row belongs to WA-GFE and its wealth score is in the top 10% of that site, it gets labeled hycmidlevel.
    - If a row belongs to WA-GFE but is in the lower 90%, it gets labeled hycstandard.
    - **All other regional site acronyms** (including CE-JHN) are automatically labeled hycstandard.
2. issaintjohndonor:
    - If a row is marked CE-JHN and has a constituent ID, it reads TRUE.
    - If a row is marked CE-JHN and has *no* constituent ID, it reads FALSE.
    - If a row belongs to any other site acronym, it remains blank ("").

Exporting/Saving Your New Files

Inside the **Output File Exports** grid, select your preferred file type (CSV or Excel) using the dropdown menu, then click the ↓ **Save** button next to the file you want:

1. **Full NC Segmented List (All Records):** This saves your *entire cleaned dataset* as one massive file with the new columns added.
2. **WA-GFE Mid-Level Subset Only:** Saves a specific file containing *only* the top 10% high-wealth tier for the WA-GFE location.
3. **CE-JHN Isolated Segment File:** Saves a specific file containing *only* your Saint John audience members, displaying their mapped TRUE/FALSE donor flags clearly.
4. **Suppression Data Logs (At the very bottom):** If needed, you can click these red buttons to export a list of everything the tool filtered out, giving you a clear trail for compliance.

Congratulations! You have successfully mastered your first run with the NC HYC List Splitter.