# The particle diagnostic in SMILEI

# F. Pérez

# March 19, 2015

The particle diagnostic collects data from the macro-particles and processes them during runtime. It does <u>not</u> provide information on individual particles: instead, it produces <u>averaged quantities</u> like the particle density, currents, etc.

The data may be collected from one or several particle species.

The data is discretized inside a "grid" chosen by the user. This grid may be of any dimension. Examples:

- 1-dimensional grid along the position x (gives density variation along x)
- 2-dimensional grid along positions x and y (gives density map)
- 1-dimensional grid along the velocity  $v_x$  (gives the velocity distribution)
- 2-dimensional grid along position x and momentum  $p_x$  (gives the phase-space)
- 1-dimensional grid along the kinetic energy  $E_{\rm kin}$  (gives the energy distribution)
- 3-dimensional grid along x, y and  $E_{kin}$  (gives the density map for several energies)
- 1-dimensional grid along the charge  $Z^*$  (gives the charge distribution)

Each dimension of the grid is called "axis".

The user may choose to average the data over several time-steps.

# 1 How to add a particle diagnostic in the input file

In the input file, you can add a particle diagnostic with the following syntax.

```
diagnostic particles
    output = output
    every = every
    time_average = time_average
    species = species1 species2 ...
    axis = type min max nsteps [logscale] [edge_inclusive]
    axis = type min max nsteps [logscale] [edge_inclusive]
    ...
end
```

- output must be set to density, charge\_density, current\_density\_x, current\_density\_y, current\_density\_z. It determines the data that is summed in each cell of the grid. In the case of density, the weights are summed. In the case of charge\_density, the weights×charge are summed. In the case of current\_density\_x, the weights×charge×v<sub>x</sub> are summed (etc.)
- every must be a positive integer. It is the number of time-steps between each output.
- time\_average must be a positive integer. It is the number of time-steps during which the data is averaged before output.
- species1 species2 ... must be one or several species. Species are recognized by their parameter species\_type that is included in each group species ... end
- axis is an argument that describes one axis of the grid.

  Syntax: axis = type min max nsteps [logscale] [edge\_inclusive]

  type can be x, y, z, px, py, pz, p, gamma, ekin, vx, vy, vz, v or charge.

  The axis is discretized for type from min to max in nsteps bins.

  The optional keyword logscale sets the axis scale to logarithmic instead of linear.

  The optional keyword edge\_inclusive includes the particles outside the range [min, max] into the extrema bins.

There may be as many axis arguments as wanted in one diagnostic particles block.

There may be as many diagnostic particles blocks as wanted in the input file.

In the input file, you may add the following block as a reminder.

```
# DIAGNOSTICS ON PARTICLES - project the particles on a N-D arbitrary grid
# -----
# output = density, charge_density or current_density_[xyz]
              => parameter that describes what quantity is obtained
              => integer > 0 : number of time-steps between each output
# every
# time_average => integer > 0 : number of time-steps to average
# species
             => list of one or several species whose data will be used
       = _type_ _min_ _max_ _nsteps_ [logscale] [edge_inclusive]
# axis
              => _type_ can be one of the following:
                  x, y, z, px, py, pz, p, gamma, ekin, vx, vy, vz, v or charge
#
#
              => the data is discretized for _type_ between _min_ and
#
                  _max_, in _nsteps_ bins
#
              => the optional [logscale] sets the scale to logarithmic
#
              => the optional [edge_inclusive] forces the particles
#
                  outside (_min_,_max_) to be counted in the extrema bins
#
   example : axis = x \cdot 0 \cdot 1 \cdot 30
   example : axis = px -1 1 100
# >>>> MANY AXES CAN BE ADDED IN A SINGLE DIAGNOSTIC <><<
```

# 2 Examples

Variation of the density of species electron from x = 0 to 1, every 5 time-steps, without time-averaging.

Density map from x = 0 to 1, y = 0 to 1.

Velocity distribution from  $v_x = -0.1$  to 0.1.

```
diagnostic particles
    output = density
    every = 5
    time_average = 1
    species = electron1
    axis = vx -0.1 0.1 100
end
```

Phase space from x = 0 to 1 and from px = -1 to 1.

Energy distribution from 0.01 to 1 MeV in logarithmic scale. Note that the input units are  $m_e c^2 \sim 0.5$  MeV.

```
diagnostic particles
    output = density
    every = 5
    time_average = 1
    species = electron1
    axis = ekin  0.02  2  100  logscale
end
```

x-y density maps for three bands of energy: [0,1], [1,2],  $[2,\infty]$ . Note the use of edge\_inclusive to reach energies up to  $\infty$ .

Charge distribution from  $Z^* = 0$  to 10.

```
diagnostic particles
    output = density
    every = 5
    time_average = 1
    species = electron1
    axis = charge    -0.5    10.5    11
end
```

# 3 How to view and post-process a particle diagnostic

Each diagnostic produces one file like ParticleDiagnostic0.h5, ParticleDiagnostic1.h5, etc. They are numbered the same way as the order of appearance in the input file.

A python script *ParticleDiagnostic.py* is provided to view or extract data from these files. To run this script, you will need *python2.7* with the following packages: numpy, matplotlib, pylab, h5py.

First, run python and include the script:

```
python -i scripts/ParticleDiagnostic.py
```

Alternately, you can include this file into your own script using, for example

```
execfile("scripts/ParticleDiagnostic.py")
```

# 3.1 To prepare the data

```
ParticleDiagnostic(results_path, diagNumber=None, timesteps=None, slice=None, units="code", data_log=False)
```

- results\_path = \_string\_
  Path to the directory where the outputs are stored.

  (Also, this has to contain one and only one input file \*.in)
- diagNumber = \_int\_ (optional)

  Number of the diagnostic. The first diagnostic has number 0.

  If not given, then a list of available diagnostics is printed.
- timesteps = \_int\_ (optional)
   timesteps = [\_int\_, \_int\_] (optional)
   If omitted, all timesteps are used.

If one number given, the nearest timestep available is used.

If two numbers given, all the timesteps in between are used.

```
• slice = { axis : "all", ... } (optional)
slice = { axis : _double_, ... } (optional)
slice = { axis : [_double_, _double_], ... } (optional)
This parameter is used to reduce the number of dimensions of the array.
axis must be "x", "y", "z", "px", "py", "pz", "p", "gamma", "ekin", "vx", "vy",
"vz", "v" or "charge".
```

Any axis of the same name will be removed with the following technique:

- If the value is "all", then a sum is performed over all the axis.
- If the value is **\_double\_**, then only the bin closest to the value is kept.
- If the value is [\_double\_,\_double\_], then a sum is performed between the two values.

Example:  $\{"x": [4,5]\}$  will sum all the data for x in the range [4,5].

- units = "nice" (optional)

  If "nice" is chosen, then units are converted into usual units.

  Distances in microns, density in cm<sup>-3</sup>, energy in MeV.
- data\_log = True or (False) (optional)

  If True, then log 10 is applied to the output array.

# 3.2 To obtain the data as an array:

```
ParticleDiagnostic( ... ).getData()
```

This method returns only the data array.

```
ParticleDiagnostic( ... ).get()
```

This method returns the results as a python dictionary. The dictionary is of the form {"data": data\_array, axis1:axis1\_array, axis2:axis2\_array, ...} where:

- data\_array is the final array containing the data.
- axis1 and axis2 are the names of the axes (for example "x" or "px").
- axis1\_array and axis2\_array are the locations of the axes bins.

### Example:

```
>>> result = ParticleDiagnostic("path/to/my/results", diagNumber=3,
    slice={"ekin":[1,10]}, timesteps=1000).get()
```

This will take the diagnostic #3 for the timestep nearest to 1000, and sum for all energies between 1 and 10. The results are stored in the variable result.

The data can be accessed with result["data"].

If one of the axes is x, you can access the locations of the bins with result["x"].

### 3.3 To plot the data

```
ParticleDiagnostic( ... , figure=1, data_min=None, data_max=None, xmin=None, xmax=None, ymin=None, ymax=None ).plot()
```

- figure = \_int\_ (optional)

  The figure number that is passed to matplotlib.

  If absent, figure 1 is used.
- data\_min = \_double\_ (optional)
   data\_max = \_double\_ (optional)
   If present, output is rescaled before plotting.
- xmin = \_double\_ (optional)
   xmax = \_double\_ (optional)
   ymin = \_double\_ (optional)
   ymax = \_double\_ (optional)
   If present, axes are rescaled before plotting.

# in presently dates dre researed service proteing

# Example:

```
>>> ParticleDiagnostic("path/to/my/results", diagNumber=1, slice={"y":"all"},
    units="nice").plot(figure=1,data_min=0, data_max=3e14)
```

This will take the diagnostic #1, and sum the grid over all the y axis. Then it will plot the resulting array in figure 1 from 0 to 3e14.

# 3.4 To simultaneously plot multiple diagnostics in the same figure

```
multiPlot(diag1, diag2, ..., figure=1, shape=None)

• diag1 = diagnostic prepared by ParticleDiagnostic(...)
```

diag2 = diagnostic prepared by ParticleDiagnostic(...)

• figure = \_int\_ (optional)

The figure number that is passed to matplotlib.

If absent, figure 1 is used.

• shape = [\_int\_ , \_int\_] (optional)

The arrangement of plots inside the figure. For instance, [2, 1] makes two plots stacked vertically, and [1, 2] makes two plots stacked horizontally.

If absent, stacks plots vertically.

#### Example:

```
>>> A = ParticleDiagnostic("path/to/my/results", diagNumber=0)
>>> B = ParticleDiagnostic("path/to/my/results", diagNumber=1)
>>> multiPlot( A, B, figure=1 )
```

This will plot the diagnostics #0 and #1 on the same figure, and make an animation for all available timesteps.

# 3.5 Advanced plotting options

In addition to figure, data\_min, data\_max, xmin, xmax, ymin and ymax, there are many more optional arguments for the function ParticleDiagnostic(...). They are directly passed to the *matplotlib* package.

- Options for the figure: figsize , dpi , facecolor , edgecolor
  Please refer to http://matplotlib.org/api/pyplot\_api.html#matplotlib.pyplot.figure
- Options for the lines: color, dashes, drawstyle, fillstyle, label, linestyle, linewidth, marker, markeredgecolor, markeredgewidth, markerfacecolor, markerfacecoloralt, markersize, markevery, visible, zorder
   Please refer to http://matplotlib.org/api/pyplot\_api.html#matplotlib.pyplot.plot
- Options for the image: <a href="mailto:cmap">cmap</a>, <a href="mailto:aspect">aspect</a>, <a href="mailto:interpolation">interpolation</a>
  Please refer to <a href="mailto:http://matplotlib.org/api/pyplot\_api.html#matplotlib.pyplot.imshow">http://matplotlib.org/api/pyplot\_api.html#matplotlib.pyplot.imshow</a>
- Options for the colorbar: cbaspect, orientation, fraction, pad, shrink, anchor, panchor, extend, extendfrac, extendrect, spacing, ticks, format, drawedges
   Please refer to http://matplotlib.org/api/pyplot\_api.html#matplotlib.pyplot.colorbar

#### Example:

To choose a gray colormap of the image, use cmap="gray".

```
>>> A = ParticleDiagnostic("path/to/my/results", diagNumber=0, figure=1, cmap="gray")
```

Many colormaps are available from the *matplotlib* package. With cmap="", you will get a list of available colormaps.

# 3.6 Updating the plotting options

You can change the plotting parameters using the A.plot() or the A.set() functions. Example:

```
>>> A = ParticleDiagnostic("path/to/my/results", diagNumber=0, figure=1, data_max=1)
>>> A.plot( figure=2 )
>>> A.set( data_max=2 )
>>> A.plot()
```

# 4 Tutorial

If you don't know how to run SMILEI, please refer to the appropriate documentation first. The commands can vary depending on your system and installation. A typical example of the command to run SMILEI is: mpiexec -np 1 smilei mycase.in

# 4.1 Running the test case

In the benchmarks directory, we provide a test case tst1d\_6\_particle\_diagnostic.in. This case is very simple: it consists of a one-dimensional uniform neutral plasma composed by ions and electrons. The electrons all have a drift velocity of 0.05c.

Run this case using SMILEI and collect the results in a directory of your choice. In this tutorial, we suppose that the results are in the directory tst1d\_6\_particle\_diagnostic. Make sure this directory contains the input file tst1d\_6\_particle\_diagnostic.in and the output files ParticleDiagnostic1.h5, etc.

An example of the commands you may use from a UNIX terminal (or console) is

```
$ mkdir tst1d_6_particle_diagnostic
$ cp benchmarks/tst1d_6_particle_diagnostic.in tst1d_6_particle_diagnostic
$ cd tst1d_6_particle_diagnostic
$ mpiexec -np 1 smilei tst1d_6_particle_diagnostic.in
$ cd ..
```

### 4.2 Starting python and listing available diagnostics

From the same terminal, launch python using the command

```
$ python -i scripts/ParticleDiagnostic.py
```

Your are now in the *python* prompt.

Obtain a list of available particle diagnostics using

Look at the diagnostic #0: it is the density of species #1 (here, electrons) with two axes: the position x and the velocity  $v_x$ . In other words, it is the phase-space of electrons.

# **4.3** Plot a diagnostic result at t = 0

To plot the phase-space in the initial conditions, use


```
>>> ParticleDiagnostic('tst1d_6_particle_diagnostic', 0, timesteps=0 ).plot()
```

A window appears (see Figure 1). We can see that the electrons have indeed a drift velocity of 0.05c.

To obtain the equivalent plot for the ions, use the diagnostic #1 with the command

```
>>> ParticleDiagnostic('tst1d_6_particle_diagnostic', 1, timesteps=0 ).plot()
```

This results in the plot in Figure 2. The ions have a zero average velocity.






Figure 1: Phase-space of electrons at t = 0.

Figure 2: Phase-space of ions at t = 0.

# 4.4 Plot sections ("slices") of the array

The diagnostic #0 that we plotted in Figure 1 is the electron phase-space. Let us say we want to sum over the data that is contained between x = 3 and 4, and plot the result as a function of  $v_x$ . This is achieved by the argument slice:

The result is shown in Figure 3. We can see that the peak is located at  $v_x = 0.05c$ , as we have already found before.


Now, let us do the slice on  $v_x$  instead of x.


```
>>> ParticleDiagnostic('tst1d_6_particle_diagnostic', 0, timesteps=0, slice={"vx":"all"} ).plot(data_min=0, data_max=11)
```

By choosing "all" in the argument slice, all the velocities  $v_x$  are sliced. In our case, as our diagnostic goes from  $v_x = -0.1$  to 0.1, these limits are used.

Note that parameters data\_min and data\_max are used to have a nicer plot.

The result is shown in Figure 4. We obtain a constant density of  $10n_c$ , which is what was chosen in the input file.








Figure 4: x distribution of electrons contained between  $v_x = -0.1$  and 0.1, at t = 0.

# 4.5 Make animated plots

To have an animation of the electron phase-space with time, you have to remove the timesteps argument:

```
>>> ParticleDiagnostic('tst1d_6_particle_diagnostic', 0 ).plot()
```

You will see the electron velocity oscillate from 0.05c to -0.05c. This is due to the fact that we are simulating a plasma wave with infinite wavelength.

Note that all the available timesteps are animated. If you want to only animate between timesteps 20 and 60, use

```
>>> ParticleDiagnostic('tst1d_6_particle_diagnostic', 0, timesteps=[20,60] ).plot()
```

### 4.6 Make multiple plots on the same figure

Use the following commands to have the animation with both electrons and ions on the same figure:


```
>>> A = ParticleDiagnostic('tst1d_6_particle_diagnostic', 0 )
>>> B = ParticleDiagnostic('tst1d_6_particle_diagnostic', 1 )
>>> multiPlot(A, B, shape=[1,2])
```

A snapshot of this double plot is given in Figure 5.

If the two plots are 1D, and are both of the same type, then they will automatically be plotted on the same axes.

```
>>> A = ParticleDiagnostic('tst1d_6_particle_diagnostic',0,slice={"x":"all"})
>>> B = ParticleDiagnostic('tst1d_6_particle_diagnostic',1,slice={"x":"all"})
>>> multiPlot(A, B)
```

This is shown in Figure 6 where you can see the two curves in blue and green.






Figure 5: Two plots on the same figure.

Figure 6: Two curves in the same axes.