



Local Setup Guide for Glassmorphic Chatbot UI

This guide will walk you through setting up and running the **Glassmorphic Chatbot UI** on your local machine using **Vite** (a lightning-fast build tool for React) and **Tailwind CSS**.

Prerequisites

Before you start, make sure you have **Node.js** installed on your computer.

- Download and install it from nodejs.org (Choose the LTS version).
- To verify it is installed, open your terminal (Command Prompt, PowerShell, or macOS Terminal) and run:

```
node -v  
npm -v
```

Step-by-Step Installation

Step 1: Create a React App with Vite

Open your terminal, navigate to the folder where you want to keep your project (e.g., `cd Documents`), and run:

```
npm create vite@latest glassmorphic-chatbot -- --template react
```

(If prompted to install `create-vite`, type `y` and press Enter).

Step 2: Navigate into the Project Folder

```
cd glassmorphic-chatbot
```

Step 3: Install Core Dependencies

Install the styling tool (Tailwind CSS) and the icon pack (`lucide-react`):

```
npm install  
npm install lucide-react
```

Step 4: Install & Configure Tailwind CSS

1. Install Tailwind and its peer dependencies:

```
npm install -D tailwindcss postcss autoprefixer
```

2. Generate the configuration files:

```
npx tailwindcss init -p
```

3. Open the newly created `tailwind.config.js` file in a text editor (like VS Code) and replace its content with the following:

```
/** @type {import('tailwindcss').Config} */
export default {
  content: [
    './index.html',
    './src/**/*.{js,ts,jsx,tsx}',
  ],
  theme: {
    extend: {},
  },
  plugins: [],
  darkMode: 'class', // Ensures manual dark mode toggle works smoothly
}
```

Step 5: Setup CSS Files

1. Open `src/index.css` in your editor, delete everything inside it, and paste these Tailwind directives at the very top:

```
@tailwind base;
@tailwind components;
@tailwind utilities;

/* Optional: Smoother scrolling for the chat containers */
.custom-scrollbar::-webkit-scrollbar {
  width: 6px;
}
.custom-scrollbar::-webkit-scrollbar-track {
  background: transparent;
}
.custom-scrollbar::-webkit-scrollbar-thumb {
  background: rgba(156, 163, 175, 0.25);
  border-radius: 4px;
}
.custom-scrollbar::-webkit-scrollbar-thumb:hover {
  background: rgba(156, 163, 175, 0.45);
}
```

```
}
```

2. Open `src/App.css` and **completely clear out/delete** all of its default styling contents (or delete the file entirely and remove any `import './App.css'` line inside `src/main.jsx`).

Step 6: Paste the App Code

1. Open `src/App.jsx`.
2. Delete everything inside it.
3. Copy the entire React code from the **Glassmorphic Chatbot UI** panel in this browser workspace and paste it directly into your local `src/App.jsx` file. Save the file.

Step 7: Run the Application!

In your terminal, inside your project directory, start the development server:

```
npm run dev
```

Your terminal will show a local address, usually: 🖱️ `http://localhost:5173/`

Hold `Ctrl` (or `Cmd` on Mac) and click that link, or copy-paste it into your web browser to play around with your fully custom local Glassmorphic Chatbot client!