

Master Documentation __Generated 2025-10-29 06:22__

Total files: 231 Total size: 43.5 MB

File Types

{'py': 42, 'txt': 5, 'md': 5, 'pdf': 22, 'noext': 3, 'pkl': 7, 'ipynb': 22, 'yaml': 4, 'json': 1, 'jpg': 32, 'xlsx': 4, 'png': 48, 'csv': 28, 'joblib': 5, 'db': 1, 'toml': 1, 'gitkeep': 1}

Repository Tree

```
### .devcontainer - .devcontainer/devcontainer.json (1.5 KB) ###
.git - .git/FETCH_HEAD (139.0 B) - .git/HEAD (21.0 B) - .git/config
(428.0 B) - .git/config.worktree (83.0 B) - .git/description (73.0 B) -
.git/hooks/applypatch-msg.sample (478.0 B) - .git/hooks/commit-msg.sample
(896.0 B) - .git/hooks/fsmonitor-watchman.sample (4.6 KB) - .git/hooks/post-update.sample
(189.0 B) - .git/hooks/pre-applypatch.sample (424.0 B) - .git/hooks/pre-commit.sample
(1.6 KB) - .git/hooks/pre-merge-commit.sample (416.0 B) - .git/hooks/pre-push.sample
(1.3 KB) - .git/hooks/pre-rebase.sample (4.8 KB) - .git/hooks/pre-receive.sample
(544.0 B) - .git/hooks/prepare-commit-msg.sample (1.5 KB) - .git/hooks/push-to-checkout.sample
(2.7 KB) - .git/hooks/sendemail-validate.sample (2.3 KB) - .git/hooks/update.sample
(3.6 KB) - .git/index (25.2 KB) - .git/info/exclude (240.0 B) -
.git/logs/HEAD (218.0 B) - .git/logs/refs/heads/main (227.0 B) -
.git/logs/refs/remotes/origin/main (326.0 B) - .git/objects/pack/pack-949975ca6a24b015cc5302c67
(8.1 KB) - .git/objects/pack/pack-949975ca6a24b015cc5302c67d88497e0acae5ec.pack
(20.3 MB) - .git/objects/pack/pack-949975ca6a24b015cc5302c67d88497e0acae5ec.rev
(1.1 KB) - .git/refs/heads/main (41.0 B) - .git/refs/remotes/origin/main
(41.0 B) - .git/shallow (41.0 B) ### .github - .github/workflows/autodoc.yml
(5.1 KB) - .github/workflows/autodoc_universe.yml (6.3 KB) -
.github/workflows/gen-tree.yml (949.0 B) - .github/workflows/generate-pdf.yml
(1.6 KB) ### backups - backups/sample.txt (32.0 B) ###
cb_dashboard_artifacts - cb_dashboard_artifacts/README.md (5.7 KB)
- cb_dashboard_artifacts/data/benchmarking_data_fakergen.xlsx
(12.0 KB) - cb_dashboard_artifacts/data/employee_compensation_fakergen.xlsx
(1.6 MB) - cb_dashboard_artifacts/exports/CB_User_Guide.pdf (3.4
KB) - cb_dashboard_artifacts/exports/Cb_Report_consolidated.pdf
(564.5 KB) - cb_dashboard_artifacts/images/app_layout/1-App-Landing-Page.jpg
(192.2 KB) - cb_dashboard_artifacts/images/app_layout/2-Step-1-Download-Templates-Guides.jp
(170.6 KB) - cb_dashboard_artifacts/images/app_layout/3-Guide.jpg
(246.1 KB) - cb_dashboard_artifacts/images/app_layout/4-Upload-Data.jpg
(130.0 KB) - cb_dashboard_artifacts/images/app_layout/5-Set-Job-Order.jpg
(188.9 KB) - cb_dashboard_artifacts/images/app_layout/6-Appy-Order.jpg
(93.8 KB) - cb_dashboard_artifacts/images/app_layout/7-Session-Persistence.jpg
(206.7 KB) - cb_dashboard_artifacts/images/app_layout/8-PDF-Downloads-Section.jpg
(189.4 KB) - cb_dashboard_artifacts/images/app_layout/9-Image-Downloads-Section.jpg
(206.6 KB) - cb_dashboard_artifacts/images/chatbot/Chatbot-1.jpg
(77.3 KB) - cb_dashboard_artifacts/images/chatbot/Chatbot-2.jpg
```

(121.5 KB) - cb_dashboard_artifacts/images/chatbot/Chatbot-3.jpg
 (77.5 KB) - cb_dashboard_artifacts/images/chatbot/Chatbot-4.jpg
 (114.9 KB) - cb_dashboard_artifacts/images/chatbot/Chatbot-5.jpg
 (127.9 KB) - cb_dashboard_artifacts/images/chatbot/Chatbot-6.jpg
 (160.0 KB) - cb_dashboard_artifacts/images/metrics/Metric-1-Graph.jpg
 (94.9 KB) - cb_dashboard_artifacts/images/metrics/Metric-1-Table-A.jpg
 (83.9 KB) - cb_dashboard_artifacts/images/metrics/Metric-1-Table-B.jpg
 (443.6 KB) - cb_dashboard_artifacts/images/metrics/Metric-2-Graph.jpg
 (95.5 KB) - cb_dashboard_artifacts/images/metrics/Metric-2-Table.jpg
 (118.0 KB) - cb_dashboard_artifacts/images/metrics/Metric-3-Graph.jpg
 (48.4 KB) - cb_dashboard_artifacts/images/metrics/Metric-3-Table.jpg
 (127.3 KB) - cb_dashboard_artifacts/images/metrics/Metric-4-Graph.jpg
 (110.9 KB) - cb_dashboard_artifacts/images/metrics/Metric-4-Table.jpg
 (114.1 KB) - cb_dashboard_artifacts/images/metrics/Metric-5-Graph.jpg
 (93.6 KB) - cb_dashboard_artifacts/images/metrics/Metric-5-Table.jpg
 (140.6 KB) - cb_dashboard_artifacts/images/metrics/Metric-6-Graph.jpg
 (104.7 KB) - cb_dashboard_artifacts/images/metrics/Metric-6-Table.jpg
 (153.1 KB) - cb_dashboard_artifacts/images/metrics/Metric-7-Graph.jpg
 (106.0 KB) - cb_dashboard_artifacts/images/metrics/Metric-7-Table.jpg
 (164.8 KB) ### charts - charts/filetypes.png (39.2 KB) ### data -
 data/Attrition_SQL_Predictions.csv (235.6 KB) - data/Comp_Analytics_Processed.csv
 (25.3 KB) - data/bonus_by_department.csv (742.0 B) - data/cleaned_hr_data.csv
 (248.4 KB) - data/comp_ctc_by_department.csv (276.0 B) - data/comp_median_ctc.csv
 (127.0 B) - data/day4_bonus_vs_perf.csv (127.0 B) - data/day4_ctc_by_dept.csv
 (245.0 B) - data/day4_gender_paygap.csv (85.0 B) - data/day4_joblevel_counts.csv
 (158.0 B) - data/day5_ctc_quartiles.csv (447.0 B) - data/day5_gender_gap_by_level.csv
 (719.0 B) - data/employee_attrition.csv (225.5 KB) - data/employee_compensation_sample.csv
 (16.5 KB) - data/hr_dataset.db (220.0 KB) - data/logistic_top_features.csv
 (1.8 KB) - data/messy_hr_data.csv (247.6 KB) - data/model_comparison_results.csv
 (191.0 B) - data/processed_hr_data.csv (225.5 KB) - data/rf_top_features.csv
 (1.8 KB) - data/shap_feature_importance_full.csv (1.8 KB) -
 data/rgb_top_features.csv (1.4 KB) ### faker_data - faker_data/FakerGen_CB.ipynb
 (10.2 KB) - faker_data/benchmarking_data_fakergen.xlsx (12.0 KB)
 - faker_data/employee_compensation_fakergen.xlsx (1.6 MB) -
 faker_data/employee_master.csv (8.2 MB) ### helper_scripts -
 helper_scripts/hr_db.py (547.0 B) - helper_scripts/sql_utils.py
 (926.0 B) ### images - images/Attrition_by_dept.jpg (328.2 KB) -
 images/attrition_by_age.jpg (116.5 KB) - images/attrition_by_jobrole.png
 (264.7 KB) - images/bonus_by_department.png (69.2 KB) - images/comp_bonus_dist.png
 (25.9 KB) - images/comp_ctc_by_dept.png (23.8 KB) - images/comp_ctc_by_joblevel.png
 (15.1 KB) - images/comp_gender_gap.png (24.4 KB) - images/comp_median_ctc.png
 (19.0 KB) - images/confusion_matrix.png (38.4 KB) - images/confusion_matrix_rgb.png
 (54.5 KB) - images/day4_bonus_vs_perf.png (38.1 KB) - images/day4_ctc_by_dept.png
 (37.6 KB) - images/day4_gender_paygap.png (20.3 KB) - images/day4_joblevel_counts.png
 (42.9 KB) - images/day5_bonus_kde.png (49.9 KB) - images/day5_ctc_quartiles.png
 (37.6 KB) - images/day5_gender_gap_by_level.png (38.0 KB) -

images/department_attrition.png (94.1 KB) - images/donut_attrition.png
 (83.1 KB) - images/missing_values_after.png (379.1 KB) - images/missing_values_before.png
 (379.7 KB) - images/missing_values_collage.png (404.6 KB) -
 images/model_comparision.png (75.4 KB) - images/model_comparison_barplot.png
 (107.2 KB) - images/probability_distribution.png (94.6 KB) -
 images/roc_curve_comparison.png (170.2 KB) - images/screenshot1.png
 (23.0 B) - images/shap_dependence_plot.png (119.1 KB) - images/shap_dependence_plot_v2.png
 (77.6 KB) - images/shap_feature_importance.png (325.4 KB) -
 images/shap_feature_importance_top15.png (142.4 KB) - images/shap_local_bar_plot.png
 (90.6 KB) - images/shap_summary_plot.png (479.6 KB) - images/shap_summary_plot_V2.png
 (79.4 KB) - images/shap_waterfall_employee0.png (67.9 KB) -
 images/shap_waterfall_plot.png (96.4 KB) - images/streamlit_db_1.png
 (197.2 KB) - images/streamlit_db_2.png (62.4 KB) - images/streamlit_db_3.png
 (146.6 KB) - images/streamlit_db_4.png (118.5 KB) - images/top_features.png
 (72.8 KB) - images/top_features_post_enhancement.png (160.2 KB) -
 images/top_features_tuned.png (165.5 KB) - images/top_features_xgb.png
 (155.2 KB) - images/top_features_xgb_heatmap.png (271.9 KB)
 ### models - models/Attrition_AdvancedModels.ipynb (281.6 KB) -
 models/logistic_attrition_model.pkl (1.2 KB) - models/logistic_attrition_model_tuned.pkl
 (2.6 KB) - models/placeholder (28.0 B) - models/random_forest_attrition_model.pkl
 (4.9 MB) - models/random_forest_tuned.pkl (1.4 MB) - models/scaler.pkl
 (3.1 KB) - models/trained_columns.pkl (1.0 KB) - models/xgboost_attrition_model.pkl
 (368.7 KB) ### models_joblib - models_joblib/logistic_attrition_model.joblib
 (1.2 KB) - models_joblib/random_forest_attrition_model.joblib
 (4.6 MB) - models_joblib/scaler.joblib (2.8 KB) - models_joblib/trained_columns.joblib
 (996.0 B) - models_joblib/xgboost_attrition_model.joblib (493.6 KB)
 ### notebooks - notebooks/Attrition_PredictiveModel.ipynb (109.6
 KB) - notebooks/.gitkeep (1.0 B) - notebooks/Attrition_AdvancedModels.ipynb
 (281.6 KB) - notebooks/Attrition_ModelComparision.ipynb (130.8
 KB) - notebooks/Attrition_ModelExplainability.ipynb (865.7 KB)
 - notebooks/Attrition_PredictiveModel_V2.ipynb (150.0 KB) -
 notebooks/Attrition_PredictiveModel_V3.ipynb (94.2 KB) - notebooks/Attrition_SHAP_Explainab
 (731.1 KB) - notebooks/Attrition_SQL_Integration-Git.ipynb
 (123.1 KB) - notebooks/Attrition_Streamlit_Dashboard.ipynb
 (114.0 B) - notebooks/Compensation_Analytics_V1.ipynb (185.2
 KB) - notebooks/Compensation_Analytics_V2.ipynb (215.0 KB) -
 notebooks/Compensation_Analytics_V3.ipynb (213.8 KB) - notebooks/Compensation_Analytics_V4
 (195.1 KB) - notebooks/Day4-AttritionRiskAnalyzer.ipynb (4.8 KB)
 - notebooks/Day4-AttritionRiskAnalyzer_v2.0.ipynb (176.9 KB) -
 notebooks/baby_steps/Day1-Hello-Amlan.ipynb (983.0 B) - notebooks/baby_steps/Day2-Basics.ipynb
 (2.5 KB) - notebooks/baby_steps/Day3-DataTypesAndControl.ipynb (3.6
 KB) - notebooks/baby_steps.gitkeep (1.0 B) ### people_analytics -
 people_analytics/.streamlit/config.toml (314.0 B) - people_analytics/HR_DataForge.ipynb
 (130.5 KB) - people_analytics/README.md (1.0 B) - people_analytics/app.py
 (6.5 KB) - people_analytics/faker_data/Attrition_Data.csv (10.6
 KB) - people_analytics/faker_data/Compensation_Benchmark.csv

(151.0 B) - people_analytics/faker_data/Compensation_Internal.csv
 (8.9 KB) - people_analytics/faker_data/Engagement_Survey.csv
 (7.2 KB) - people_analytics/faker_data/Performance_Data.csv
 (10.0 KB) - people_analytics/faker_data/Workforce_Data.csv
 (10.2 KB) - people_analytics/modules/attrition_module.py (8.2 KB)
 - people_analytics/modules/compensation_module.py (8.8 KB)
 - people_analytics/modules/consolidated_module.py (4.1 KB) -
 people_analytics/modules/consolidated_module_diagnostic.py
 (2.9 KB) - people_analytics/modules/engagement_module.py (7.8 KB)
 - people_analytics/modules/performance_module.py (6.7 KB) -
 people_analytics/modules/workforce_module.py (7.2 KB) - people_analytics/pages/attrition.py
 (244.0 B) - people_analytics/pages/compensation.py (256.0 B) -
 people_analytics/pages/consolidated.py (9.5 KB) - people_analytics/pages/engagement.py
 (248.0 B) - people_analytics/pages/performance.py (252.0 B) -
 people_analytics/pages/workforce.py (244.0 B) - people_analytics/requirements.txt
 (326.0 B) - people_analytics/templates/test.txt (1.0 B) - people_analytics/utils/__init__.py
 (535.0 B) - people_analytics/utils/chart_saver.py (4.7 KB) -
 people_analytics/utils/fix_helper.py (1.3 KB) - people_analytics/utils/fusion_report_builder.py
 (6.2 KB) - people_analytics/utils/pdf_auto_exporter.py (6.7 KB)
 - people_analytics/utils/pdf_explainer_builder.py (14.1 KB) -
 people_analytics/utils/pdf_helper.py (7.2 KB) - people_analytics/utils/persistence_chatbot.py
 (5.5 KB) - people_analytics/utils/template_helper.py (1.2 KB) -
 people_analytics/utils/ui_styling.py (2.4 KB) - people_analytics/utils/uploader_helper.py
 (1.2 KB) - people_analytics/utils_consolidated/__init__.py
 (691.0 B) - people_analytics/utils_consolidated/chart_consolidated_saver.py
 (1.4 KB) - people_analytics/utils_consolidated/constants.py (858.0 B)
 - people_analytics/utils_consolidated/deck_state_tracker.py
 (2.3 KB) - people_analytics/utils_consolidated/insights_helper.py
 (515.0 B) - people_analytics/utils_consolidated/pdf_consolidated_helper.py
 (8.9 KB) - people_analytics/utils_consolidated/pdf_helper_consolidated.py
 (826.0 B) - people_analytics/utils_consolidated/pdf_merger.py (9.2 KB)
 - people_analytics/utils_consolidated/toc_helper.py (633.0 B)
 - people_analytics/utils_consolidated/uploader_consolidated_helper.py
 (1.5 KB) ### reports - reports/Attrition_AdvancedModels_aa41c1310f907082a92a9e51b94010b5.pdf
 (278.5 KB) - reports/Attrition_ModelComparision_009086358233572ffb338cf8f4ee6ab7.pdf
 (176.5 KB) - reports/Attrition_ModelExplainability_52d61660976d1481ab051617939779a2.pdf
 (441.2 KB) - reports/Attrition_Project_Summary.pdf (199.3 KB) -
 reports/Attrition_SHAP_Explainability_V1_883d0c6ff33ddb40c5459b894a884b62.pdf
 (308.6 KB) - reports/Attrition_SQL_Integration-Git_5bb7a8192e09a762c9dbe6088839adf4.pdf
 (151.2 KB) - reports/Attrition_SQL_Integration_967dced0f92426fc0889ff773fe5ac24.pdf
 (178.0 KB) - reports/Compensation_Analytics_V1_07f883af597f1eb48eed37f6749c53f2.pdf
 (167.6 KB) - reports/Compensation_Analytics_V1_0d3ab6f265e56379d7bfa3752feec2a5.pdf
 (167.4 KB) - reports/Compensation_Analytics_V1_b3320c085ce3523bb04ed8c2f02b2cd6.pdf
 (33.6 KB) - reports/Compensation_Analytics_V2_96c5a8ec0ee8e61b721ddf37c74b4f4a.pdf
 (184.9 KB) - reports/Compensation_Analytics_V3_045981c9a6b93fc4e15735327218b694.pdf
 (206.3 KB) - reports/Compensation_Analytics_V4_2f677fec7d2d33e580d73985b739f3b6.pdf

```
(199.3 KB) - reports/Day4-AttritionRiskAnalyzer\_v2.0\_058b58b9bf5e96ac0c1bdaac1e7abdcc.pdf
(188.8 KB) - reports/HR\_Data\_Cleaning\_Utility\_V1\_260622ce.pdf
(238.8 KB) - reports/HR\_Data\_Cleaning\_Utility\_V1\_6501dfa8.pdf
(238.8 KB) - reports/HR\_Data\_Cleaning\_Utility\_V1\_86b38b95.pdf
(218.4 KB) - reports/HR\_Data\_Cleaning\_Utility\_V1\_87664d4cc3eefa67f9fe549d33ef7c57.pdf
(218.4 KB) ### scripts - scripts/export\_pdf.py (3.4 KB) - scripts/gen\_tree.py
(1.8 KB) ### sidequests - sidequests/.gitkeep (1.0 B) - sidequests/HR\_Data\_Cleaning\_Utility\_V1
(257.0 KB) ### universe_charts - universe\_charts/Personal\_Apps.png
(13.7 KB) - universe\_charts/SQL-Fundamentals-Lab.png (13.1 KB) -
universe\_charts/hr-tech-portfolio.png (32.9 KB) - universe\_charts/python-fundamentals-lab.png
(15.2 KB)
```

```
## Code & Notebook Overview
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/generate\_autodoc.py
import pathlib, os, datetime, subprocess, collections, nbformatROOT = pathlib.Path('.').resol
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/cb\_dashboard.py
\# =====\# cb\_dashboard.py - Compensation & Benefits Dash
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/app.py
\# app.py -- HR Attrition Prediction Dashboard (Final Polished Version)\# Save this file as
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/models/Attrition\_AdvancedModels
\# Project 5: Advanced Attrition Models (Tuned Random Forest + XGBoost)
```

In this notebook, we benchmark **and** enhance predictive models **for** employee attrition.

- Start **with** tuned ****Random Forest****
- Introduce ****XGBoost**** (gradient boosting)
- Compare performance vs Logistic Regression

```
**Goal:**
```

Improve predictive accuracy **while** balancing interpretability **and** business storytelling.

```
\# -----
```

```
\# Imports
```

```
\# -----
```

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import os
import joblib
```

```
from sklearn.model\_sele
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/scripts/export\_pdf.py
```

```

import osimport subprocessimport hashlibfrom pathlib import Pathfrom nbconvert import HTMLExporter
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/scripts/gen\_tree.py
import osfrom pathlib import Pathdef generate\_tree(start\_path=".", prefix="", max\_items=3)
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/faker\_data/FakerGen\_CB.ipynb
<a href="https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main,
\# -----
\# Step 0 - Clone hr-tech-portfolio (with PAT)
\# -----
import os
from getpass import getpass

\# Ask for your GitHub Personal Access Token
token = getpass(" Enter your GitHub token: ")

\# Clean any previous clone
os.system("rm -rf hr-tech-portfolio")

\# Clone with token authentication
os.system(f"git clone

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/helper\_scripts/sql\_utils.py
import sqlite3, pandas as pd, osDB\_PATH = os.path.abspath("hr\_dataset.db")def run\_query(s
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/helper\_scripts/hr\_db.py
import pandas as pd, sqlite3, osDB\_PATH = os.path.abspath("hr\_dataset.db")CSV\_PATH = os.p
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/HR\_DataForge.
<a href="https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main,
!pip install faker pandas numpy

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/app.py
\# =====\# app.py - People Analytics Dashboard (v3.9
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/fusion\_
\# =====\# utils/fusion\_report\_builder.py - v2.3 /
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/ui\_styl
\# =====\# utils/ui\_styling.py - v1.0 | Unified Side
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/pdf\_exp
\# =====\# utils/pdf\_explainer\_builder.py - v5.8 /
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/chart\_s
\# =====\# utils/chart\_saver.py - v4.4 | ColorSafe I

```

```

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/pdf\_auto
\# =====\# utils/pdf\_auto\_exporter.py - v3.7 / File
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/persistence
\# =====\# utils/persistence\_chatbot.py - v2.6 / Res
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/fix\_help
\# =====\# utils/fix\_helper.py - v3.0.3 / Final Syn
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/template
import streamlit as stimport pandas as pd\# --- Unified Styling for All Download Buttons ---
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/uploader
\# =====\# utils\_consolidated/uploader\_consolidated
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/\_\_init
"""utils package initializer-----Ensures core utility modules load clean
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils/pdf\_help
\# =====\# utils/pdf\_helper.py - v5.2 / Executive S
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/pages/compensa
import streamlit as stst.set\_page\_config(page\_title="Compensation Analytics", layout="wide")
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/pages/workforce
import streamlit as stst.set\_page\_config(page\_title="Workforce Analytics", layout="wide")
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/pages/engagement
import streamlit as stst.set\_page\_config(page\_title="Engagement Analytics", layout="wide")
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/pages/performance
import streamlit as stst.set\_page\_config(page\_title="Performance Analytics", layout="wide")
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/pages/consolidated
\# =====\# pages/consolidated.py - v6.8 / Auto Job De
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/pages/attrition
import streamlit as stst.set\_page\_config(page\_title="Attrition Analytics", layout="wide")
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# =====\# utils\_consolidated/deck\_state\_tracker.py
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# =====\# utils\_consolidated/chart\_consolidated.py
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated

```

```

\# utils\_consolidated/insights\_helper.py""Small helper that consolidates insights lists
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# utils\_consolidated/constants.py\# Theme + layout constants for consolidated PDF builder
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# =====\# utils\_consolidated/pdf\_helper\_consolidated
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# =====\# utils\_consolidated/pdf\_merger.py - v7.5
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# utils\_consolidated/uploader\_consolidated\_helper.py\# v1.3 - uploader that is mobile-friendly
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# utils\_consolidated/toc\_helper.py""Simple TOC helper: builds a table-friendly TOC array
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
\# =====\# utils\_consolidated/pdf\_consolidated\_helper
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/utils\_consolidated
""utils\_consolidated package initializer-----Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/consolidated
\# =====\# modules/consolidated\_module.py - v7.0 | Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/workforce
\# =====\# modules/workforce\_module.py - v3.0.1 | Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/engagement
\# =====\# modules/engagement\_module.py - v3.0.1 | Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/consolidated
\# =====\# consolidated\_module\_diagnostic.py - Minimum
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/attrition
\# =====\# modules/attrition\_module.py - v3.2 | Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/performance
\# =====\# modules/performance\_module.py - v3.0.1 | Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/people\_analytics/modules/compensation
\# =====\# modules/compensation\_module.py - v3.0.1 | Ensures all
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition\_SQL\_Integration

```



```
\# Project 8: SQL + ML Integration
```

```
**Objective:**
```

Combine **SQL querying power** with **Machine Learning models** to analyze attrition risk. This project demonstrates how HR teams can query their employee database directly and run pr

```
**Why It Matters:**
```

- HR data often lives in databases (HRIS, payroll systems).
- Analysts should be able to run queries and pipe results into ML models.
- This integration makes predictive attrition analytics more practical in enterprise context

```
\#\# SQL + ML Integration
```

Thi

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Day4-AttritionRiskAnal
```

```
\# Attrition Risk Analyzer (v2.0)
```

```
\#\# Objective
```

Analyze IBM HR Attrition dataset to identify attrition patterns and create a simple attritio

```
\# Import required libraries
```

```
import pandas as pd
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition\_PredictiveM
```

```
\# Predictive Model - Attrition (Logistic Regression)\_V3 - Fine Tuning
```

```
\# -----
```

```
\# Imports
```

```
\# -----
```

```
import pandas as pd
```

```
import numpy as np
```

```
import matplotlib.pyplot as plt
```

```
import seaborn as sns
```

```
import os
```

```
from sklearn.model\_selection import train\_test\_split, cross\_val\_score, GridSearchCV
```

```
from sklearn.preprocessing import StandardScaler
```

```
from sklearn.linear\_model import LogisticRegression
```

```
from sklearn.metrics import (
    accuracy\_score, classification\_report, confusion\_matrix, roc\_auc\_score
)
```

```
import joblib
```

```
sns.set(style="whitegrid")
```

```
pd.set\_option('display.max\_c
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition\_ModelCompar
```

```
\# Project 4: Attrition Model Comparison (Logistic vs Random Forest)
```

In this notebook, we extend the attrition prediction by comparing **Logistic Regression** (

Goal:

Check **if** tree-based models improve predictive performance **and** what new insights they provide

\# -----

\# Imports

\# -----

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import os
```

```
from sklearn.model_selection import train_test_split
```

```
from sklearn.preprocessing import StandardScaler
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Compensation_Analytics.ipynb
```

```
<a href="https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main/notebooks/Compensation_Analytics.ipynb" >Colab
```

\# -----

\# Step 0 - Clone Repo with PAT Auth

\# -----

```
import os
from getpass import getpass
```

\# If repo already exists in Colab, remove it (fresh start)

```
!rm -rf hr-tech-portfolio
```

\# Ask for PAT token securely

```
token = getpass("Enter your GitHub PAT: ")
```

\# Clone using HTTPS + token auth

```
!git clone https://github.com/AMBOT-pixel96/hr-tech-portfolio.git
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition_AdvancedModeling.ipynb
```

\# Project 5: Advanced Attrition Models (Tuned Random Forest + XGBoost)

In this notebook, we benchmark **and** enhance predictive models **for** employee attrition.

- Start **with** tuned **Random Forest**
- Introduce **XGBoost** (gradient boosting)
- Compare performance vs Logistic Regression

Goal:

Improve predictive accuracy **while** balancing interpretability **and** business storytelling.

\# -----

```

\# Imports
\# -----
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import os
import joblib

from sklearn.model\_sele

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition\_PredictiveM

\# Predictive Model - Attrition (Logistic Regression)
**Objective:** Train a logistic regression model to predict employee attrition (Yes/No) using
\# Imports
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
sns.set(style="whitegrid")

from sklearn.model\_selection import train\_test\_split
from sklearn.preprocessing import StandardScaler
from sklearn.linear\_model import LogisticRegression
from sklearn.metrics import accuracy\_score, classification\_report, confusion\_matrix, roc\_auc
import os

\# Display settings
pd.set\_option('displ

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Day4-AttritionRiskAnal

import pandas as pd
df= pd.read\_csv("WA\_Fn-UseC\_HR-Employee-Attrition.csv")
print("Shape of Data:",df.shape) \#Explore Dataset
print(df.head())
print(df['Attrition'].value\_counts()) \#Quick Summary of Attrition
\#Group by Job Role
job\_attrition=df.groupby(['JobRole','Attrition']).size()
job\_attrition=job\_attrition.unstack().fillna(0)
print(job\_attrition)
\#Simple Attrition Risk Flag
df['AttritionRisk']=df['Attrition'].apply(lambda x:1 if x=="Yes" else 0)
\#Save Processed File
df.to\_csv("processed\_hr\_data.csv",index=False)
print("Attrition Risk Analyzer v0.1 ready ")

```

```

#### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Compensation\_Analytics
<a href="https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main/
from getpass import getpass

\# GitHub authentication
token = getpass(" Enter your GitHub token: ")

repo\_url = f"https://AMBOT-pixel96:\{token\}@github.com/AMBOT-pixel96/hr-tech-portfolio.git"

!git clone \{repo\_url\}
\%cd hr-tech-portfolio

#### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/
Attrition\_PredictiveModel.ipynb

\# Predictive Model - Attrition (Logistic Regression)
**Objective:** Train a logistic regression model to predict employee attrition (Yes/No) using
\# Imports
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
sns.set(style="whitegrid")

from sklearn.model\_selection import train\_test\_split
from sklearn.preprocessing import StandardScaler
from sklearn.linear\_model import LogisticRegression
from sklearn.metrics import accuracy\_score, classification\_report, confusion\_matrix, roc\_curve
import joblib
import sqlite3

\# displ

#### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition\_ModelExplainability.ipynb
\# Project 6: Model Explainability with SHAP

In this notebook, we apply **SHAP (SHapley Additive exPlanations)** to interpret machine learning models.

**Goals:**
- Understand which features drive attrition globally across employees
- Explain individual predictions for specific employees
- Provide visuals that HR leaders can use to trust model decisions

\# 1 Imports

#### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Attrition\_Streamlit\_App.ipynb
> (Could not preview: Notebook does not appear to be JSON: '# Save training
columns for alignment\n...') #### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/

```

```
\# Project 9: Attrition Explainability with SHAP
```

```
**Objective:**
```

Enhance the HR Attrition prediction models by adding explainability using SHAP (SHapley Add)

This notebook will:

1. Load saved models **from** Project 7 (Deployment).
2. Apply SHAP to explain feature contributions.
3. Export explainability visuals **for** reports **and** dashboards.

```
**Artifacts generated:**
```

- SHAP summary plots
- SHAP bar plots
- SHAP force plots (employee-level explanations)
- Stored outputs **in** `~/reports/09\explainability/``

```
import pandas as pd
import shap
import joblib
import os
fr
```

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Compensation\_Analytics
```

[<a href="https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main/](https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main/)

```
\# Project 10: Compensation Analytics (v1.0)
```

```
**Objective:**
```

Analyze synthetic HR Compensation dataset to extract key insights: pay distribution, gender

```
**Business Context:**
```

Compensation & Benefits (C&B) analytics helps HR leaders answer:

- Are we paying fairly across levels, genders, departments?
- How are bon

```
### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/Compensation\_Analytics
```

[<a href="https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main/](https://colab.research.google.com/github/AMBOT-pixel96/hr-tech-portfolio/blob/main/)

```
\# Clone repo + move into it
```

```
from getpass import getpass
token = getpass(" Enter your GitHub token: ")
```

```
repo\_url = f"https://AMBOT-pixel96:\{token\}@github.com/AMBOT-pixel96/hr-tech-portfolio.git"
!git clone \{repo\_url\}
\%cd hr-tech-portfolio
```

```
\# Import libraries
```

```
import pandas as pd
```

```

import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/baby\_steps/Day2-Basic
\#1.Variables
name="Amlan"
age="29"
print("My name is",name," and I am",age," years old")
\#2.Simple Math
salary=1404000 \#Yearly INR
bonus=salary*.12
total=round(salary+bonus)
print("Total Annual Pay:",total)

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/baby\_steps/Day1-Hello
print("Hello Amlan - HR Tech Transformation ")

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/notebooks/baby\_steps/Day3-DataT
\#1.Dictionaries
employee={
    "name":"Amlan",
    "role":"HR Tech",
    "salary":1404000,
    "skills":["PowerBI","Oracle Fusion","Python"]
}
print(employee["name"],"earns",employee["salary"],"as a",employee["role"],"professional with
\#2.If-Else
attrition\_risk =0.7
if attrition\_risk > 0.5:
    print("High Risk - Action Needed")
else:
    print("Low Risk - All Good")

### /home/runner/work/hr-tech-portfolio/hr-tech-portfolio/sidequests/HR\_Data\_Cleaning\_U
\# HR Data Cleaning Utilities (v1.0)

This notebook demonstrates how to **simulate messy HR data** and then build a cleaning pipeline.
Data cleaning is a critical step in People Analytics - poor quality data = misleading insights.
\# Import libraries
import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
import random

```