

| Title | | |
|-------|---------------------------------|-----------|
| Size | Number | Revision |
| A4 | | |
| Date: | 5/10/2016 | Sheet of |
| File: | C:\Users\...\T962a Panel.SchDoc | Drawn By: |


60.00

J1

T1

T2





Bill of Materials

<Parameter Title not found>

| Source Data From: | | T962a_Panel.PrjPCB | | | | |
|--------------------------------|------------------|--------------------|---------|------------|----------------------------------|----------|
| Project: | | T962a_Panel.PrjPCB | | | | |
| Variant: | | None | | | | |
| | | | | | | |
| Creation Date: | 5/10/2016 | 1:23:48 AM | | | | |
| Print Date: | 05-Oct-16 | 1:23:53 AM | | | | |
| | | | | | | |
| | | | | | | |
| Footprint | Comment | Farnell PN | Digikey | Designator | Description | Quantity |
| CCNP1608-0603 | 100nF | | | C1, C3 | Capacitor | 2 |
| CCNP1608-0603 | 10nF | | | C2, C4 | Capacitor | 2 |
| HDR2X5H | 2x5 Header | | | H1 | Header 2x5 | 1 |
| USB_BCon - straight pins | USB Type B | | | J1 | USB B Connector | 1 |
| CR2012-0805 | FB | 1515661 | | L1, L2 | Ferrite Bead (0805) 0.045OHM, 2A | 2 |
| CR2012-0805 | 33K | | | R1 | Resistor | 1 |
| ThermoCoupleSocket - PCB mount | Thermocouple_PCB | 2347189 | | T1, T2 | | 2 |
| SO-8_L | MAX31855KASA+T | 2515622 | | U1, U2 | | 2 |
| | | | | | | 13 |
| Approved | | Notes | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |