PRIVATE RADEON AI DEPLOYMENT FOR BUSINESS WORK

XENIX RADEON EDITION

A private conversational data workbench for non-technical business users.

Concept visual — capabilities deploy independently; placement may be shared.

EXACT ACCEPTED CELL

gfx1100 / ROCm 7.2.1

Capability-scoped manifests, protocol checks, and real workload self-tests gate provider registration.

1 **Business files** — Documents, tables, images

2 **Conversational Agent** — Plain-language analysis and action

3 **Radeon Chat/Embedding/OCR** — Independent, manifest-verified capabilities

4 **Verifiable datasets & artifacts** — Inspectable, source-linked output


One desktop control plane. Explicit execution boundaries.

EDITABLE ARCHITECTURE

TRACK 2 · EDITABLE SYSTEM MAP

XENIX RADEON EDITION

Private business data crosses explicit capability and trust boundaries.



Manifest-verified lifecycle

01 Select capability and fixed recipe	02 Confirm SSH trust or inspect WSL
03 Check identity and compatibility	04 Prepare pinned artifacts
05 Launch the capability runtime	06 Run protocol and ROCm self-tests
07 Register one provider projection	08 User explicitly selects provider

Repair advances the same capability lifecycle. Remove records retirement intent; it does not claim immediate physical cleanup.

Agent capability surface

RAG · tool calling · multi-step planning · multi-turn memory · source-linked knowledge · privacy

01 / CHAT — OPERATIONAL EVIDENCE

Reason in conversation

Qwen3.5 9B
Recommended Private SSH chat profile

Qwen3.5 4B
Lightweight Private SSH chat option

Operational evidence, not a promise of support outside the accepted manifest cell.

02 / EMBEDDING — OPERATIONAL EVIDENCE

Ground answers in data

BGE-M3
1024-d embedding vectors

Turns private knowledge into a retrieval surface for source-linked RAG. Deployment remains independently managed and independently selected.

03 / PAGE OCR — OPERATIONAL EVIDENCE

Make pages searchable

RapidOCR
PP-OCRv6 page recognition

Extracts document text behind the ordinary OCR provider boundary. It is not bundled with Chat or Embedding lifecycle state.

Security boundaries

- **Identity:** Private SSH host keys require explicit confirmation and fail closed on change.
- **Secrets:** Private-key bytes are never stored; live URLs, ports, bearer secrets, target paths, process facts, and raw output stay session-local.
- **Authority:** Deployment registers a provider but never selects it for the user.
- **Location:** Private SSH is a confirmed Linux server; Local WSL is a distinct selected WSL2 distribution.

EVIDENCE BOUNDARY

No comparative speedup. No generic Radeon support. No accepted Local WSL hardware.