AMD AI DevMaster Hackathon · Track 1


Agar Aisa Ho Jai

Radeon Story Studio

Local Radeon/ROCm workflows for evidence-backed child-safety storyboards and visual lessons.

Participant: Ankur Sawhney

Public source snapshot: eba2f154



The problem: pretty output can still be wrong

Ambiguous action

A child may stand near a hazard instead of stepping back.

Unsafe framing

The image may show the danger clearly but not the safe response.

Identity drift

A multi-panel story can lose continuity across scenes.

Radeon Story Studio separates generation from acceptance.

Evidence-backed acceptance

Candidates must pass technical, safety, semantic and continuity checks before they become public output.

Product: manifest to reviewed lesson card

1. Sealed input

Transcript or scene manifest defines allowed characters, actions and safety intent.

↓


2. Local planning

Qwen through vLLM produces a constrained storyboard and textual safety review.

↓


3. Local generation

SDXL Turbo on Radeon creates candidate story panels and runtime evidence.



Accepted safe-charger lesson card

Architecture: two local Radeon workflows



Core inference stays local; deterministic assembly and FFmpeg are supporting stages.

Radeon/ROCm proof captured as evidence

gfx1100	7.2	2.9.1	vLLM
	HIP 7.2.53211	+rocm7.2.1	Qwen on Radeon
GPU architecture	HIP runtime	PyTorch build	Local serving

Preflight does not trust configuration alone

The runner verifies a non-empty HIP version, an AMD Radeon device, and a real tensor operation on PyTorch’s ROCm-backed cuda:0 device API.

Evidence is content-addressed

Returned run reports include timings, memory, component dtypes, artifact hashes and rejection reasons.

Measured results: image + text workloads

10.50

seconds / 8 candidates

SDXL candidate phase

0.368

seconds

Median candidate latency

45.69

candidates/minute

Image throughput

10.45

GB allocated

Peak GPU memory

Qwen planning throughput

1,259 completion tokens in 14.941 seconds — 84.264 completion tokens/second.

Qwen safety review

315 completion tokens in 5.395 seconds — 58.389 completion tokens/second.

Performance evidence is presented with model/runtime versions and hashes, not just screenshots.

Safety-by-design and publication boundary

Fail closed

A generated candidate is not accepted just because inference succeeded.

Four review dimensions

Technical pass, child-safety fit, semantic action, and continuity.

Publish only accepted output

Rejected raw media remains private; hashes and reasons preserve evidence.

Excluded from public snapshot

Private corpora, real-person context, children’s material, nested repos, local sessions, credentials, model weights, rejected raw media, historical campaigns, unrelated provider adapters, and uncommitted work.

The contest folder is a deliberate allowlisted snapshot, not a dump of the private working repository.

Submission package status

Ready now

Privacy-reviewed source snapshot, README, setup commands, tests, evidence, profile PDF, and this presentation.

Manual before PR

Record 3–5 minute demo, test video link signed out, review final asset rights, inspect official-fork diff.

PR title

Track 1, Ankur Sawhney, Agar Aisa Ho Jai — Radeon Story Studio

Commit message

feat(track1): add Agar Aisa Ho Jai Radeon Story Studio submission