



Reading and printing n elements into array:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar indicates "Line 16", "Col 1", and provides keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,n;
clrscr();
printf("Enter array size ");scanf("%d",&n);
if(n<1||n>100)puts("Array size 1-100 only");
else
{
printf("Enter %d elements ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
printf("Elements are ");
for(i=0;i<n;i++)printf("%4d",a[i]);
}
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, and others. On the right side of the taskbar, the system clock shows "04:23 PM" and the date "24-Mar-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, with the text "Go to PC settings to activate Windows."






```
TC
Enter array size 4
Enter 4 elements 4 0 9 -3
Elements are 4 0 9 -3_

Activate Windows
Go to PC settings to activate Windows.
```






The screenshot shows a Turbo C++ (TC) window with a black background and white text. The text displays the process of entering an array of 9 elements. The first line prompts for the array size, which is 9. The second line prompts for 9 elements, which are entered as 1 2 0 8 4 9 2 7 4. The third line displays the elements as they were entered. The window title is 'TC'. The Windows taskbar is visible at the bottom, showing various application icons and the system clock indicating 04:25 PM on 24-Mar-25.

```
Enter array size 9
Enter 9 elements 1 2 0 8 4 9 2 7 4
Elements are    1    2    0    8    4    9    2    7    4
```

Activate Windows
Go to PC settings to activate Windows.


Read n elements into array and find the elements sum and avg:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, the status bar shows "Line 14", "Col 1", and "Insert Indent Tab Fill Unindent * E". The main editing area has a blue background with yellow text containing the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
float a[100],s=0; int i,n;
clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(i=0;i<n;i++)
{
scanf("%f",&a[i]); s+=a[i];
}
printf("Elements sum = %.2f, Avg=%.2f",s,s/n);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. On the right side of the taskbar, the system clock shows "04:33 PM" and the date "24-Mar-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.



```
TC
Enter array size 4
Enter 4 elements 1.1 2.2 3.3 4.4
Elements sum = 11.00, Avg=2.75
```

Activate Windows
Go to PC settings to activate Windows.

04:33 PM
24-Mar-25

Read n elements in to the array and find the max, min elements [unsorted].

```
TC
File Edit Run Compile Project Options Debug
Line 9 Col 26 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,n, max, min;
clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
for(max=min=a[0], i=1;i<n;i++)
{
if(min>a[i])min=a[i];
if(max<a[i])max=a[i];
}
printf("Min=%d, Max=%d",min,max);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:51 PM
24-Mar-25

```
TC
Enter array size 9
Enter 9 elements 2 0 1 7 -3 8 -9 4 2
Min=-9, Max=8_

Activate Windows
Go to PC settings to activate Windows.
```

max=min=a[0];

for(i=1; i<5; i++)

```
{
  if( min>a[i]) min=a[i];
  if( max<a[i]) max=a[i];
}
```

p(min, max);

9	7	0	12	-7
0	1	2	3	4

i	max	min
1	9 < 7	9 > 7
2	9 < 0	9 > 0
✓3	9 < 12	0 > 12
✓4	12 < -7	0 > -7
✓5	12 < -7	0 > -7

Read n elements into array and find the no of even /
odd / zero elements:

```
TC
File Edit Run Compile Project Options Debug
Line 14 Col 42 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,n, e,o,z;
clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(e=o=z=i=0;i<n;i++)
{
scanf("%d",&a[i]);
if(a[i]==0)z++;else if(a[i]%2==0)e++; else o++;
}
printf("%d Even, %d Odd, %d Zero's",e,o,z);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:00 PM
24-Mar-25

```
TC
Enter array size 9
Enter 9 elements 1 2 0 7 -1 6 9 4 8
4 Even, 4 Odd, 1 Zero's

Activate Windows
Go to PC settings to activate Windows.
```

```
for( i=0; i<5; i++ ) ✓
{
scanf("%d",&a[i];
if(a[i]==0)z++; ✓
else if(a[i]%2==0)e++;
else o++;
}
```

p(e , o , z);

9	7	0	12	2
0	1	2	3	4

i	e	o	z
0	0	0	0
1			
2		2	1
3	1		
4	2		
5			

Read n elements into array and find the prime/composite elements.

```
TC
File Edit Run Compile Project Options Debug
Line 1 Col 31 Insert Indent Tab Fill Unindent E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,n,j,c;
clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);

for(i=0;i<n;i++)
{
for(c=0,j=1;j<=a[i];j++)
{
if(a[i]%j==0)c++;
}
if(a[i]==1)printf("1 is not a prime/composite\n");
else if(c==2)printf("%d is prime\n",a[i]);
else printf("%d is composite\n",a[i]);
}
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:17 PM
24-Mar-25

```

Enter array size 7
Enter 7 elements 1 2 3 4 5 6 7
1 is not a prime/composite
2 is prime
3 is prime
4 is composite
5 is prime
6 is composite
7 is prime

```

Activate Windows
Go to PC settings to activate Windows.

```

for(i=0; i<5; i++)
{
    for(c=0, j=1; j<=a[i]; j++)
    {
        if(a[i]%j==0) c++;
    }
    if(c==2) p(prime);
    else p(composite);
}

```

	3	4	7	1	2
a[i]	0	1	2	3	4
3 % 1 = 0	3 % 1 = 0				
3 % 2 = 1	3 % 2 = 1				
3 % 3 = 0	3 % 3 = 0				
4 % 1 = 0	4 % 1 = 0				
4 % 2 = 0	4 % 2 = 0				
7 % 1 = 0	7 % 1 = 0				
7 % 2 = 1	7 % 2 = 1				
7 % 3 = 1	7 % 3 = 1				
7 % 4 = 3	7 % 4 = 3				
1 % 1 = 0	1 % 1 = 0				
2 % 1 = 0	2 % 1 = 0				
2 % 2 = 0	2 % 2 = 0				

```
TC
File Edit Run Compile Project Options Debug
Line 19 Col 1 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,n,j,c;
clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);

for(i=0;i<n;i++)
{
for(c=0,j=2;j<=a[i]/2;j++)
{
if(a[i]%j==0){printf("%d is a composite no\n",a[i],c=1);break;}
}
if(a[i]==1)printf("1 is not a prime/composite\n");
else if(c==0)printf("%d is prime\n",a[i]);
}
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:22 PM
24-Mar-25

```
TC
Enter array size 9
Enter 9 elements 1 2 3 4 5 6 7 8 9
1 is not a prime/composite
2 is prime
3 is prime
4 is a composite no
5 is prime
6 is a composite no
7 is prime
8 is a composite no
9 is a composite no
_

Activate Windows
Go to PC settings to activate Windows.
```

100 = ~~1~~ 2 4 5 10 20 25 50 100

Read a stu id, name, 6 sub marks and find tot, avg and result using array with the below table.

Avg	Result
>=75	Distinction
>=60	1st class
>=50	2nd class
>=35	3rd class


<35	Fail
---------------	-------------


```
TC
File Edit Run Compile Project Options Debug
Line 8 Col 54 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char rollno[20], name[30];int sub[6],tot=0, i,p=1;float a
clrscr();
printf("Enter rollno "); scanf("%s",rollno);
printf("Enter stu name "); scanf(" %[^\n]",name);
printf("Enter 6 sub marks ");
for(i=0;i<6;i++)
{
scanf("%d",&sub[i]);tot+=sub[i]; if(sub[i]<35)p=0;
}
avg=tot/6.0;
printf("%s rollno %s, Tot %d Avg %.2f and got ",name,rollno,
if(p==0) puts("Failed");
else if(avg>=75)puts("Distinction");
else if(avg>=60)puts("1st Class");
else if(avg>=50)puts("2nd Class");
else puts("3rd Class");
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:46 PM
24-Mar-25





**BOARD OF SECONDARY EDUCATION
ANDHRA PRADESH**

Rollno: 1234 Name: vijay kumar
Gender: Male DOB: 1-1-2002
Father: Surya Kumar Mother: Ramya Krishna
School: Zpph School, Ponnur, Guntur Dist, AP

Identification Marks:

1. A mole on the right elbow.
2. A mole on the fore head

Subject	Marks	Pass / Fail
Telugu	89	P
English	90	P
Hindi	34	F
Maths	99	P
Science	92	P
Social	90	P

Vijay Kumar tot=aaa avg=aaa got Failed

