

Deleting a particular element from array?

Skipping that element:

```
TC
File Edit Run Compile Project Options Debug
Line 14 Col 1 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,n,f=0,ele;
clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d integers ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
printf("Enter element to delete ");
scanf("%d",&ele);
for(i=0;i<n;i++)if(a[i]!=ele)printf("%4d",a[i]);else f=1;
if(f==0)printf("\n%d not found",ele);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:22 PM
28-Mar-25

```
TC
Enter array size 5
Enter 5 integers 1 2 3 4 5
Enter element to delete 9
    1    2    3    4    5
9 not found
```

Activate Windows
Go to PC settings to activate Windows.

04:22 PM
28-Mar-25

```
TC
Enter array size 5
Enter 5 integers 1 0 3 1 7
Enter element to delete 1
0 3 7_

Activate Windows
Go to PC settings to activate Windows.
```

```
for(i=0;i<5;i++)
if(a[i]!=ele) p(a[i]); else f=1;
```

1 4 7 2

```
if(f==0) p(ele not found);
```

a	1	4	5	7	2
	0	1	2	3	4
	<u>n</u>	<u>i</u>	<u>ele</u>	<u>f</u>	
	5	0	15	0	
				X	

Permanent deletion:

```
TC
File Edit Run Compile Project Options Debug
Line 1 Col 26 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,j,n,f=0,ele;clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d integers ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
printf("Enter element to delete ");
scanf("%d",&ele);
for(i=0;i<n;i++)
{
if(a[i]==ele)
{
for( n--,f=1,j=i;j<n;j++)a[j]=a[j+1];i--;
}
}
if(f==0)printf("%d not found",ele);
else
{printf("Elements ");for(i=0;i<n;i++)printf("%3d",a[i]);}
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:42 PM
28-Mar-25

```
TC
Enter array size 9
Enter 9 integers 2 2 2 2 2 2 2 2 2
Enter element to delete 2
Elements _
```

Activate Windows
Go to PC settings to activate Windows.

04:42 PM
28-Mar-25

```
TC
Enter array size 5
Enter 5 integers 1 2 3 1 5
Enter element to delete 1
Elements 2 3 5_

Activate Windows
Go to PC settings to activate Windows.
```




The taskbar shows the following icons from left to right: Windows Start button, DEV, File Explorer, Calculator, Zoom (zm), a folder icon, a paint palette icon, a code editor icon, Google Chrome, a document icon, and a calendar icon. On the right side of the taskbar, there are system icons for keyboard, volume, network, and battery, along with the date and time: 04:42 PM, 28-Mar-25.


```


Enter array size 4
Enter 4 integers 1 2 3 4
Enter element to delete 7
7 not found_

```

Activate Windows
Go to PC settings to activate Windows.



0 ← 1 ← 2 ← 3 ← 4



0 1 2 ← 3 ← 4

```

for(i=0; i<5; i++)
{
  if(a[i]==ele)
  {
    for(n--, f=1, j=i; j<n; j++) a[j]=a[j+1]; i--;
    a[2]=a[3]
    a[3]=a[4]
    4<4
  }
}

```

$\begin{array}{r} n \\ 5 \\ 4 \end{array}$	$\begin{array}{r} i \\ 0 \\ 1 \\ 2 \end{array}$	$\begin{array}{r} j \\ 2 \\ 3 \end{array}$	$\begin{array}{r} ele \\ 5 \\ 9 \end{array}$	$\begin{array}{r} f \\ 0 \\ 1 \end{array}$
--	---	--	--	--


Deleting duplicate elements from array:

```
TC
File Edit Run Compile Project Options Debug
Line 1 Col 56 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],i,j,n,k;clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d integers ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
for(i=0;i<n;i++)
{
for(j=i+1;j<n;j++)
{
if(a[j]==a[i])
{
for( n--,k=j;k<n;k++)a[k]=a[k+1];j--;
}
}
}
printf("Elements ");for(i=0;i<n;i++)printf("%3d",a[i]);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:01 PM
28-Mar-25



```

Enter array size 5
Enter 5 integers 1 1 1 1 1
Elements 1_

```

Activate Windows
Go to PC settings to activate Windows.


```
for(i=0;i<n;i++)
{
```

```
for( j=i+1; j<n; j++)
```

```
{
if( a[i]==a[j] )
{
```

```
for( n--, k=j; k<n; k++) a[k]=a[k+1]; j--;
```

$\begin{matrix} 2 & 3 \\ 3 & 4 \end{matrix}$



$\frac{n}{5}$	$\frac{i}{0}$	$\frac{j}{12}$	$\frac{k}{23}$
5	0	12	23
4	1	23	
3			

Finding frequency of array elements:

a

1	3	1	5	3
0	1	2	3	4

1 found 2 times

3 found 2 times

5 found 1 times

```
TC
File Edit Run Compile Project Options Debug
Line 15 Col 32 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],b[100]={0},i,j,c,n;clrscr();
printf("Enter array size ");scanf("%d",&n);
printf("Enter %d integers ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
for(i=0;i<n;i++)
{
if(b[i]!=-1)
{
for(c=1,j=i+1;j<n;j++)
{ if(a[j]==a[i]){c++;b[j]=-1;} }
b[i]=c;
}
}
for( i=0;i<n;i++)
if(b[i]!=-1)printf("%d found %d times\n",a[i],b[i]);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:26 PM
28-Mar-25

```

Enter array size 9
Enter 9 integers 1 2 3 4 1 3 5 2 1
1 found 3 times
2 found 2 times
3 found 2 times
4 found 1 times
5 found 1 times

```

Activate Windows
Go to PC settings to activate Windows.

```

for(i=0;i<n;i++)
{ if(b[i]!=-1)
{ c=1;
for( j=i+1;j<n;j++)
{
if( a[i]==a[ j] )
{ b[ j]=-1; c++; }
b[i]=c; ✓
}


```

```

for(i=0;i<n;i++)
if(b[i]!=-1)p(a[i] found b[i]);
1 found 2
3 found 2
5 found 1

```

<u>n</u>	<u>i</u>	<u>j</u>	<u>c</u>
5	0	1 2 3 4	1 2
4	1	2 3 4	1 2
	2	3	
	3	4	
	4		



Merging of array elements:

```
TC
File Edit Run Compile Project Options Debug
Line 17 Col 1 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],b[100],i,j,s1,s2;clrscr();
printf("Enter 1st array size ");scanf("%d",&s1);
printf("Enter %d integers ",s1);
for(i=0;i<s1;i++)scanf("%d",&a[i]);
printf("Enter 2nd array size ");scanf("%d",&s2);
printf("Enter %d integers ",s2);
for(i=0;i<s2;i++)scanf("%d",&b[i]);

for(j=0,i=s1;j<s2;j++,i++)a[i]=b[j];/*merging*/
for(i=0;i<s1+s2;i++)
{
for(j=i+1;j<s1+s2;j++)
{
if(a[i]>a[j]){int t=a[i];a[i]=a[j];a[j]=t;}}
printf("Elements ");
for( i=0;i<s1+s2;i++)printf("%3d",a[i]);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:48 PM
28-Mar-25

```

Enter 1st array size 4
Enter 4 integers 1 0 3 9
Enter 2nd array size 5
Enter 5 integers -3 7 9 -2 4
Elements -3 -2 0 1 3 4 7 9 9

```

Activate Windows
Go to PC settings to activate Windows.

