

HISTORY OF C

Basically C language introduced in 1972 by “DENNIS RITCHIE”, one of the software engineer in AT & T [American Telephone & Telegraph] Bell labs, located at Murray Hills, New Jersey, USA.

Ritchie adopted [taken] C language from B language, developed by “KEN THOMSON”, one of software engineer in AT & T Bell labs.

Thomson adopted B language from BCPL [Basic Combined Programming Language], developed by an Assistant professor named “MARTIEN RICHARDS” in Cambridge university.

In 1989 “ANSI” [American National Standards Institute] released a new version of C language with the name “ANSI-C”, which is familiar with the name “C-89”.

In 1999 ISO [International Standard Organization] released a new version of c language with the name “C-99”.

Basically C language introduced to rewrite UNIX operating system.

Nowadays we can create and execute a c program on any machine with any processor. Hence c is called it is a machine independent programming language. i.e. we can execute the C

program on 80386 / 80486 / 80586 / intel core i3 / i5 / i7 / amd processor etc.

For example the languages like 8086 / 8088 are working only on 8086 / 8088 processors. Hence they are called machine dependent programming languages.

C is a platform dependent programming language. i.e. the c application designed for one operating system is not working in another operating system. For example the C application designed for windows is not working in UNIX. Due to this problem by using C language we can't develop web applications and we can develop only the standalone applications.



Standalone applications installed in a personal computer and operated from that system only.

To design web applications we have to the platform independent programming languages like java / .net / py etc.

The java application designed for one operating is able run from any other operating system also. These applications installed in a web server and operated from universally using web clients. Hence these applications are called web applications.

C programs are machine independent but platform dependent. Hence c is called partial portable language.

Java / .net / py programs are machine independent and platform independent. Hence they are called portable languages. Due to this using these language we can develop both standalone and web applications.



M N P - MOBILE NO PORTABILITY



JAVA - WORA - WRITE ONCE RUN ANYWHERE

