

FUNDAMENTALS OF C

C character set: Every programming language comes with a particular character set and by using this character set only we can design the applications. C is using ASCII character set, which comes with 256 characters. In this 52 alphabets [a-z, A-Z], 10 digits [0-9], 44 operators [+, -, *, ...], 14 separators [, . (), " " , ...] and remaining all are special characters.

English language	C language
26 alphabets	256 ascii characters
English words	Keywords – 32
English sentences	Instructions
English paragraphs	Programs
English documents	software


ASCII – American standard code for information interchange – **IBM** [International Business Machines] corporations

Java / .net / py – UNICODE – Universal code – 65536 characters

Important ascii values:

Characters	Ascii values
a-z	97-122
A-Z	65-90
0-9	48-57
+	43
*	42
Space	32
Esc	27
Enter	10
Back space	8
Tab key	9

Compilation and execution process:



C - TOKENS

The smallest individual words we are using in developing a c program are called C – Tokens. They are of different types.

1. **Keywords:** The system predefined / reserved words are called keywords. Each keyword is having certain

meaning and as a user we can't change this meaning. C comes with **32** keywords.

Eg: auto, break, continue, char, **const**, case, do, default, double, else, enum, extern, for, float, goto, int, long, switch, while, register, typedef, union,....

2. **Constants**: Fixed values are called constants. We can't change a constant value during program execution. Constant value should be provided at the time of declaration only. i.e. further initializations not allowed.

Float pi

