





The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 16", "Col 15", and lists editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
int a=10; /* global var */
void main()
{
int a=20; /* local var*/
clrscr();
printf("%d\t",a);
{
int a=30; /* local var */
printf("%d\t",a);
}
printf("%d",a);
getch();
}
/* 20 30 20 */_
```

An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, stating "Go to PC settings to activate Windows." The Windows taskbar is at the bottom, showing icons for Windows, Calculator, DEV C++, Google Chrome, File Explorer, Zoom, Word, and other applications. The system clock in the bottom right corner shows "04:19 PM" and "21-Feb-25".

```
#include<stdio.h>
#include<conio.h>
int a=10; /* global var */
void main()
{
    int a=20; /* local var */
    clrscr();
    printf("%d\t",a); 20
}
int a=30; /* local var */
printf("%d\t",a); 30
/* a deleted */
    printf("%d",a); 20
    getch();
}
/* 20 30 20 */_
```




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 16", "Col 11", and lists editing options: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
int a=10; /* global var */
void main()
{
int a=20; /* local var*/
clrscr();
printf("%d\t",a);
{
a=30; /* initialization */
printf("%d\t",a);
}
printf("%d",a);
getch();
}
/* 20 30 30 */
```

An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, stating "Go to PC settings to activate Windows." The Windows taskbar is at the bottom, showing icons for Windows, Calculator, DEV C++, Google Chrome, File Explorer, Zoom, Word, and other applications. The system clock in the bottom right corner shows "04:21 PM" and "21-Feb-25".


```
Line 10 Col 11 Inse
#include<stdio.h>
#include<conio.h>
int a=10; /* global var */
void main()
{
    30
    int a=20; /* local var*/
    clrscr();
    printf("%d\t",a); 20
    {
        a=30; /* initialization */
        printf("%d\t",a); 30
    }
    printf("%d",a); 30
    getch();
}
/* 20 30 30 */
```



The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 3", "Col 10", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
int a=10; /* global var */
void main()
{
clrscr();
printf("%d\t",a);
{
int a=30; /*local var */
printf("%d\t",a);
}
printf("%d",a);
getch();
}
/* 10 30 10 */
```


At the bottom right of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and other applications. The system tray on the right shows the time as 04:23 PM and the date as 21-Feb-25.



The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 14", "Col 9", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
int a=1,b=2,c=3; /* global var */
void main()
{
clrscr();
{
int a=10,b=20,c=30; /*local var */
printf("%d\t",a+b+c);
}
printf("%d",a+b+c);
getch();
}
/* 60 6 */
```


At the bottom right of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and other applications. The system clock in the bottom right corner shows "04:25 PM" and "21-Feb-25".



The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 14", "Col 14", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
int a=1,b=2,c; /* global var */
void main()
{
clrscr();
{
int a=10,b=20,c; /*local var */
printf("%d\t",a+b+c);
}
printf("%d",a+b+c);
getch();
}
/* Garbage 3_*/
```

At the bottom right of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and other applications. The system tray on the right shows the time as 04:26 PM and the date as 21-Feb-25.




The screenshot shows a Turbo C++ (TC) IDE window. The title bar reads 'TC'. The menu bar includes 'File', 'Edit', 'Run', 'Compile', 'Project', 'Options', and 'Debug'. A red error message banner at the top states: 'Error: Undefined symbol 'c' in function main'. The code editor has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
int a=1,b=2; /* global var */
void main()
{
clrscr();
int a=10,b=20,c=30; /*local var */
printf("%d\t",a+b+c);
}
printf("%d",a+b+c);
getch();
}
/* Error */
```

An 'Activate Windows' watermark is visible in the bottom right corner of the IDE window. The Windows taskbar at the bottom shows various icons including the Start button, task view, calculator, Dev C++, Chrome, File Explorer, Zoom, Word, and several other applications. The system clock in the bottom right corner shows '04:27 PM' and '21-Feb-25'.


Read two numbers and perform all arithmetic operations [+, -, *, %, /]:





The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 15", "Col 1", and a list of commands: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background with yellow text. The code is as follows:


```
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b;
clrscr();
printf("Enter a, b values ");scanf("%d %d",&a, &b);
printf("Sum=%d\n",a+b);
printf("Sub=%d\n",a-b);
printf("Mul=%d\n",a*b);
printf("Mod=%d\n",a%b);
printf("Div=%d\n",a/b);
getch();
}
```

At the bottom of the window, there is a Windows taskbar with various icons including the Start button, task view, and several application icons like a calculator, a Dev C++ icon, Google Chrome, a file explorer, a Zoom icon, a Word document, a folder, a Teams icon, a paint icon, and a calculator. The system tray on the right shows the time as 04:31 PM and the date as 21-Feb-25. A watermark "Activate Windows" is visible in the bottom right corner of the IDE window.











The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 12", "Col 56", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b;
clrscr();
printf("Enter a, b values ");scanf("%d %d",&a, &b);
printf("Sum=%d\n",a+b);
printf("Sub=%d\n",a-b);
printf("Mul=%d\n",a*b);
printf("Mod=%d\n",a%b);
printf("Div=%f\n",(float)a/b);/*explicit type casting*/
getch();
}
```

The line containing `printf("Div=%f\n",(float)a/b);/*explicit type casting*/` is currently selected. At the bottom of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the very bottom, showing various application icons and the system clock indicating 04:33 PM on 21-Feb-25.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, the status bar shows "Line 12", "Col 16", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background with yellow text. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b;
clrscr();
printf("Enter a, b values ");scanf("%d %d",&a, &b);
printf("Sum=%d\n",a+b);
printf("Sub=%d\n",a-b);
printf("Mul=%d\n",a*b);
printf("Mod=%d\n",a%b);
printf("Div=%.2f\n",(float)a/b);/*explicit type casting*
getch();
}
```

At the bottom of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the very bottom, showing various application icons and the system clock indicating 04:33 PM on 21-Feb-25.






The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 3", "Col 17", and a list of actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
#include<math.h>_
void main()
{
float a, b;
clrscr();
printf("Enter a, b values ");scanf("%f %f",&a, &b);
printf("Sum=%.2f\n",a+b);
printf("Sub=%.2f\n",a-b);
printf("Mul=%.2f\n",a*b);
printf("Mod=%.2f\n",fmod(a,b));
printf("Div=%.2f\n",a/b);
getch();
}
```

The line `printf("Div=%.2f\n",a/b);` is currently selected. In the bottom right corner of the IDE window, there is a message: "Activate Windows Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and other applications. The system clock in the bottom right corner indicates the time is 04:35 PM on 21-Feb-25.




The image shows a screenshot of a Turbo C++ (TC) window. The window title bar is yellow and contains the text "TC". The main area is black with white text. The text displayed is:

```
Enter a, b values 5.5 3.4
Sum=8.90
Sub=2.10
Mul=18.70
Mod=2.10
Div=1.62
```

At the bottom of the window, there is a taskbar with various icons including Windows, calculator, DEV, Chrome, File Explorer, Zoom, Word, and others. The system tray on the right shows the time as 04:35 PM and the date as 21-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the window.


Find the area of a triangle.




The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 11", "Col 1", and a list of commands: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
float b,h,area;
clrscr();
printf("Enter base, height values ");
scanf("%f %f",&b, &h);
area = 0.5 * b * h;
printf("Area=%.2f",area);
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing various application icons including the Start button, Task View, File Explorer, Microsoft Edge, Zoom, Word, and several other utilities. The system tray on the right shows the time as 04:37 PM and the date as 21-Feb-25.






The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 27", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
float b,h;
clrscr();
printf("Enter base, height values ");
scanf("%f %f",&b, &h);
printf("Area=%.2f",0.5*b*h);
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Google Chrome, Zoom, Word, and other applications. The system clock in the bottom right corner shows "04:38 PM" and "21-Feb-25".



Finding pow value:


$$2^5 = 32$$




The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 3", "Col 17", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
#include<math.h>_
void main()
{
int b,p;
clrscr();
printf("Enter base, power values ");
scanf("%d %d",&b, &p);
printf("%d ^ %d = %d",b,p,pow(b,p));
getch();
}
```

At the bottom of the window, there is a Windows taskbar with various icons including the Start button, task view, calculator, Dev C++, Google Chrome, file explorer, Zoom, Word, and other applications. The system tray on the right shows the time as 04:41 PM and the date as 21-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.







```
File Edit Run Compile Project Options Deb
Line 12 Col 54 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
#include<math.h>
void main()
{
int b,p;
clrscr();
printf("Enter base, power values ");
scanf("%d %d",&b, &p);
printf("%d ^ %d = %f\n",b,p,pow(b,p));
printf("%d ^ %d = %.0f\n",b,p,pow(b,p));
printf("%d ^ %d = %d",b,p,(int)pow(b,p));/*explicit*/_
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

04:44 PM
21-Feb-25

it return float








The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 11", "Col 1", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code in yellow text:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,cube;
clrscr();
printf("Enter n value ");
scanf("%d",&n);
cube = n * n * n;
printf("%d cube is %d",n,cube);
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing various application icons including the Start button, Task View, File Explorer, Zoom, Word, and several other utilities. The system tray on the right shows the time as 04:45 PM and the date as 21-Feb-25.









The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 11", "Col 22", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
long int cube;
clrscr();
printf("Enter n value ");
scanf("%d",&n);
cube = n * n * n;
printf("%d cube is %ld",n,cube);
getch();
}
```

At the bottom right of the IDE window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom of the screen, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and several other applications. The system tray on the right shows the time as 04:48 PM and the date as 21-Feb-25.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 32", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a dark blue background with yellow text. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
long int cube;
clrscr();
printf("Enter n value ");
scanf("%d",&n);
cube = (long)n * n * n; /* exp type casting */
printf("%d cube is %ld",n,cube);
getch();
}
```

At the bottom right of the IDE window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom of the screen, showing various application icons including the Start button, Task View, File Explorer, Microsoft Edge, Zoom, Word, and the Turbo C++ IDE. The system tray on the right shows the time as 04:50 PM and the date as 21-Feb-25.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 11", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
    long int n, cube;
    clrscr();
    printf("Enter n value ");
    scanf("%ld",&n);
    cube = n * n * n; /* exp type casting */
    printf("%ld cube is %ld",n,cube);
    getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows Explorer, Dev-C++, Google Chrome, File Explorer, Zoom, Word, and others. The system tray on the right shows the time as 04:51 PM and the date as 21-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.






The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 10", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code in yellow text:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter n value ");
scanf("%ld",&n);
printf("%d cube is %ld",n,(long)n*n*n);
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing various application icons (Windows Start button, calculator, DEV C++, Google Chrome, file explorer, Zoom, Word, and others) and the system clock indicating 04:53 PM on 21-Feb-25.




```
Enter n value 100
100 cube is 1000000_
```

Activate Windows
Go to PC settings to activate Windows.

04:53 PM
21-Feb-25

Adding of two numbers without using + operator?



The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 11", "Col 28", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values ");
scanf("%d %d",&a, &b);
printf("Sum=%d\n",a-(-b));
printf("Sum=%d\n",a- -b);
printf("Sum=%d\n",a-(~b)-1);
getch();
}
```

At the bottom of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the very bottom, showing icons for the Start menu, Task View, File Explorer, Google Chrome, Zoom, Word, and other applications. The system clock in the bottom right corner indicates the time is 04:55 PM on 21-Feb-25.

```
TC
Enter a, b values 10 20
Sum=30
Sum=30
Sum=30
_
```

Activate Windows
Go to PC settings to activate Windows.

$$a - (\sim b) - 1$$


$$10 - (\sim 20) - 1$$

$$10 - (-21) - 1$$

$$10 + 21 - 1 = 30$$

$$n = -(n+1)$$


Swap[interchange] of two numbers without using operators?



```
TC
File Edit Run Compile Project Options Deb
Line 11 Col 1 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values ");
scanf("%d %d",&a, &b);
printf("Before swap a=%d, b=%d\n",a,b);
printf("After swap a=%d, b=%d\n",b,a);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

05:07 PM
21-Feb-25




The image shows a screenshot of a Turbo C++ (TC) window. The window has a yellow title bar with the text "TC" in the center. The main area is black with white text. The text displayed is:

```
Enter a, b values 10 20  
Before swap a=10, b=20  
After swap a=20, b=10
```

At the bottom of the window, there is a taskbar with various icons including Windows, Calculator, DEV, Chrome, File Explorer, Zoom, Word, and others. The system tray on the right shows the date and time: 05:07 PM, 21-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the black area.


Using 3rd variable:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 11", "Col 38", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C++ code in yellow text:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b,c;
clrscr();
printf("Enter a, b values ");
scanf("%d %d",&a, &b);
printf("Before swap a=%d, b=%d\n",a,b);
c=a; a=b; b=c;
printf("After swap a=%d, b=%d\n",a,b);
getch();
}
```


At the bottom of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the very bottom, showing icons for the Start menu, Task View, File Explorer, Google Chrome, Zoom, Word, and other applications. The system clock in the bottom right corner shows "05:08 PM" and "21-Feb-25".




```
TC
Enter a, b values 10 20
Before swap a=10, b=20
After swap a=20, b=10
```

Activate Windows
Go to PC settings to activate Windows.

05:08 PM
21-Feb-25



Without using 3rd variable:



```
TC
File Edit Run Compile Project Options Deb
Line 12 Col 21 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values ");
scanf("%d %d",&a, &b);
printf("Before swap a=%d, b=%d\n",a,b);
/*a=a+b; b=a-b; a=a-b;
a=a*b; b=a/b; a=a/b; */
a=a^b; b=a^b; a=a^b;
printf("After swap a=%d, b=%d\n",a,b);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

05:10 PM
21-Feb-25

```
TC
Enter a, b values 10 20
Before swap a=10, b=20
After swap a=20, b=10
_
```

Activate Windows
Go to PC settings to activate Windows.

a=10 ==> 30 ==> 20

b=20 ==> 10

a=a+b ==> 10+20=30

b=a-b ==> 30-20=10

a=a-b ==> 30-10=20

a=10 ==> 200 ==> 20

b=20 ==> 10

a=a*b==>10*20=200

b=a/b==>200/20=10

a=a/b==>200/10=20

$$\begin{array}{r}
 2 \overline{) 10} \\
 2 \overline{) 5-0} \\
 2 \overline{) 2-1} \\
 1-0
 \end{array}$$

$$\begin{array}{r}
 2 \overline{) 20} \\
 2 \overline{) 10-0} \\
 2 \overline{) 5-0} \\
 2 \overline{) 2-1} \\
 1-0
 \end{array}$$

$$10 = 1010$$

$$20 = 10100$$

$a = a \wedge b$ ←
 $a = 10 = 01010$
 $b = 20 = 10100$

 $11110 = 30$
 $\swarrow \quad \swarrow \quad \swarrow \quad \swarrow$
 $2^4 + 2^3 + 2^2 + 2^1$
 $16 + 8 + 4 + 2 = 30$
 i.e. $a = 30, b = 20$


$b = a \wedge b$ ←
 $a = 30 = 11110$
 $b = 20 = 10100$

 $01010 = 10$
 i.e. $a = 30, b = 10$

$a = a \wedge b$ ←
 $a = 30 = 11110$
 $b = 10 = 01010$

 $10100 = 20$
 ✓ ✓
 i.e. $a = 20, b = 10$


Write a c program to find the no of conversion characters in scanf().




```
TC
File Edit Run Compile Project Options Deb
Line 9 Col 25 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b,c;
clrscr();
printf("Enter a, b values ");
c = scanf("%d %d",&a, &b);
printf("a=%d, b=%d, c=%d",a,b,c);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

05:20 PM
21-Feb-25






The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 7", "Col 43", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code in yellow text:

```
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("Enter a, b values ");
printf("conversions = %d",scanf("%d %d"));_
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and several other applications. The system tray on the right shows the time as 05:21 PM and the date as 21-Feb-25.




```
TC
Enter a, b values 100 200
conversions = 2

Activate Windows
Go to PC settings to activate Windows.
```

The screenshot shows a Turbo C++ (TC) window with a black background and white text. The text displays the input values '100 200' and the resulting 'conversions = 2'. The window title bar is yellow and contains the text 'TC'. The Windows taskbar is visible at the bottom, showing various application icons and the system clock indicating 05:21 PM on 21-Feb-25.


Controlling inputs in scanf():





The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 11", "Col 26", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a value ");
scanf("%d",&a);
printf("Enter b value ");
scanf("%d",&b);
printf("a=%d, b=%d",a,b);_
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and other applications. The system tray on the right shows the time as 05:22 PM and the date as 21-Feb-25.









The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 12", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code in yellow text:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a value ");
scanf("%d",&a);
flushall();
printf("Enter b value ");
scanf("%d",&b);
printf("a=%d, b=%d",a,b);
getch();
}
```

At the bottom right of the IDE window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom of the screen, showing various application icons on the left and system tray icons on the right, including the clock showing 05:27 PM on 21-Feb-25.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 7", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a value ");
scanf("%d",&a);
fflush(stdin);
printf("Enter b value ");
scanf("%d",&b);
printf("a=%d, b=%d",a,b);
getch();
}
```

At the bottom right of the IDE window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom of the screen, showing various application icons including the Start button, Task View, File Explorer, Microsoft Edge, Zoom, Word, and the Turbo C++ IDE. The system tray on the right shows the time as 05:28 PM and the date as 21-Feb-25.








```
File Edit Run Compile Project Options Deb
Line 9 Col 1 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter 3 digit no ");
scanf("%d",&a);
printf("Enter 4 digit no ");
scanf("%d",&b);
printf("a=%d, b=%d",a,b);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

05:29 PM
21-Feb-25









The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 10", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a 3 digit no ");
scanf("%3d",&a);
printf("Enter a 4 digit no ");
scanf("%4d",&b);
printf("a=%d, b=%d",a,b);
getch();
}
```

At the bottom right of the IDE window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom of the screen, showing various application icons including the Start button, Task View, File Explorer, Microsoft Edge, Zoom, Word, and several other utilities. The system tray on the right shows the time as 05:36 PM and the date as 21-Feb-25.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 12", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a 3 digit no ");
scanf("%3d",&a);
flushall();
printf("Enter a 4 digit no ");
scanf("%4d",&b);
printf("a=%d, b=%d",a,b);
getch();
}
```

At the bottom right of the IDE window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom of the screen, showing various application icons and the system clock indicating 05:37 PM on 21-Feb-25.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 13", "Col 30", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background with yellow text. It contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
char name[30];
clrscr();
printf("Enter a, b values ");
scanf("%d%d",&a,&b);
printf("Enter ur name ");
scanf("%s",&name);
printf("a=%d, b=%d\n",a,b);
printf("Ur name is %s",name);
getch();
}
```

At the bottom right of the window, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Microsoft Edge, Zoom, Word, and several other applications. The system tray on the right shows the time as 05:45 PM and the date as 21-Feb-25.








The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 1", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char name[30];
clrscr();
printf("Enter ur name ");
gets(name);
printf("Ur name is %s",name);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows Explorer, Dev-C++, Google Chrome, File Explorer, Zoom, Word, and others. The system tray on the right shows the time as 05:48 PM and the date as 21-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 13", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", and "Unindent". The main editing area has a blue background and contains the following C code in yellow text:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int rollno;
char name[30];
clrscr();
printf("Enter ur roll no ");
scanf("%d",&rollno);
fflush(stdin);
printf("Enter ur name ");
gets(name);
printf("Ur rollno %d, name is %s",rollno, name);
getch();
}
```

At the bottom right of the editing area, there is a watermark that says "Activate Windows" and "Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing various application icons (Windows Start button, calculator, DEV, Chrome, File Explorer, Zoom, Word, etc.) and the system clock indicating 05:50 PM on 21-Feb-25.

