



If..else if / ladder if:

When the program contain 3 or more options and user have to select 1 then go for if else if ladder. In if..else if the conditions are tested from top to bottom one by one like the ladder steps and any one condition is true then statements in that if block are executed and program execution jumped to outside the if series. If no condition true then statements in else are executed. Here else is optional.




Finding max in 2 no's:





The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 1", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", and "* E". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values "); scanf("%d%d",&a,&b);
if(a>b) printf("%d is big",a);
else printf("%d is big",b);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons (Windows, calculator, DEV, Chrome, file explorer, Zoom, Word, etc.). The system tray on the right shows the time "04:35 PM" and the date "27-Feb-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.












The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 8" and "Col 26". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values "); scanf("%d%d",&a,&b);
if(a>b) printf("a is big");
else printf("b is big");
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, Calculator, DEV C++, Google Chrome, File Explorer, Zoom, Word, and others. The system tray on the right shows the time as 04:36 PM and the date as 27-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.












The screenshot shows the Turbo C++ IDE with a menu bar (File, Edit, Run, Compile, Project, Options, Debug) and a status bar (Line 10, Col 31, Insert, Indent, Tab, Fill, Unindent, * E). The main window displays a C program that compares two integers, a and b, and prints the result. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values "); scanf("%d%d",&a,&b);
if(a>b) printf("a is big");
else if(b>a)printf("b is big");
else printf("Both are equal");
getch();
}
```

The Windows taskbar at the bottom shows the Start button, taskbar search, and several application icons including DEV, Chrome, File Explorer, Zoom, Word, and a calculator. The system clock in the bottom right corner displays 04:39 PM on 27-Feb-25.








```
TC
Enter a, b values 3 3
Both are equal_

Activate Windows
Go to PC settings to activate Windows.
```


Finding max in 3 no's:





The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. Below the title bar is a menu bar with the following options: File, Edit, Run, Compile, Project, Options, and Debug. Under the "Run" menu, there is a submenu with the following options: Line 11, Col 22, Insert, Indent, Tab, Fill, Unindent, *, and E. The main editing area has a dark blue background with yellow text. The code is as follows:


```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b,c;
clrscr();
printf("Enter a, b, c values "); scanf("%d%d%d",&a,&b,&c);
if(a==b && a==c) puts("All are equal");
else if(a>b && a>c) printf("a is big");
else if(b>c)printf("b is big");
else printf("c is big");
getch();
}
```


At the bottom of the window, there is a status bar with the text "Activate Windows" and "Go to PC settings to activate Windows." Below the status bar is a taskbar with various icons, including the Windows logo, a calculator, a folder, a document, a globe, and a clock. The clock shows the time "04:52 PM" and the date "27-Feb-25".






















```
TC
File Edit Run Compile Project Options Debug
Line 12 Col 44 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b,c;
clrscr();
printf("Enter a, b, c values "); scanf("%d%d%d",&a,&b,&c);
if(a==b && a==c) puts("All are equal");
else if(a>b && a>c) printf("a is big");
else if(a==b && a>c) puts("a & b are big");
else if(b==c && b>a ) puts("b & c are big");
else if(a==c && a>b) puts("a & c are big");_
else if(b>c)printf("b is big");
else printf("c is big");
getch();
}
```


Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:27 PM
27-Feb-25








The image shows a screenshot of a Turbo C++ (TC) window. The window has a yellow title bar with the text "TC" in the center. The main area is black with white text. The text reads: "Enter a, b, c values 1 2 3" followed by "c is big" on the next line. The window has standard Windows window controls (minimize, maximize, close) in the top right corner. At the bottom of the window, there is a grey bar with the text "Activate Windows" and "Go to PC settings to activate Windows." Below the window, the Windows taskbar is visible, showing various application icons including Windows, Calculator, DEV, Chrome, File Explorer, Zoom, Word, and others. The system clock in the bottom right corner shows "05:31 PM" and "27-Feb-25".

```
Enter a, b, c values 1 2 3
c is big
```


Finding +Ve / -Ve / 0:





The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 18", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter n value "); scanf("%d",&n);
if(n>0) puts("+ve");
else if(n<0) printf("-ve");
else printf("Zero");
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, Calculator, DEV C++, Google Chrome, File Explorer, Zoom, Word, and others. A system tray on the right shows the time as 05:33 PM and the date as 27-Feb-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.








Finding no of days in that month:

1,3,5,7,8,10,12 – 31 days

4,6,9,11 – 30 days

2 – 28/29 days


Others – invalid month





The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 9", "Col 1", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter month no between 1-12 "); scanf("%d",&n);
if(n==1||n==3||n==5||n==7||n==8||n==10||n==12)
puts("31 days");
else if(n==2)puts("28 / 29 days");
else if(n==4||n==6||n==9||n==11) printf("30 days");
else printf("Invalid month");
getch();
}
```


At the bottom of the window, there is a taskbar with various application icons (Windows, calculator, DEV, Chrome, file explorer, Zoom, Word, etc.). On the right side of the taskbar, the system clock shows "05:37 PM" and "27-Feb-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.













Finding child / teenage / middle / senior citizen





The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 12", "Col 1", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter person age "); scanf("%d",&n);
if(n<=12)puts("Child");
else if(n<=19)puts("Teenager");
else if(n<=49)puts("Middle aged");
else puts("Senior citizen");
getch();
}
```


At the bottom of the window, there is a taskbar with various application icons including Windows, Calculator, DEV C++, Google Chrome, File Explorer, Zoom, Word, and others. A system tray on the right shows the date and time as "05:41 PM 27-Feb-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.








Read a character and find out it is lower / upper /
digit / space / special char.





The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 12", "Col 24", and various editing options like "Insert", "Indent", "Tab", "Fill", "Unindent", and "* E". The main editing area has a dark blue background with yellow text. It contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter the character "); scanf("%c",&ch);
if(ch>='a' && ch<='z')puts("Lower char");
else if(ch>='A' && ch<='Z')puts("Upper case char");
else if(ch>='0' && ch<='9')puts("Digit");
else if(ch==' ')puts("Space");
else puts("Special char_");
getch();
}
```


At the bottom of the IDE window, there is a toolbar with icons for various functions and a status bar. The status bar on the right shows the time "05:45 PM" and the date "27-Feb-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.














Home work:

1.Using ascii value:

2.Electricity bill

SLAB SYSTEM

UNITS	UNITS PRICE
1-50	1.45
51-100	2.80
101-200	3.05

201-300	4.75
301-500	6.00
>500	6.25

$$30\text{UNITS} * 1.45 = 43.5$$

$$80\text{UNITS} = 50 * 1.45 + 30 * 2.8 = 156.5$$

$$580\text{U} = 50 * 1.45 + 50 * 2.8 +$$

$$100 * 3.05 + 100 * 4.75 + 200 * 6 + 80 * 6.25 = 2692.5$$