


Fibonacci series:

n=5 → 0 1 1 2 3





The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 14", "Col 2", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i,f1=0,f2=1,f3;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
for( i=1; i<=n ; i++ )
{
printf("%4d",f1);
f3=f1+f2;
f1=f2;
f2=f3;
}

getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time "04:26 PM" and date "12-Mar-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.





```

for( i=1; i<=5; i++ )
{
    p(f1); ✓
    f3=f1+f2;
    f1=f2;
    f2=f3;
}


```

$\frac{n}{5}$	$i \text{ to } n$	f_1	f_2	f_3
1	✓	0	1	1
2	✓	1	1	2
3	✓	1	2	3
4	✓	2	3	5
5	✓	3	5	

0 1 1 2 3

printing below series:


$n=5 \rightarrow 1+2+3+4+5=15$



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 12", "Col 23", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i,f1=0,f2=1,f3;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
for( i=1; i<=n ; i++ )
{
printf("%d+",i);
}
printf("\b=%d",n*(n+1)/2);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time as 04:30 PM and the date as 12-Mar-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.




The image shows a screenshot of a Turbo C++ (TC) window. The window has a yellow title bar with the text "TC" and standard Windows window controls (minimize, maximize, close). The main area is black with white text. The text displayed is:

```
Enter no of times 5  
1+2+3+4+5=15
```

At the bottom right of the window, there is a message: "Activate Windows Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing various application icons including Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and others. The system clock in the bottom right corner shows "04:30 PM 12-Mar-25".


Without using \b:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 12", "Col 18", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i,f1=0,f2=1,f3;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
for( i=1; i<n ; i++ )
{
printf("%d+",i);
}
printf("%d=%d",i,n*(n+1)/2);
getch();
}
```


At the bottom of the window, there is a taskbar with icons for Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and other applications. A system tray on the right shows the time as 04:34 PM and the date as 12-Mar-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.





1. printing below series:


$$n=5 \rightarrow 1-2+3-4+5=3$$




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 5" and "Col 12". The main editing area has a dark blue background with yellow text. It contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i,s=0;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
for( i=1; i<=n ; i++ )
{
if(i%2==0)printf("%d+",i,s-=i);
else printf("%d-",i,s+=i);
}
printf("\b=%d",s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time as 04:44 PM and the date as 12-Mar-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.






```


for(i=1;i<=5;i++)
{
    if(i%2==0) p("%d+",i,s-=i); ✓
    else p("%d-",i,s+=i);
}
printf("\b=%d",s);

```



printing Harmonic series:


$$n=5 \rightarrow 1 + 1/1 + 1/2 + 1/3 + 1/4 + 1/5 = 3.28$$




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 13", "Col 21", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i; float s=1;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
printf("1+");
for( i=1; i<=n ; i++ )
{
printf("1/%d+",i,s+=1.0/i);
}
printf("\b=%.2f",s);
getch();
}
```

At the bottom of the window, there is a text box that says "Activate Windows" and "Go to PC settings to activate Windows." Below this, a toolbar contains function key shortcuts: F1 Help, F5 Zoom, F6 Switch, F7 Trace, F8 Stop, F9 Make, and F10. The Windows taskbar at the very bottom shows icons for Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and other applications. The system clock in the bottom right corner displays "04:52 PM" and "12-Mar-25".






```
TC
File Edit Run Compile Project Options Debug
Line 13 Col 9 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i; float s=1;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
printf("1");
for( i=1; i<=n ; i++ )
{
printf("+1/%d",i,s+=1.0/i);
}
printf("=%.2f",s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:55 PM
12-Mar-25




The screenshot shows a Turbo C++ (TC) window with a black background and white text. The text displays the input 'Enter no of times 5' and the output of a program calculating the sum of reciprocals: $1 + \frac{1}{1} + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} = 3.28_$. The window title bar is yellow and labeled 'TC'. The Windows taskbar is visible at the bottom, showing various application icons and the system clock indicating 04:55 PM on 12-Mar-25.

```
Enter no of times 5
1+1/1+1/2+1/3+1/4+1/5=3.28_
```

2.printing below series:

$$n=5 \rightarrow 1^2 + 2^2 + 3^2 + 4^2 + 5^2 = 1 + 4 + 9 + 16 + 25 = 55$$



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 12", "Col 19", and a list of editing actions: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a dark blue background with yellow text. It contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,i,s=0;
clrscr();
printf("Enter no of times "); scanf("%d",&n);
for( i=1; i<=n ; i++ )
{
printf("%d%c+",i,253, s+=i*i);
}
printf("\b=%d",s);_
getch();
}
```


At the bottom of the window, there is a Windows taskbar with icons for Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and several other applications. A system tray on the right shows the time as 05:01 PM and the date as 12-Mar-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.

```
TC
Enter no of times 5
12+22+32+42+52=55
```

Activate Windows
Go to PC settings to activate Windows.

05:01 PM
12-Mar-25

PRINTING ASCII TABLE:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, the status bar shows "Line 7", "Col 1", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int i;
clrscr();
for( i=0; i<256 ; i++ )
{
printf("%d=%c\t",i,i);
}
getch();
}
```


At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, Chrome, File Explorer, Calculator, Zoom, and others. On the right side of the taskbar, the system clock shows "05:06 PM" and "12-Mar-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, with the text "Go to PC settings to activate Windows."

TC

0=	1=☉	2=☽	3=♥	4=♦	5=♣	6=♠	7=	8	9=^
	10=								
	14=♯	15=✱	16=➡	17=◀	18=↑	19=!!	20=¶	21=§	
22=-	23=↓	24=↑	25=↓	26=	27=←	28=L	29=↔	30=▲	
31=▼	32=	33=!	34="	35=#	36=\$	37=%	38=&	39='	40=(
41=)	42=*	43=+	44=,	45=-	46=.	47=/	48=0	49=1	50=2
51=3	52=4	53=5	54=6	55=7	56=8	57=9	58=:	59=;	60=<
61==	62=>	63=?	64=@	65=A	66=B	67=C	68=D	69=E	70=F
71=G	72=H	73=I	74=J	75=K	76=L	77=M	78=N	79=O	80=P
81=Q	82=R	83=S	84=T	85=U	86=V	87=W	88=X	89=Y	90=Z
91=[	92=\	93=]	94=^	95=_	96=`	97=a	98=b	99=c	100=d
101=e	102=f	103=g	104=h	105=i	106=j	107=k	108=l	109=m	110=n
111=o	112=p	113=q	114=r	115=s	116=t	117=u	118=v	119=w	120=x
121=y	122=z	123={	124=	125>}	126=~	127=△	128=Ç	129=ü	130=é
131=â	132=ä	133=à	134=å	135=ç	136=ê	137=ë	138=è	139=ï	140=î
141=ì	142=Ä	143=Å	144=É	145=æ	146=Æ	147=Ô	148=Ö	149=Ò	150=Û
151=ù	152=ÿ	153=Ö	154=Ü	155=¢	156=f	157=¥	158=℞	159=f	160=á
161=í	162=ó	163=ú	164=ñ	165=Ñ	166=ª	167=º	168=¿	169=-	170=¬
171=½	172=¼	173=¡	174=«	175=»	176=⋮	177=⋈	178=⋈	179=	180=}
181=¬	182=	183=¶	184=¶	185=	186=	187=¶	188=¶	189=¶	190=¶
191=¶	192=L	193=L	194=T	195=T	196=-	197=T	198=T	199=T	200=L
201=¶	202=L	203=¶	204=T	205=L	206=¶	207=L	208=L	209=¶	210=¶
211=L	212=L	213=L	214=L	215=L	216=L	217=L	218=L	219=L	220=L
221=L	222=L	223=L	224=L	225=L	226=L	227=L	228=L	229=L	230=L
231=L	232=L	233=L	234=L	235=L	236=L	237=L	238=L	239=L	240=L
241=L	242=L	243=L	244=L	245=L	246=L	247=L	248=L	249=L	250=L
251=L	252=L	253=L	254=L	255=L					

Activate Windows
Go to PC settings to activate Windows

05:08 PM
12-Mar-25




`printf("%d = %c", 97, 97 );`

Finding step no or not?

1234, 4321 → step no

1245 ← not a step no



```
TC
File Edit Run Compile Project Options Deb
Line 16 Col 1 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int n,r1,r2;
clrscr();
printf("Enter a no "); scanf("%d",&n);


for(r1=n%10,n=n/10; n ; n=n/10 )
{
r2=n%10;
if(r1-r2==1||r2-r1==1)r1=r2;
else {puts("Not a Step no"); getch(); return; }
}
puts("Step no");
getch();
}
```


Activate Windows
Go to PC settings to activate Windows.


05:23 PM
12-Mar-25











`r1 = n%10; 4`

`n=n/10; 123`

`while(n)`

`{`

`r2=n%10;`

`if(r1-r2==1 || r2-r1==1)`

`r1=r2;`

`else {p("Not");return;}`

`n=n/10;`

`}`

`p(step no);`

$$\begin{array}{r} n \\ 1234 \end{array} \div 10 = 123 \text{ remainder } 4$$

$$123 \div 10 = 12 \text{ remainder } 3$$


$$12 \div 10 = 1 \text{ remainder } 2$$

$$1 \div 10 = 0 \text{ remainder } 1$$

$$0 \div 10 = 0 \text{ remainder } 0$$

Nested loops:

Loop within loop is called nested loop.



Printing 1..n tables:

Eg: 1 to 2 tables


1*1=1

1*2=2

$$1 * 10 = 10$$

$$2 * 1 = 2$$

$$2 * 10 = 20$$



```
TC
File Edit Run Compile Project Options Deb
Line 12 Col 20 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int n,t,i;
clrscr();
printf("Enter no of tables "); scanf("%d",&n);
for(t=1;t<=n;t++)
{
for(i=1; i<=10 ; i++ )
{
printf("%d * %d = %d\n",t,i,t*i);
}
}
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

05:50 PM
12-Mar-25

```
TC
Enter no of tables 2
1 * 1 = 1
1 * 2 = 2
1 * 3 = 3
1 * 4 = 4
1 * 5 = 5
1 * 6 = 6
1 * 7 = 7
1 * 8 = 8
1 * 9 = 9
1 * 10 = 10
2 * 1 = 2
2 * 2 = 4
2 * 3 = 6
2 * 4 = 8
2 * 5 = 10
2 * 6 = 12
2 * 7 = 14
2 * 8 = 16
2 * 9 = 18
2 * 10 = 20
```

Activate Windows
Go to PC settings to activate Windows.

05:51 PM
12-Mar-25

