


Direct initialization of string:




```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 17 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]="Naresh\\tIT\\nAmeerpet\\0Hyd";
clrscr();
printf("%s",s);
getch();
}
```


Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:20 PM
04-Apr-25

inside printf, printf work only for printing the content







```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 6 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]="Naresh\tIT\NAmeerpet\0Hyd";
clrscr();
puts(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

Windows taskbar icons: DEV, File Explorer, Calculator, ZOOM, Paint, VS Code, Chrome, Word, Excel, System tray (Keyboard, Mouse, Network, Volume, Date/Time: 04:21 PM 04-Apr-25)







```
TC
File Edit Run Compile Project Options Debug
Line 12 Col 1 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]="Naresh\tIT\NAmeerpet\0Hyd";
clrscr();
printf(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:24 PM
04-Apr-25






```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 16 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]="Naresh\tIT\NAmeerpet\0Hyd";
clrscr();
printf("%s, %s",s,"Telangana");
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.


F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10


Windows taskbar icons: DEV, File Explorer, Calculator, ZOOM, Paint, VS Code, Chrome, Word, Excel, System tray (Keyboard, Mouse, Volume, Network, Date/Time: 04:25 PM 04-Apr-25)



```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 8 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]='Naresh\tIT\NAmeerpet\0Hyd';
clrscr();
printf(s, "Telangana");
getch();
}

Activate Windows
Go to PC settings to activate Windows.
F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10
```







```
TC
File Edit Run Compile Project Options Debug
Line 5 Col 9 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[]="Naresh\\tIT\\nAmeerpet\\0Hyd";
clrscr();
printf(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

Windows taskbar icons: DEV, File Explorer, Calculator, ZOOM, Paint, VS Code, Chrome, Word, Excel, System tray (Keyboard, Mouse, Network, Volume, Date/Time: 04:25 PM 04-Apr-25)







The image shows a screenshot of the Turbo C++ (TC) IDE. The window title is "TC". The menu bar includes File, Edit, Run, Compile, Project, Options, and Debug. The status bar at the top indicates "Line 7", "Col 2", and "Insert Indent Tab Fill Unindent * E". The code editor contains the following C program:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char  s[10]={'H','y','d'};
clrscr();
printf(s);
getch();
}
```

At the bottom of the IDE window, there is a message: "Activate Windows. Go to PC settings to activate Windows." Below the IDE window is the Windows taskbar, which includes icons for Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. The system tray on the right shows the date and time: "04:26 PM 04-Apr-25".







The image shows a screenshot of the Turbo C++ (TC) IDE. The main window has a dark blue background with yellow text. The menu bar at the top includes File, Edit, Run, Compile, Project, Options, Debug, and Break/watch. Below the menu bar, the status bar shows 'Line 5', 'Col 56', and 'Insert Indent Tab Fill Unindent * E:4PM.C'. The code in the editor is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s1[2]="K",s2[]="K",s3[2]={'K'},s4[]={'G','\0'},s5[]={'G'};
clrscr();
puts(s1);
puts(s2);
puts(s3);
puts(s4);
puts(s5);
getch();
}
```

Below the code editor, there is a toolbar with function key shortcuts: F1-Help, F5-Zoom, F6-Switch, F7-Trace, F8-Step, F9-Make, and F10-Menu. At the bottom of the IDE window, there is a status bar showing 'Page: 15 of 15' and 'Words: 4'. The Windows taskbar is visible at the very bottom, showing various application icons and the system clock indicating 04:31 PM on 04-Apr-25.




Storing of multiple strings:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 17", "Col 1", and "Indent Tab Fill Unindent * E". The main editing area has a blue background with yellow text. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[5][20]={"Alia Bhatt","Shradda kapoor","Rashmika Manda
"Jhanvi Kapoor","Pooja Hegde"};
int i;
clrscr();
puts("NAMES");
puts("-----");
for(i=0;i<5;i++)puts(s[i]);
getch();
}
```

At the bottom of the IDE window, there is a text prompt: "Activate Windows Go to PC settings to activate Windows." Below the IDE window is the Windows taskbar, which includes icons for Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. The system tray on the right shows the time as "04:37 PM" and the date as "04-Apr-25".







The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 11", "Col 33", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a dark blue background with yellow text. It contains a C program that defines an array of names and prints them in a diamond shape using a loop and printf. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[5][20]={"Alia Bhatt","Shradda kapoor","Rashmika Manda",
"Jhanvi Kapoor","Pooja Hegde"};
int i;
clrscr();
puts("NAMES");
puts("-----");
for(i=0;i<5;i++)printf("%c",s[i][i]);
getch();
}
```

At the bottom of the window, there is a taskbar with icons for Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. A system tray on the right shows the time as 04:40 PM and the date as 04-Apr-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.




Reading and printing a string:




The image shows a screenshot of the Turbo C++ (TC) IDE. The window title is "TC". The menu bar includes File, Edit, Run, Compile, Project, Options, and Debug. The status bar at the top indicates "Line 8" and "Col 26". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); scanf("%s",s);
printf("U entered %s",s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time as 04:41 PM and the date as 04-Apr-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.








The image shows a screenshot of the Turbo C++ (TC) IDE. The window title is "TC". The menu bar includes File, Edit, Run, Compile, Project, Options, and Debug. The status bar at the top indicates "Line 7" and "Col 33". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); gets(s);
printf("U entered %s",s);
getch();
}
```


At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time as 04:42 PM and the date as 04-Apr-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.












The image shows a screenshot of the Turbo C++ (TC) IDE. The window title is "TC". The menu bar includes File, Edit, Run, Compile, Project, Options, and Debug. The status bar at the top indicates "Line 12 Col 1" and lists keyboard shortcuts: Insert, Indent, Tab, Fill, Unindent, *, and E. The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); gets(s);
printf("U entered ");puts(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. On the right side of the taskbar, the system clock shows "04:48 PM" and the date "04-Apr-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, with the text "Go to PC settings to activate Windows."




The image shows a screenshot of a Turbo C++ (TC) window. The window has a yellow title bar with the text "TC" and standard Windows window controls (minimize, maximize, close). The main area is black with white text. The text displayed is:

```
Enter a string
jack and jill are good friends.
U entered jack and jill are good friends.
```

At the bottom right of the window, there is a message: "Activate Windows Go to PC settings to activate Windows." The Windows taskbar is visible at the bottom, showing various application icons including DEV, File Explorer, Calculator, Zoom, and others. The system clock in the bottom right corner shows "04:48 PM 04-Apr-25".


Scan set / Magic characters:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, the status bar indicates "Line 7" and "Col 44". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); scanf("%[^\n]",s);
printf("U entered ");puts(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time as 04:52 PM and the date as 04-Apr-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.







The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 7" and "Col 37". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); scanf("%[^\n]",s);
printf("U entered ");puts(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, and others. A system tray on the right shows the time as 04:54 PM and the date as 04-Apr-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.








The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status line indicates "Line 7" and "Col 39". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); scanf("%[^\n]",s);
printf("U entered ");puts(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. On the right side of the taskbar, the system clock shows "04:55 PM" and "04-Apr-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.









```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 39 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); scanf("%[^0-9]",s);
printf("U entered ");puts(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:57 PM
04-Apr-25







```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 40 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); scanf("%[^A-Z 0-9]",s);
printf("U entered ");puts(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:58 PM
04-Apr-25







```
TC
File Edit Run Compile Project Options Debug
Line 7 Col 35 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
puts("Enter a string "); scanf("%[A-Z 0-9]",s);
printf("U entered ");puts(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:00 PM
04-Apr-25






```
Enter a string
james cameroon
U entered
```

Activate Windows
Go to PC settings to activate Windows.

05:03 PM
04-Apr-25

Reading and printing multiple strings:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 12", "Col 1", and "Insert Indent Tab Fill Unindent * E". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[5][100]; int i;
clrscr();
puts("Enter 5 names ");
for(i=0;i<5;i++) gets(s[i]);
puts("NAMES");
puts("=====");
for(i=0;i<5;i++)puts(s[i]);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, File Explorer, Calculator, Zoom, Paint, VS Code, Chrome, Word, and Excel. The system tray on the right shows the date and time as "05:06 PM 04-Apr-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.

```
TC
Enter 5 names
Mahendra singh dhoni
Virat Kohli
Rohith Sharma
Shubman Gill
Surya Kumar Yadav
NAMES
=====
Mahendra singh dhoni
Virat Kohli
Rohith Sharma
Shubman Gill
Surya Kumar Yadav

Activate Windows
Go to PC settings to activate Windows.
```


Finding string length and reverse string?




The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. Below the title bar is a menu bar with the following options: File, Edit, Run, Compile, Project, Options, and Debug. Under the "Run" menu, there is a submenu with the following options: Line 13, Col 45, Insert, Indent, Tab, Fill, Unindent, and * E. The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i]!='\0';i++) /* strlen() */
{
}
printf("Length=%d\n",i);
printf("Reverse ");
while(i) printf("%c",s[--i]); /* strrev() */
getch();
}
```


At the bottom of the window, there is a status bar with the text "Activate Windows" and "Go to PC settings to activate Windows." Below the status bar is a taskbar with the following icons: Windows Start button, DEV, File Explorer, Calculator, Zoom, Paint, Google Chrome, Word, and Excel. The system clock in the bottom right corner shows "05:19 PM" and "04-Apr-25".






```
Enter the string
nitin racecar
Length=13
Reverse racecar nitin
```

Activate Windows
Go to PC settings to activate Windows.







```
TC
File Edit Run Compile Project Options Debug
Line 11 Col 22 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i];i++); /* strlen() */
printf("Length=%d\n",i);
printf("Reverse ");
while(i) putchar(s[--i]); /* strrev() */
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:23 PM
04-Apr-25






```
Enter the string
david
Length=5
Reverse divad
```

Activate Windows
Go to PC settings to activate Windows.


Lower to upper / upper to lower:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, the status bar shows "Line 13", "Col 9", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background with yellow text. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i];i++)
{
if(s[i]>='a'&& s[i]<='z')s[i]-=32; /*strupr() */
else if(s[i]>='A'&& s[i]<='Z')s[i]+=32; /*strlwr() */
}
puts(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows, DEV, a folder, a calculator, a Zoom icon, a paint palette, a code editor, Google Chrome, a document, and a calculator. On the right side of the taskbar, the system clock shows "05:30 PM" and "04-Apr-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, with the text "Go to PC settings to activate Windows."



```

for( i=0; s[i]!='\0';i++)
{
    if( s[i]>='a'&& s[i]<='z')s[i]-=32; /*strupr*/
    else if(s[i]>='A'&& s[i]<='Z')s[i]+=32; /*strlwr*/
}

```

s				
A+32 a	b-32 B	c-32 C	D+32 d	\0
0	1	2	3	4

Find the no of vowels , consonants, digits, spaces and special characters in given string.

```
TC
File Edit Run Compile Project Options Debug
Line 1 Col 10 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i,v,c,d,spa,spe; clrscr();
puts("Enter the string ");gets(s);
for(v=c=d=spa=spe=i=0;s[i];i++)
{
if(s[i]>='a'&& s[i]<='z')s[i]-=32; /*strupr */
if(s[i]>='A'&& s[i]<='Z')
{
if(s[i]=='A' || s[i]=='E' || s[i]=='I' || s[i]=='O' || s[i]=='U')v++;
else c++;
}
else if(s[i]>='0'&& s[i]<='9')d++;
else if(s[i]==' ')spa++;
else spe++;
}
printf("%d vowels, %d consonants, %d digits, %d spaces,
%d special",v,c,d,spa,spe);
getch(); }
F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10
```

Activate Windows
Go to PC settings to activate Windows.

05:44 PM
04-Apr-25


```
TC
Enter the string
Bahu Bali - 2
4 vowels, 4 consonants, 1 digits, 3 spaces, 1 special_

Activate Windows
Go to PC settings to activate Windows.
```

Home work:

1. Replace **lower/upper/digit/space/special** with **@/#/\$/*/=**

2. Rajan

Output:

Rajan

Ajan

Jan

An
n

asha
sha
ha
a

