

Adding of two strings [Concatenation]


```
TC
File Edit Run Compile Project Options Debug
Line 13 Col 1 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s1[100],s2[100],s3[200]; int i,j; clrscr();
puts("Enter first name ");gets(s1);
puts("Enter last name ");gets(s2);


for(i=0;s1[i]!='\0';i++)s3[i]=s1[i]; /* strcpy */
for( j=0; s2[j]!='\0'; i++,j++ )s3[i]=s2[j];
s3[i]='\0';
printf("Ur name is %s",s3);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.


F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

04:30 PM
07-Apr-25





With space:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar indicates "Line 10", "Col 17", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", and a multi-line edit icon. The main editing area has a dark blue background with yellow text. The code is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s1[100],s2[100],s3[200]; int i,j; clrscr();
puts("Enter first name ");gets(s1);
puts("Enter last name ");gets(s2);

for(i=0;s1[i]!='\0';i++)s3[i]=s1[i]; /* strcpy */
for(s3[i++]=' ',_j=0; s2[j]!='\0'; i++,j++)s3[i]=s2[j];
s3[i]='\0';
printf("Ur name is %s",s3);
getch();
}
```

At the bottom of the IDE window, there is a toolbar with icons for various functions, and a status bar showing "04:32 PM" and "07-Apr-25". A watermark "Activate Windows" is visible in the bottom right corner of the IDE window.




With gmail suggestions:


```
TC
File Edit Run Compile Project Options Debug
Line 9 Col 13 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
void main()
{
char s1[100],s2[100],s3[200]; int i,j; clrscr();
puts("Enter first name ");gets(s1);
puts("Enter last name ");gets(s2);
randomize();
for(i=0;s1[i]!='\0';i++)s3[i]=s1[i]; /* strcpy */
for(j=0; s2[j]!='\0'; i++,j++ )s3[i]=s2[j];
s3[i]='\0';
printf("Suggested mail is %s%d@gmail.com",s3,random(10000));
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10


04:36 PM
07-Apr-25





```

Enter first name
sai
Enter last name
baba
Suggested mail is saibaba9911@gmail.com
  
```



```
for( i=0; s1[i]!='\0';i++) s3[i]=s1[i];
```

```
for( j=0; s2[j]!='\0';j++,i++)s3[i]=s2[j];
```

```
s3[i++]=' ';
```

```
s3[i]='\0';
```


```
p(s3);
```

Handwritten indices for i and j:

i	j
3	0
4	1
5	2
6	3
7	4

Abbreviation:


Raudram Ranam Rudhiram - R R R



The screenshot shows the Turbo C++ (TC) IDE interface. The menu bar includes File, Edit, Run, Compile, Project, Options, and Debug. The status bar at the top indicates Line 1, Col 1, and various editing options like Insert, Indent, Tab, Fill, Unindent, and * E. The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
puts("Enter the string ");gets(s);
if(s[0]!=' ') printf("%c ",s[0]);
for(i=0;s[i]!='\0';i++)
{
if(s[i]==' ' && s[i+1]!=' ')
{
printf("%c ",s[i+1]);
}
}
getch();
}
```

At the bottom of the IDE, there is a keyboard shortcut bar with labels: F1 Help, F5 Zoom, F6 Switch, F7 Trace, F8 Stop, F9 Make, and F10. The Windows taskbar is visible at the very bottom, showing icons for DEV, File Explorer, Calculator, Zoom, and other applications. The system clock in the bottom right corner shows 04:48 PM on 07-Apr-25.



s	I	-	L	o	v	e		Y	o	u	\0
	0	1	2	3	4	5	6	7	8	9	10


if(s[0]!=' ') printf(s[0]); I L Y

for(i=0; s[i]!='\0';i++)

if(s[i]==' ' && s[i+1]!=' ') p(s[i+1]);

i
0 1 2 3 4 5 6

Finding no of words in given string:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 1", "Col 15", and "Insert Indent Tab Fill Unindent * E". The main editing area has a dark blue background with yellow text. It contains a C program designed to count the number of words in a string. The code uses a loop to iterate through the string, incrementing a counter 'c' for each space character found, and then adjusts the counter for leading and trailing spaces. The program prompts the user to "Enter the string" and prints the result as "%d words". The bottom of the window shows a Windows taskbar with various application icons and a system clock indicating 05:33 PM on 07-Apr-25.


```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i,c=1;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i]!='\0';i++)
{
if(s[i]==' ' && s[i+1]!=' ')c++;
}
if(s[0]==' ')c--;
if(s[i-1]==' ')c--;
if(s[0]=='\0')c--;
printf("%d words",c);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

05:33 PM
07-Apr-25





s	l	-	L	o	v	e		u			\0
	0	1	2	3	4	5	6	7	8	9	10

if(s[0]!=' ') printf(s[0]); l 7

for(i=0; s[i]!='\0';i++)

if(s[i]==' ' && s[i+1]!=' ') p(s[i+1]);

if(s[i-1]==' ') c--; if(s[0]=='\0')c--;

i
0 1 2 3 4 5 6 7 8 9 10

4


Captcha code:


```
TC
File Edit Run Compile Project Options Debug
Line 1 Col 37 Insert Indent Tab Fill Unindent * E
#include<stdio.h> #include<conio.h> #include<stdlib.h>
void main()
{
char s[10], sp[]="@#$~*=",ch; int n,i;
while(1)
{
randomize();
for(i=0;i<6;i++)
{
n=random(4);
if(n==0)s[i]=random(26)+97;
else if(n==1)s[i]=random(26)+65;
else if(n==2)s[i]=random(10)+48;
else s[i]=sp[random(6)];
}
s[i]='\0';
printf("Captcha code: %s\n",s);
fflush(stdin);
printf("Refresh [y/n] ");scanf(" %c",&ch);
if(ch=='n' ||ch=='N')break;
}
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

06:02 PM
07-Apr-25



O T P Generation?

TC

File Edit Run Compile Project Options Debug

Line 2 Col 1 Insert Indent Tab Fill Unindent * E

```
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
void main()
{
char s[10],ch; int i;
while(1)
{
randomize();
for(i=0;i<6;i++)
{
s[i]=random(10)+48;
}
s[i]='\0';
printf("O T P code: %s\n",s);
fflush(stdin);
printf("Resend O T P [y/n] ");scanf(" %c",&ch);
if(ch=='n' ||ch=='N')break;
}
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

06:06 PM
07-Apr-25

